

Trip Report – February 2020 Sampling Event Removal Assessment

Weirton BOP Implosion Site Weirton, Hancock County, West Virginia



EPA Region III START V - West

Superfund Technical Assessment and Response Team

DCN: 83088-5-01-FA-1159

TDD No: T501-19-11-001 Contract No.: EP-S3-15-03 June 30, 2020

Prepared for Deborah Lindsey, On-Scene Coordinator
United States Environmental Protection Agency, Region III
1060 Chapline Street
Wheeling, West Virginia 26003

Trip Report - February 2020 Sampling Event Removal Assessment

Weirton BOP Implosion Site Weirton, Hancock County, West Virginia

Prepared for:

U.S. Environmental Protection Agency Region III Wheeling, WV

EPA Contract No.: EP-S3-15-03

TDD No.: T501-19-11-001

EPA Work Assigner: Deborah Lindsey

Date Prepared: June 30, 2020 Prepared by: TechLaw

TABLE OF CONTENTS

Section	<u>n</u>		<u>Page</u>
1.0	INTR	ODUCTION	1
2.0	SITE	DESCRIPTION	1
3.0		KGROUND	
4.0	INVE	STIGATION ACTIVITIES	4
	4.1	Site Reconnaissance	
	4.2	Planning and Pre-Mobilization Activities	4
	4.3	Field Sampling Activities	
5.0	ANAI	LYTICAL RESULTS	
	5.1	Data Validation	7
	5.2	TAL Metals, Mercury and Hexavalent Chromium Results	
		5:2.1 Comparison To EPA's Removal Management Levels	8
		5.2.1.1 RML THQ=3 Exceedances	
		5.2.1.2 RML THQ=1.0 Exceedances	
		5.2.2 Comparison to Background Levels	9
		5.2.2.1 Natural Background Levels	10
		5.2.2.2 Anthropogenic Background Levels	
	5.3	Asbestos Results	10
	5.4	Quality Control Sample Results	
6.0	SUMI	MARY	11
7.0		CLUSION	
8.0	REFE	RENCES	12
		,	
FIGUR			
Figure		ite Location Map	
Figure		ite Layout Map	
Figure	3 S	oil Sample Location Map	
TABLI	EQ.		
		ace Soil Sample Log	
		lytical Results for TAL Metals, Hg, Cr ⁺⁶ , RML THQ=3.0 Comparisons	
Table 3		lytical Results for TAL Metals, Hg, Cr ⁺⁶ , RML THQ=1.0 Comparisons	
Table 4		Tytical Results for TAL Metals, Fig. Ci., RIVIL TTIQ-1.0 Comparisons	
		Samples – Asbestos Results	
rable :	, 5011	Campies 715005105 Nosults	
ATTA	СНМЕ	NTS:	
Attachi	ment 1	Chain of Custody/Traffic Reports – February 19, 2020 Sampling Event	
Attachi	ment 2	Data Validation Report – Total Metals and Mercury – CLP Case No. 48747	
		Final Data Report – Hexavalent Chromium – DAS Case No. R35756	
		Data Validation Report - Asbestos - DAS Case No. R35754	
Attachi	ment 5	Photographic Documentation	

Weirton BOP Implosion Site Removal Assessment Trip Report Revision: Final June 30, 2020

1.0 INTRODUCTION

TechLaw was tasked by the U.S. Environmental Protection Agency (EPA) Region III On-Scene Coordinator (OSC) to conduct a Removal Assessment at the Weirton BOP Implosion site (Site) located in Weirton, Hancock County, West Virginia. On-site investigation activities were conducted during November 2019 and February 2020. These activities included an initial Site reconnaissance followed by surface soil sampling conducted in accordance with the approved Sampling QA/QC Work Plan (SQAP) dated January 23, 2020 (TechLaw, 2020). This report provides a summary of the Site reconnaissance and sampling investigation activities and associated laboratory analytical results. The sampling activities were conducted by TechLaw under EPA Superfund Technical Assessment and Response Team (START) – West contract EP-S3-15-03, Technical Direction Document (TDD) No. T501-19-11-001.

2.0 SITE DESCRIPTION

The Site comprises the residential and commercial properties to the north, east and south of the former Basic Oxygen Plant (BOP) located on the Frontier, Mingo Junction Steel Works, LLC property in Weirton, WV. Prior to its implosion, the BOP was a large structure situated on a 16.4-acre parcel of land that was located approximately 1000 feet south-southeast from the intersection of WV State Route 2 (SR2) and Pennsylvania Avenue (SR105) in Weirton, WV. The BOP location is bound to the north by Terrace Circle, to the east by residential homes along Weir Avenue, to the south by the Steel Works facility, and to the west by SR2. Coordinates for the approximate center of the BOP facility are 40.414848 degrees (°)north latitude and -80.587102° west longitude (Google Earth Pro© - refer to Figure 1, Site Location Map and Figure 2, Site Aerial Map).

On March 9, 2019, the final phase of the BOP demolition project was conducted by the owner who had the remaining structure demolished by means of a scheduled implosion. The implosion caused a large dust cloud and resulted in deposition of particulate matter on nearby residential and commercial properties to the east. Evaluation of surface soil on these off-site properties was the primary objective of this investigation. The BOP location and the approximate investigation area are depicted in Figure 2, Site Aerial Map. The area evaluated consists primarily of residential properties and some mixed-use commercial properties located adjacent to and north and east of the BOP, and which is along and in the vicinity of Weir Avenue and Pennsylvania Avenue. Several background samples were collected to the northwest, southwest and south of the BOP to establish attribution of contaminants where the potential for multiple contaminant contributors may exist.

The former BOP facility is located on a broad, relatively flat valley floor that was a former channel of the Ohio River. The investigation area is upslope from the BOP facility and approximately 25-100 feet higher elevation. The elevation of the valley floor is approximately 730 feet above mean sea level (amsl). The upland areas bounding the east and west sides of the valley are approximately 1170 feet amsl. Steeply sloped stream-dissected hillsides are present throughout the area and are indicative of the topography of the Allegheny Plateau zone of the Appalachian Plateau region.

Weirton BOP Implosion Site Removal Assessment Trip Report Revision: Final June 30, 2020

3.0 BACKGROUND

The basic oxygen steel making process is a method of primary steel-making where carbon-rich pig iron is made into steel. The process of blowing oxygen through the pig iron lowers the carbon content within the iron and changes it to low-carbon steel. The process is known as basic, from the fluxes of burnt lime or dolomite chemical bases, which are added to aid with the removal of impurities and protect the converter lining.

Refer to the *Preliminary Investigation Report Corrective Action Area VI Iron-Making And Corrective Action Area VII Steel-Making*, (Preliminary Investigation Report) prepared by Civil and Environmental Consultants, Inc. (CEC, 2015) for a presentation of historical Site ownership and previous investigations of the Site. The CEC report figures referencing locations of solid waste management units (SWMUs) and areas of concern (AOCs) were unavailable during the background file review. SWMUs described in the Preliminary Investigation Report include the former yard office locomotive fueling station (W-700), detinning plant (W-1000, 1002, and 1007), sludge transfer station (W-1000), and air compressor condensate drip at detinning plant (W-1007).

Weirton Steel Corporation (WSC) received an initial administrative order, on September 16, 1996, under section 3008(h) of the Resource Conservation and Recovery Act (RCRA) from EPA to perform RCRA corrective actions at WSC's steel manufacturing facility located in Weirton, WV. The order became final on October 16, 1996 and specified that WSC perform a RCRA Facility Investigation (RFI). Following several revised submissions, WSC submitted a facility-wide RFI Work Plan to EPA that was approved on July 20, 1999. The RFI Work Plan divided the large complex site (1,390 acres) into 12 Corrective Action Areas (CAAs) to implement the RFI and corrective actions. The BOP building is located in CAA VII as indicated in the CEC Preliminary Investigation Report.

The Weirton BOP was operated by WSC prior to May 17, 2004 when International Steel Group, Inc. (ISG) purchased the majority of WSC's assets including the parcels that made up CAA VI (Iron-Making Area) and VII (Steel-Making Area) which included the BOP. Operations began at the facility on May 18, 2004 under the name of ISG Weirton, Inc., as a subsidiary of ISG. In April 2005, Mittal Steel N.V. (Mittal) acquired ISG. In 2006, Mittal merged with Arcelor to form ArcelorMittal, Inc. From 2006 to 2012, the facility was operated by ArcelorMittal Weirton, Inc., a subsidiary of ArcelorMittal USA, Inc. On December 31, 2012, ArcelorMittal Weirton, Inc. converted to a limited liability company and the name was changed to ArcelorMittal Weirton LLC (CEC 2015).

The RFI Work Plan for CAAs VI and VII was submitted to the U.S. EPA on June 26, 2013. A revised work plan was approved by EPA on September 19, 2013. CEC conducted field investigations from October to December 2013. A total of 17 soil borings (SBs) were installed in CAAs VI and VII. One SB was installed in CAA VI. Sixteen SBs were installed in CAA VII. A total of 9 groundwater monitoring wells (GMWs) were installed in CAAs VI and VII. These included three GMWs that were installed in CAA VI and six GMWs that were installed in CAA VII.

CEC indicated that the constituents of potential concern (COPCs), related to the (SWMUs and AOCs identified in the Preliminary Investigation Report, include volatile organic compounds (VOCs), primarily monocyclic aromatic hydrocarbons and halogenated aliphatics; semi-volatile

Weirton BOP Implosion Site Removal Assessment Trip Report Revision: Final June 30, 2020

organic compounds (SVOCs), primarily phenols and polynuclear aromatic hydrocarbons (PAHs); polychlorinated biphenyl (PCBs); metals; and cyanide (CEC 2015). Results from the preliminary investigation were compared with the residential and industrial EPA Regional Screening Levels (RSLs) for soil that were current at the time of the CEC report (January 2015). Surface soil was compared to the RSL for residential soil based on a future redevelopment scenario. Subsurface soil was compared to the RSL for industrial soil.

Surface soil samples collected as part of the CEC Preliminary Site Investigation conducted in 2015 were analyzed for select VOCs and SVOCs, including 17 (PAHs) and Target Analyte List (TAL) Metals plus cyanide, and PCBs. Analytical results indicated there were no VOCs detected in surface soil samples that exceeded the residential RSLs for soils.

The CEC Preliminary Investigation Report indicates at least seven surface soil sample locations are associated with the BOP building area. The sample identifiers (IDs) are VII-SS-11, 12, 13, 18, 19, 20 and 21. These sample locations are described in Table 5-1 of the CEC Preliminary Investigation Report. The COCs identified in the report as exceeding the RSL for residential soil (surface soil) include PAHs and metals as follows:

- Benzo(a)anthracene with analytical results ranging from 0.013 milligrams per kilogram (mg/kg) to 0.17 mg/kg. Two of the seven samples exceeded the residential soil RSL of 0.15 mg/kg;
- Benzo(a)pyrene with analytical results ranging from 0.0082 mg/kg to 0.18 mg/kg. Six
 of the seven samples exceeded the residential soil RSL of 0.015 mg/kg;
- Benzo(b)flouranthene with analytical results ranging from 0.013 mg/kg to 0.2 mg/kg. Two of the seven samples exceeded the residential soil RSL of 0.15 mg/kg;
- Dibenz(a,h)anthracene with analytical results ranging from 0.0081 mg/kg to 0.052 mg/kg. Three of the seven samples exceeded the residential soil RSL of 0.015 mg/kg;
- Arsenic with analytical results from 0.75 mg/kg to 5.6 mg/kg. Six samples (SVII-SS-18 was not sampled for TAL metals) exceeded the residential soil RSL of 0.67. Four of the six samples exceeded the industrial soil RSL of 3 mg/kg.

A detailed description of RCRA sampling activities and analytical results can be found in the CEC Preliminary Investigation Report.

More recent activity showed that the BOP parcel was sold to Frontier Industrial Corporation in January 2017. During 2017-2018, an asbestos survey and removal was conducted at the BOP. On June 9, 2018, BOP demolition and teardown began. On March 9, 2019, remaining Sections 14, 15, and 16 of the BOP were demolished via implosion. The implosion caused a large dust cloud that resulted in deposition of particulate matter on nearby residential and commercial properties predominantly to the east of the BOP. On March 11, 2019, a sample of the dust material deposited from the implosion was collected by a chemist and analyzed at a commercial laboratory for inductively coupled plasma-atomic emission spectrometry (ICP-AES) metals, mercury and hexavalent chromium. The results indicated the presence of arsenic, cadmium, lead, and mercury within the dust sample at concentrations of potential concern (Sellitti, 2019). On July 10, 2019, a lawsuit was filed in Hancock County WV Court representing residents of 23 households in Weirton due to alleged hazards and property damage resulting from the implosion.

Weirton BOP Implosion Site Removal Assessment Trip Report Revision: Final June 30, 2020

The West Virginia Department of Environmental Protection (WVDEP) subsequently requested EPA assistance with evaluating surface soils on nearby properties for contaminants of concern related to the implosion.

4.0 INVESTIGATION ACTIVITIES

TechLaw performed the following activities as part of this investigation: prepared a Health and Safety Plan (HASP); conducted a site reconnaissance; developed a geographical information system (GIS) database for the Site; acquired parcel maps; prepared the SQAP; arranged for analytical services; developed a SCRIBETM database for the Site; conducted a sampling event that included collection of surface soil samples; shipped samples to assigned and/or procured laboratories; managed environmental data; evaluated sample results; and prepared this report.

The following paragraphs summarize the investigation and sampling activities conducted at the Site and provide a brief synopsis of the analytical results. Site and sample location maps, a sample log, data summary tables, chain-of-custody's (COCs), data validation reports and a photolog are attached at the end of this report.

4.1 Site Reconnaissance

On the morning of November 26, 2019, two EPA On-Scene Coordinators and three START personnel held a meeting at the TechLaw office in Wheeling, WV to discuss the project scope, objectives and schedule. Following the meeting, all personnel mobilized to the Site and conducted a Site reconnaissance to evaluate potential sampling locations in the area of interest near the BOP implosion site. The reconnaissance activities included reviewing property parcels identified by EPA based on their proximity to the implosion site and accessibility. The parcels evaluated were owned by the City of Weirton and included open vacant lots, wooded lots, playgrounds, a small park, and a parcel containing a fenced pump house station. Most of these locations were within the residential neighborhood along Weir Avenue east of the BOP that received significant deposition of particulates from the BOP implosion that took place 8.5 months earlier. Video footage of the implosion taken by media outlets and others was readily available on the internet for viewing and showed the large dust cloud envelope the neighborhood on Weir Avenue including the lots identified for potential sampling activities. START took photos and obtained global positioning system (GPS) coordinates at the property locations to support preparation of the SQAP then demobilized from the Site.

4.2 Planning and Pre-Mobilization Activities

During interim planning and SQAP development activities that took place during December 2019 and January 2020, EPA identified 13 additional privately owned lots that were within the Weir Avenue investigation area for sampling purposes. TechLaw provided to the OSC parcel ownership information and parcel maps obtained from the Hancock County Assessor's Office on-line service. This was to assist EPA's efforts with obtaining owner access agreements to conduct the sampling activities. The additionally identified privately owned vacant lots were located in areas directly across from, due east of, and downwind of the BOP implosion location.

A property access agreement for the 13 privately owned parcels was signed by the owner on January 20, 2020. The access agreement for 11 properties owned by the city of Weirton was signed on January 21, 2020.

Weirton BOP Implosion Site Removal Assessment Trip Report Revision: Final June 30, 2020

TechLaw START prepared a Draft SOAP to outline sampling procedures for collecting surface soil samples (TechLaw, 2020). The SOAP specified analytical parameters and project quality control/quality assurance (QA) procedures to be used during the sampling event. TechLaw prepared a draft Analytical Request Form (ARF) and submitted it along with the SQAP to the OSC for review and approval on January 9, 2020. The SQAP was revised to address EPA comments received on January 23, 2020 and TechLaw submitted the final SQAP on the same date to the OSC. The approved SQAP and ARF were submitted to the EPA Region III Office of Analytical Services and Quality Assurance (OASQA) Client Services Team (CST) on January 24, 2020 to arrange for analytical services. The CST scheduled analytical services for the project through the Contract Laboratory Program (CLP) Routine Analytical Services (RAS) and Delivery of Analytical Services (DAS), and requested Tier IV laboratory services be procured by TechLaw for Asbestos analysis. Case numbers and laboratory assignments were provided by the CST to TechLaw on February 5, 2020. TechLaw prepared a scope-of-work (SOW) and request for quote (RFQ) and solicited bids from laboratories capable of performing the asbestos analysis. EMSL Analytical, Inc., Cinnaminson, NJ was subcontracted by TechLaw to conduct the work. The following case numbers, analytical parameters and laboratory assignments were provided to TechLaw by the EPA CST:

- 1. CLP Case No. 48747: For analyses of surface soil samples and a rinsate blank for TAL metals (total) and mercury (Hg). The analyses were assigned by the CST to Bonner Analytical Testing Company, Hattiesburg, MS.
- DAS Case No. R35756: For analysis of surface soil samples and a rinsate blank for hexavalent chromium. The analysis was assigned by the CST to the EPA Region 3 OASQA Laboratory, Fort Meade, MD.
- 3. DAS Case No. R35754 (Tier IV): For analyses of surface soil samples for asbestos containing materials (ACMs). TechLaw procured analytical services for asbestos with EMSL Analytical, Inc. Cinnaminson, NJ Laboratory.

On January 31, 2020, the OSC provided TechLaw with the signed access agreements for properties to be sampled. TechLaw updated sample location parcel maps to include the properties where access was granted. The SCRIBETM database was prepared to output sample tags, labels, and Chain-of-Custody (COC) records; and to use for data management. TechLaw procured sampling materials and supplies and rented a Trimble® Geo 7X handheld GPS unit to collect coordinates at the sample locations.

During the week of February 17, 2020 and prior to the sampling event, EPA handed out postcards to citizens in the area of the investigation that provided information related to EPA's activities being conducted at the Site and pertinent EPA contact information.

4.3 Field Sampling Activities

On February 19, 2020, prior to mobilization to the Site, TechLaw collected a rinsate blank (RB-01) from the dedicated trowels to be used during the sampling event. The blank sample was collected by pouring deionized ultra-filtered water (DIUF) over the trowels to be used for sampling and collecting the water in sample containers and storing the sample in a cooler on ice. After collection of the rinsate blank, TechLaw START mobilized three personnel to the Site to conduct sampling activities. EPA OSC's Deborah Lindsey and Samantha Holtzinger were

Weirton BOP Implosion Site Removal Assessment Trip Report Revision: Final June 30, 2020

present for the duration of the sampling event.

TechLaw collected a total of 19 biased, discrete (grab) surface soil samples including two duplicate samples from 17 locations on the Site. The sampling locations were on eight Cityowned properties and nine privately-owned properties for which access had been granted by the property owners. Three of the locations on City-owned property were selected as background locations (SS-17, SS-18, SS-19). Soil samples were identified as SS-01 through SS-19 and were numbered in the chronological sequence that they were collected. The sample locations are depicted on Figure 3, Sample Location Map.

All surface soil samples were collected from 0-3 inches depth using dedicated stainless steel trowels and in accordance with the procedures outlined in the SQAP. Soil samples were placed in dedicated aluminum pans and thoroughly homogenized. Stones, vegetation and debris were removed prior to filling certified-clean sample containers. Each sample location was photographed and described in the Site logbook. General physical descriptions of the soil were documented. Sample coordinates were collected with the Trimble® GPS data collector. Sample containers were marked with the sample identifier, placed in a plastic zipping bag and stored in a cooler on ice until the samples were processed for shipping. Weather during the event was partly cloudy with temperatures ranging from 26° Fahrenheit (F) in the morning to 39° F in the afternoon. Winds were out of the northwest at 5-10 mph.

Areas of particulate deposition attributed to the BOP implosion dust cloud were not directly observed by the sampling team either on the ground surface at the sampling locations, or on the parcels in general. The lack of observed particulate deposition was likely attributable to weathering over the 8.5 months period between the implosion date and sampling date. Wind, precipitation, infiltration and runoff would be factors contributing to the lack of observed surficial deposition of particulate fallout. The sampling team did observe particulate staining/dust on at least one home structure during the sampling event that could possibly be attributable to the implosion event. Refer to Table 1, Soil Sample Descriptions for sample information including sample locations, location descriptions, sample IDs, CLP sample numbers, sample depths, and general descriptions of the soil.

The sampling team completed sampling activities on February 19, 2020 and all personnel demobilized from the Site. TechLaw returned to their Wheeling, WV office and updated the SCRIBETM database. Samples were labeled, tagged, packaged and shipped under chain-of-custody to the respective laboratories specified in Section 4.2. The samples were packaged and shipped on ice with the exception of the samples scheduled for asbestos analysis. All samples were shipped on February 20, 2020 to the laboratories via FedEx priority overnight. One cooler containing the samples for metals and mercury analyses was delayed by the courier and arrived at the laboratory on February 24, 2020. TechLaw did not receive notification from the courier that the shipment would be delayed. Regional copies of the chain of custody/traffic reports (COC/TR) for all samples shipped are presented in Attachment 1. Refer to Table 1, Sample Log (attached) which tabulates sample location and description information.

5.0 ANALYTICAL RESULTS

Analytical services for TAL total metals by analytical method ISM02.4 ICP-AES and for mercury by method ISM02.4 were provided by Bonner Analytical Testing Company under EPA

Weirton BOP Implosion Site Removal Assessment Trip Report Revision: Final June 30, 2020

CLP RAS Case number 48747. Analytical services for hexavalent chromium by solid waste analytical method SW3060A/7199A were provided by OASQA under EPA DAS Case number R35756. Analytical services for polarized light microscopy asbestos analysis by analytical method EPA/600/R-93/116were provided by EMSL Analytical, Inc. under Tier IV DAS Case number R35754.

5.1 Data Validation

Independent third party data validation of the analytical data provided through the CLP and the Tier IV laboratories was completed by the EPA Environmental Services Assistance Team (ESAT) contractor. Inorganic data were validated according to the EPA CLP National Functional Guidelines for Inorganic Superfund Methods Data Review (January 2017) and applicable EPA Region III modifications. Electronic validation was performed by the Electronic Data eXchange & Evaluation System (EXES). The inorganics validation report has been assigned the Superfund Data Validation Level Stage 3 Validation Electronic Manual (S3VEM). Analytical data for samples analyzed by the EPA OASQA were reviewed and validated in accordance with internal QA/QC requirements.

The Final Report containing validated hexavalent chromium results was received from OASQA on April 15, 2020. The data validation report for metals and mercury was received from ESAT on May 5, 2020. The data validation report for asbestos was received on June 2, 2020. Refer to Attachments 2, 3 and 4 – Data Validation Reports for findings documented during the data validation process.

The data validators sometimes assign qualifiers to data based on a review of the data and quality control parameters. Lists of potential data qualifiers typically used and definitions are provided below.

Glossary of Inorganic Data Qualifier Codes

Validation Qualifiers	In order of descending precedence. Only one of these qualifiers may apply to any result.
R	The data are unusable. The sample results are rejected due to serious deficiencies in meeting QC criteria. The analyte may or may not be present in the sample.
UJ	The analyte was analyzed for but was not detected. The reported quantitation limit is approximate and may be inaccurate or imprecise.
U	The analyte was analyzed for but was not detected above the level of the reported sample quantitation limit.
В	The result is presumed a blank contaminant. This qualifier is used for drinking water samples only.
J	The result is an estimated quantity. The associated numerical value is the approximate concentration of the analyte in the sample.
J+	The result is an estimated quantity, but the result may be biased high.
J-	The result is an estimated quantity, but the result may be biased low.

Weirton BOP Implosion Site Removal Assessment Trip Report Revision: Final June 30, 2020

5.2 TAL Metals, Mercury and Hexavalent Chromium Results

5.2.1 Comparison To EPA's Removal Management Levels

The inorganic analytical results for surface soil samples were compared to EPA Regional Removal Management Levels (RMLs) for Industrial and Residential soil (Target Hazard Ouotient [THO]=3.0) (EPA, 2019b) and EPA RMLs for Industrial and Residential soil (THQ=1.0) (EPA, 2019b). The RMLs discussed in this report and provided in the attached tables are generic in that they are calculated without using site-specific information. The RMLs assist with identifying areas, contaminants and conditions where a removal action under CERCLA may be appropriate. Other factors such as background concentrations, site-specific exposure scenarios, or other program considerations are also considered when evaluating the appropriateness for conducting removal actions. RMLs are not meant to define protective levels and are not de facto cleanup levels. The generic RMLs correspond to risk levels of approximately 10-4 and/or a Hazard Quotient of up to 3 for long-term exposure to individual chemicals at a site. The generic RML tables provide risk-based values corresponding to an HQ of 1 and 3 for those chemicals with potential non-carcinogenic toxicity as there may be sitespecific and/or chemical specific circumstances where an HQ less than 3 may be more appropriate for calculating RMLs. For example, RMLs corresponding to an HQ of 1 may be more appropriate for those sites where multiple chemicals are present that have reference doses (RfDs) or reference concentrations (RfCs) based on the same toxic endpoint or where the toxicity of a chemical is such that exceeding the RfD/RfC, even slightly, warrants particular concern (EPA, 2019b).

Analytical results that exceeded the screening benchmarks are presented in the subsections below. Refer to Table 1, Sample Log and the attached Photo Log for sample locations and descriptions.

5.2.1.1 RML THQ=3 Exceedances

There were two samples that exceeded the RML THQ=3 screening levels for metals in residential soil. Sample SS-05 exceeded the benchmark for lead and sample SS-18 exceeded the benchmark for manganese as further described below.

Lead was detected at a concentration of 485 mg/kg in sample SS-05. The concentration exceeded the residential soil RML benchmark of 400 mg/kg. There were no other samples that exceeded screening level benchmarks for lead.

Manganese was detected at a concentration of 5,510 mg/kg in sample SS-18. The concentration slightly exceeded the residential soil RML THQ=3.0 benchmark concentration of 5,500 mg/kg. Sample SS-18 was a background sample collected from a location approximately 0.75 miles south of the former BOP.

There were no other sample results for metals that exceeded RML THQ=3 benchmarks. Refer to Table 2 for a comparison of the metals data to the RML THQ=3 screening level benchmarks. In the tables, benchmark exceedances are identified by color shading. The color key located in the upper left corner on each table describes the type of benchmark exceedance.

5.2.1.2 RML THQ=1.0 Exceedances

There were eight samples that exceeded the RML THQ=1.0 screening level benchmarks for metals in residential soil. The samples included SS-03, SS-04, SS-05, SS-09, SS-11, SS-17, SS-18 and SS-19 which contained elevated concentrations of arsenic, iron and/or manganese. These samples and the exceedances are further described below.

Only one sample, SS-19, exceeded the RML for arsenic. Arsenic was detected in SS-19 at a concentration of 43.9 mg/kg which exceeded the RML of 35 mg/kg for arsenic in residential soil. SS-19 was collected from a background location approximately 1,800 feet southwest of the former BOP.

Iron was detected in four samples at concentrations that exceeded the residential soil RML benchmark (THQ=1.0) of 55,000 mg/kg. The samples that exceeded the RML included duplicate samples SS-03 (62,700 mg/kg)/SS-04 (64,700 mg/kg) and background samples SS-17 (63,500 mg/kg), and SS-19 (58,500 mg/kg).

Lead was detected at a concentration of 485 mg/kg in sample SS-05 which exceeded the RML of 400 mg/kg.

Manganese was detected at concentrations exceeding the residential soil RML benchmark (THQ=1.0) of 1,800 mg/kg in seven samples. These included duplicate samples SS-03 (4,670 mg/kg)/SS-04 (4,000 mg/kg), SS-09 (2,120 mg/kg), SS-11 (2,340 mg/kg) and background samples SS-17 (1,990 mg/kg), SS-18 (5,510 mg/kg) and SS-19 (1,870 mg/kg).

There were no other metals results that exceeded RML THQ=1.0 benchmarks for residential soil or industrial soil scenarios. Refer to Table 3 for a comparison of the metals results to the RML THQ=1.0 screening level benchmarks.

5.2.2 Comparison to Background Levels

Factors such as background levels, may also be considered in evaluating sample data and the need for further action. Background concentrations can be evaluated as natural background levels or as anthropogenic background levels. Natural background levels refer to elements and compounds that occur naturally in the earth without any human interference. Anthropogenic background levels refer to concentrations of elements and compounds that occur over an area as a result of human activities. The most common example of a naturally occurring background condition is metals in soils. Nearly all soils contain a variety of metal constituents, such as iron, aluminum and lead. These constituents are present in the rocks from which the soils are ultimately derived, and the concentrations can be quite variable and dependent on the specific geologic environment.

In order to compare the analytical data collected as part of this assessment to natural background levels, EPA will use natural background levels that are consistent with Section 3.8.2 of West Virginia's Voluntary Remediation Program Guidance Manual and presented in Table 4. The analytical data from the area in the vicinity of Weir Avenue will also be compared to the three background samples to assess if there are any anthropogenic background levels.

Weirton BOP Implosion Site Removal Assessment Trip Report Revision: Final June 30, 2020

5.2.2.1 Natural Background Levels

All of the soil samples were analyzed for TAL metals which consisted of 23 metals. The laboratory analysis reported no detectable levels of antimony, selenium, silver, sodium, thallium and hexavalent chromium in all sample locations except for SS-01.

A simple comparison of the published natural background levels for West Virginia to the data collected as part of this assessment showed that samples collected did not exceed the natural background levels for aluminum, barium, beryllium, cobalt and potassium.

Thirteen metals including arsenic, cadmium, calcium, copper, iron, lead, magnesium, manganese, mercury, nickel, vanadium and zinc exceeded the published natural background levels. A number of these metals can be associated with the historical industrial operations for the area which may be detected in anthropogenic background levels.

Of the thirteen metals exceeding natural background levels, arsenic, iron, lead and manganese exceeded the RML screening benchmarks.

5.2.2.2 Anthropogenic Background Levels

Three soil samples were selected outside of the implosion plume and collected as site-specific background samples. The locations of the site-specific background samples were non-industrial areas. An average value of the three samples was used in the comparison of Site samples compared to the site-specific background samples.

There were no detectable levels of antimony, selenium, silver, sodium, thallium and hexavalent chromium in the three background locations.

For eleven of the metals, results of the samples collected in the Weir Avenue location were similar to the site-specific background locations including aluminum, cadmium, chromium, cobalt, copper, lead, manganese, mercury, nickel, potassium and vanadium.

Arsenic, barium, beryllium, calcium, iron and magnesium were lower in the Weir Avenue samples compared to the average value for the site-specific background locations

Zinc was higher in the Weir Avenue samples as compared to the site-specific background locations.

5.3 Asbestos Results

The EPA and OSHA consider a material to be asbestos-containing if at least one sample from the homogenous area shows asbestos in an amount greater than 1%. The asbestos results were compared to the 1% concentration standard.

There were no soil samples that contained asbestos fibers at concentrations greater than 1%. Asbestos results for all samples except one were non-detect. In the one sample where asbestos was identified, chrysotile asbestos was observed in sample SS-12 at a trace concentration of <0.25%. Refer to Table 5 for a summary of asbestos results.

5.4 Quality Control Sample Results

As described in Section 4.3, TechLaw collected one rinsate blank (RB-01) from stainless steel

Weirton BOP Implosion Site Removal Assessment Trip Report Revision: Final June 30, 2020

trowels that were decontaminated prior to mobilization and used to collect soil samples during the sampling event. The sample was analyzed for total metals, mercury and hexavalent chromium. All parameters were non-detect and no data were qualified based on the laboratory results. RB-01 laboratory results may be found in the data validation report in Attachment 2.

6.0 SUMMARY

A total of 19 soil samples including two duplicate samples were collected from 17 locations at the Site. The sampling locations included 14 parcels located in the residential and commercial properties near the March 9, 2019 BOP implosion site, plus three additional background locations that were located north, south and southwest of the implosion area. The soil samples were analyzed for TAL Metals, mercury, hexavalent chromium and asbestos content.

Analytical results for the TAL metals, mercury, and hexavalent chromium indicated that lead and manganese exceeded the residential soil RML THQ=3 benchmark. This occurred in samples SS-05 where the lead concentration was 485 mg/kg, and in SS-18 where the manganese concentration was 5,510 mg/kg. Sample SS-05 was collected from a vacant residential lot without structures where residential construction/demolition debris was observed in the surface soil cover. Sample SS-18 was collected from a background location near the perimeter fence line of a community events center.

Arsenic, iron and manganese concentrations in surface soil samples exceeded the RML THQ=1 benchmark for residential soil in eight samples. The RML for arsenic (35 mg/kg) was exceeded in one sample, SS-19, that had a concentration of 43.9 mg/kg. SS-19 was collected from a background location approximately 1,800 feet southwest of the former BOP. Iron was detected in four samples at concentrations exceeding the residential soil RML (THQ=1.0). The samples included SS-03 (62,700 mg/kg)/SS-04 (64,700 mg/kg), SS-17 (63,500 mg/kg), and SS-19 (58,500 mg/kg). Manganese was detected at concentrations exceeding the residential soil RML (THQ=1.0) in seven samples. These included duplicate sample set SS-03 (4,670 mg/kg)/SS-04 (4,000 mg/kg), SS-09 (2,120 mg/kg), SS-11 (2,340 mg/kg), SS-17 (1,990 mg/kg), SS-18 (5,510 mg/kg) and SS-19 (1,870 mg/kg).

Asbestos results were non-detect in all samples except SS-12 which contained a trace level of chrysotile (<0.25%) which is less than the 1% EPA standard for identifying ACM.

A review of the site data compared to background levels was to provide a cursory review to see if levels at the Site could be attributable to naturally occurring metals or anthropogenic conditions. The cursory review showed that concentrations within the Site along Weir Avenue exceed published West Virginia background levels for a number of the metals that are consistent with industrial operations that have been conducted in the area. Comparison of the site data to the site-specific background locations support that the area has metal concentrations which appear to be associated with widespread anthropogenic conditions. A complete background study would need to be conducted to support further conclusions regarding unknown or unconfirmed sources.

7.0 CONCLUSION

EPA was asked by the WVDEP to perform a removal site evaluation on a residential neighborhood adjacent to the Weirton BOP facility to determine if contaminants are present as a

Weirton BOP Implosion Site Removal Assessment Trip Report Revision: Final June 30, 2020

result of the implosion of the BOP structure which took place in March of 2019. EPA's review of the analytical data collected in February 2020 showed concentrations of metals in all of the samples. A small number of samples had levels that exceeded EPA's removal screening benchmarks for soils. Three sample locations exceeded EPA's removal screening levels for iron and manganese, one sample location exceeded for lead and one sample location contained a trace level of asbestos. The background samples outside of the implosion plume contained levels of iron, manganese and arsenic that exceeded removal screening benchmarks. EPA's review of the data showed levels consistent with backgrounds level, both natural occurring and historical, and that a removal action is not warranted.

EPA has coordinated a review of the data with the WVDEP. WVDEP responded that EPA's removal evaluation was satisfactory in the number of samples collected, sample locations provided a broad area to assess potential impact and addressed their request for a more thorough assessment. WVDEP's review of the data did not identify significant exceedances as it related to the WVDEP's RCRA program and would not be pursuing any cleanup of the soils.

EPA has also requested that the Agency for Toxic Substances and Disease Registry (ATSDR) review the data and provide a Public Health Evaluation for the Site. EPA will review any recommendations made by the ATSDR and evaluate if any additional actions can be conducted.

8.0 REFERENCES

- CEC, 2015. Civil and Environmental Consultants, Inc. Preliminary Investigation Report Corrective Action Area VI Iron-Making And Corrective Action Area VII Steel-Making. 4000 Triangle Lane, Suite 200 Export, PA 15632, May 2015.
- EPA, 2019b. Regional Removal Management Levels for Resident Soil and Industrial Soil THQ=1.0 and THQ=3.0 November 2019: https://www.epa.gov/risk/regional-removal-management-levels-chemicals-rmls
- Sellitti, 2019. Weirton BOP Demolition. Letter and laboratory results. Sellitti, Nogay, & McCune, P.L.L.C. Attorneys at Law to West Virginia Department of Environmental Protection, Division of Air Quality. Weirton, WV. April 18, 2019.
- TechLaw, 2020. Sampling QA/QC Work Plan, Removal Assessment, Weirton BOP Implosion Site, Weirton, Hancock County, West Virginia. TechLaw, Wheeling, WV. January 23, 2020.
- WVDEP, 2019. West Virginia Voluntary Remediation Program Guidance Manual. West Virginia Department of Environmental Protection. 601 57th Street SE, Charleston, WV. September 2019.

Weirton BOP Implosion Site Removal Assessment Trip Report Revision: Final June 30, 2020

FIGURES








Figure 1: Site Location Map Weirton BOP Implosion Site Weirton, West Virginia









Figure 2: Site Aerial Map Weirton BOP Implosion Site Weirton, West Virginia










Figure 3: Sample Location Map Weirton BOP Implosion Site Weirton, West Virginia



Weirton BOP Implosion Site Removal Assessment Trip Report Revision: Final June 30, 2020

TABLES

Table 1 - Surface Soil Sample Log Weirton BOP Implosion Site February 19, 2020

Sample ID	ple ID CLP/DAS Sample Property Location Description Sample IDs Loc ID ID Location Description		Location Description	Sub-Location Description	Sample Depth (in)	Comments	
SS-01	MC0AB2 R35754-01 R35756-01	P-01	CP06	Playground with small pavilion tucked into the northwest corner, grass cover	South side of pavillion in roof drip line	0-3	Soils: light to medium brown, low plasticity, loamy-silty, moist
SS-02	MC0AB3 R35754-02 R35756-02	P-02	CP08	Fenced in pump house situated on a west sloping hill, sparse grass cover	Along fence line, west and downgradient of gutter spout	0-3	Soils: medium to dark brown, silt loam, some moisture, low plasticity, sun angular gravels and pebbles, poorly sorted present.
SS-03	MC0AB4 R35754-03 R35756-03			Vacant residential lot, no	13 feet east of May St. in line with N.		
SS-04 (Duplicate of SS-03)	MC0AB5 R35754-04 R35756-04	P-03	R11	structures, grass cover	wall of brown house other side of May St. 70 feet north of Kessel St	0-3	Soils: black silt, gravels, clay tile fragments,
SS-05	MC0AB6 R35754-05 R35756-05	P-04	R10	Vacant residential lot, no structures, grass cover	50 feet east of May St. edge, 50' north of Kessel St, 5-7 feet higher elevation than SS-03	0-3	Soils: Dark gravelly silt loam, loose, moist; construction/demolition debris, tile frag
SS-06	MC0AB7 R35754-06 R35756-06	P-05	R12	Vacant residential lot, no structures, grass cover	Est. 10 feet east of May St, below basketball court in line with N porch line of beige house above BB court	0-3	Soils: Dark gravelly silt loam, loose, moist
SS-07	MC0AB8 R35754-07 R35756-07	P-06	CP07	Fenced in community basketball court, thick grass cover	8 inches east of east-side fence line of basketball court, 3.5 fence poles N of NE corner of court along fence line	0-3	Soils: medium brown loam, moist
SS-08	MC0AB9 R35754-08 R35756-08	P-07	R13	Vacant residential lot, no structures, grass cover	45' south of Mendel St. sidewalk edge, 6 feet west of east edge of exposed foundation	0-3	Soils: medium brown, silt loam, low plasticity
SS-09	MC0AC0 R35754-09 R35756-09	P-08	R03	Vacant residential lot, no structures, vegetation and undergrowth present	Deer trail, 73' from eastern edge of May St, 30' from edge of Loeb St	0-3	Soils: organic, black loam
SS-10	MC0AC1 R35754-10 R35756-10	P-09	R01	Vacant residential lot, no structures, vegetation and undergrowth present	171 feet east of May St; est 20 feet north of Loeb St.	0-3	Soils: dark gray to black, moist, silt loam, plant matter and gravels present
SS-11	MC0AC2 R35754-11 R35756-11	P-10	R06	Vacant residential lot, former house foundation present, grass cover	Centrally located in upgradient quarter of lot.	0-3	Soils: Med brown, mosit, silty loam, root material present
SS-12	MC0AC3 R35754-12 R35756-12	P-11	R09	Vacant residential lot, no structures, grass cover.	58 feet east from edge of sidewalk on Weir Ave. 80 feet from south edge of Ohio St.	0-3	Soils: organic silty loam, roots present

Sample ID	CLP/DAS Sample IDs	N. S. CO. CO. C. S. C.	Property ID	Location Description	Sub-Location Description	Sample Depth (in)	Comments
SS-13	MC0AC4 R35754-13 R35756-13			Vacant residential lot, clear,	57 feet east of sidewalk on Weir Ave		Soils: medium brown, moist, non plastic, silty loam, some root material
SS-14 (Duplicate of SS-13)	MC0AC5 R35754-14 R35756-14	P-12	R08	no structures, grass cover.	at base of upper terrace. 141 feet south of Ohio St.	0-3	present
SS-15	MC0AC6 R35754-15 R35756-15	P-13	CP01	Vacant lot, medium sized trees and overhead power lines present, thin grass cover	Est. 45 feet SE of Pennsylvania Ave and approx 60 feet NE of Auto Repair parking lot edge.	0-3	Soils: brown, silt loam with root material prsent
SS-16	MC0AC7 R35754-16 R35756-16	P-14	CP03		4 feet west of 4-in diameter tree in center circle of park walkway	0-3	Soils: medium to dark brown, fine silty loam, low moisture content, loose non-plastic
SS-17	MCOAC8 R35754-17 R35756-17	B-15	The Control of the Co	Training facility and fire station for the city of Weirton, sparse weed cover	NW Corner of Lot outside of fenceline in shrub-brush. East of back lot gate. Low area collects runoff from upgradient.	0-3	Soils: dark brown, silt loam, moist
SS-18	MC0AC9 R35754-18 R35756-18	B-16	CP11	Community events center for the city of Weirton, grass	Est. 125' SE from easternmost corner of parking lot. 1 foot east of fence line.	0-3	Soils: black organic loam, loose, small gravels, slightly moist,
SS-19	MC0AD0 R35754-19 R35756-19	B-17	CP10	court, grass cover	Est. 10 feet north of north side of basketball court. Outside of fence. 15' west of NE fence corner.	0-3	Soils: brown, silty loam, some root material

Key

CP = City Property (Property ID)

R = Residential Property (Property ID)

P = Property (Sample Location)

B = Background (Sample Location)

Table 2 Analytical Results for TAL Metals, Hg, Cr⁺⁶ RML THQ=3.0 Comparisons

Result > Benchmarks A, B		CLP Sar	mple Number:	MC0AB2	MCOAB3	MC0AB4	MC0AB5	MC0AB6	MC0AB7	MC0AB8	MC0AB9
Result > Benchmark A Only			Sample #:	SS-01	SS-02	SS-03	SS-04	SS-05	SS-06	SS-07	SS-08
Result > Benchmark B Only		Sampling Location: Sub-Location Sample Type Matrix: Units:		P-01	P-02	P-03	P-03	P-04	P-05	P-06	P-07
				CP06	CP08	R11	R11	R10	R12	CP07	R13
				Field Sample	Field Sample	Field Sample	Dupe of SS-03	Field Sample	Field Sample	Field Sample	Field Sample
				Soil	Soil	Soil	Soil	Soil	Soil	Soil	Soil
				mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg
			Date Sampled:	2/19/2020	2/19/2020	2/19/2020	2/19/2020	2/19/2020	2/19/2020	2/19/2020	2/19/2020
A STATE OF THE STA			Date Analyzed:	3/10/2020	3/10/2020	3/10/2020	3/10/2020	3/10/2020	3/10/2020	3/10/2020	3/10/2020
Parameter	CAS No.	A RML THQ=3.0 ResSoil	RML THQ=3.0 IndSoll mg/kg	Result Flag	Result Flag	Result Flag	Result Flag	Result Flag	Result Flag	Result Flag	Result Fla
Aluminum	7429-90-5	230000	3400000	15000	16400	12900	12400	14300	13200	16100	17600
Antimony	7440-36-0	94	1400	1.3 J	7.3 U	7.2 U	6.9 U	8.4 U	8.6 U	9.6 U	8.2 U
Arsenic	7440-38-2	68	300	11.4	18.1	20.1	20.3	17.1	11.6	10	8.8
Barium	7440-39-3	46000	650000	81.1	192	285	249	236	113	107	142
Beryllium	7440-41-7	470	6900	0.65 J	1	0.8	0.83	1.2	0.85	1.3	1
Cadmium	7440-43-9	210	2900	0.15 J	0.93	2.4	2.1	1.4	0.71 U	0.8 U	0.68 U
Calcium	7440-70-2	2.10	2500	4520	8040	19400	13900	11500	7160	9090	4740
Chromium	7440-47-3			59.8	41.9	218	186	54.7	43.1	44.8	42.7
Cobalt	7440-48-4	70	1000	10.9	12.8	11.2	10.6	11.4	8.3	12.4	12.3
Copper	7440-50-8	9400	140000	22	31.7	204	210	45.2	33.4	28.3	17.2
Iron	7439-89-6	160000	2500000	32400	34100	62700	64700	35900	30200	33300	26900
Lead	7439-92-1	400	800	28	246	382	361	485	114	43.9	41.1
Magnesium	7439-95-4			3310	4410	5060	4570	3720	2800	4960	3070
Manganese	7439-96-5	5500	77000	1200	1110	4670	4000	1460	826	991	1530
Nickel	7440-02-0	4600	67000	22.3	28.8	32.2	26.7	22.6	19.9	33.5	23.3
Potassium	7440-09-7			1700	2150	1920	1820	2330	1790	2500	2530
Selenium	7782-49-2	1200	18000	4.9 U	4.3 U	4.2 U	4 U	4.9 U	5 U	5.6 U	4.8 U
Silver	7440-22-4	1200	18000	0.23 J	1.2 U	1.2 U	1.1 U	1.4 U	1.4 U	1.6 U	1.4 U
Sodium	7440-23-5			47.4 J	608 U	597 U	573 U	704 U	715 U	800 U	679 U
Thallium	7440-28-0	2.3	35	3.5 U	3 UJ	3 UJ	2.9 UJ	3.5 UJ	3.6 UJ	4 UJ	3.4 UJ
Vanadium	7440-62-2	1200	17000	40.4	36.5	96.4	87.7	38.8	32.5	33	36.7
Zinc	7440-66-6	70000	1100000	194	3010	1000	927	682	353	1110	197
Mercury	7439-97-6	33	140	0.031 J	0.12 UJ	0.32	0.25	0.31	0.14 UJ	0.16 UJ	0.14 UJ
Hexavalent Chromium	18540-29-9	30	630	0.61 U	0.51 U	0.5 U	0.53 U	0.58 U	0.58 U	0.65 U	0.59 U
SOLIDS, PERCENT		1190.0		65.2	78.3	80.3	75.4	68.5	68.7	61.2	68

Table 2 Analytical Results for TAL Metals, Hg, Cr⁺⁶ RML THQ=3.0 Comparisons

Result > Benchmarks A, B Result > Benchmark A Only		CLP Sa	mple Number: Sample #:	MCOACO SS-09	MC0AC1 SS-10	MC0AC2 SS-11	MCOAC3 SS-12	MC0AC4 SS-13	MCOAC5 SS-14	MC0AC6 SS-15	MC0AC7 SS-16
Result > Benchmark B Only		Sampling Location: Sub-Location		P-08	P-09	P-10	P-11	P-12	P-12	P-13	P-14
120000000000000000000000000000000000000				R03	R01	R06	R09	R08	R08	CP01	CP03
			Sample Type	Field Sample	Dupe of SS-13	Field Sample	Field Sample				
			Matrix:	Soil	Soil	Soil	Soil	Soil	Soil	Soil	Soil
			Units:	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg
			Date Sampled:	2/19/2020	2/19/2020	2/19/2020	2/19/2020	2/19/2020	2/19/2020 3/10/2020	2/19/2020 3/10/2020	2/19/2020 3/10/2020
		A	Date Analyzed:	3/10/2020	3/10/2020	3/10/2020	3/10/2020	3/10/2020	3/10/2020	3/10/2020	3/10/2020
		RML THQ=3.0	RML THQ=3.0								
Parameter	CAS No.	ResSoil mg/kg	IndSoll mg/kg	Result Flag	Result Flag	Result Fla					
Aluminum	7429-90-5	230000	3400000	16200	14800	16800	13600	12600	11900	10700	12000
Antimony	7440-36-0	94	1400	11.2 U	7.6 U	8.3 U	7.7 U	8.5 U	8.4 U	7.4 U	7.5 U
Arsenic	7440-38-2	68	300	15.7	17.3	17.3	18.4	11.5	10.5	12.8	14.1
Barium	7440-39-3	46000	650000	121	138	188	138	63.6	60.1	57	154
Beryllium	7440-41-7	470	6900	0.93 U	0.88	0.95	0.81	0.71 U	0.7 U	0.61 U	0.95
Cadmium	7440-43-9	210	2900	2.5	0.98	1.6	1.1	0.71 U	0.7 U	0.61 U	0.63 U
Calcium	7440-70-2			14200	5820	5830	4840	3300	3420	2900	8170
Chromium	7440-47-3			66.3	57.7	94.3	63.1	30.9	29.8	37.4	37.5
Cobalt	7440-48-4	70	1000	13	12.1	13	10.8	8.6	7.9	7.5	13.3
Copper	7440-50-8	9400	140000	54.1	36.3	38.2	38.7	21.1	20.6	21.3	45.3
Iron	7439-89-6	160000	2500000	45100	44400	44300	38500	25400	24000	24600	34700
Lead	7439-92-1	400	800	189	144	221	145	39.5	41.2	41.4	30.9
Magnesium	7439-95-4			4450	3460	3710	2990	2370	2300	2220	3470
Manganese	7439-96-5	5500	77000	2120	1370	2340	1420	619	580	953	1160
Nickel	7440-02-0	4600	67000	30	24.1	26	22.3	17.4	16.2	15.5	28.7
Potassium	7440-09-7			3190	2000	2590	1610	1530	1460	1200	2030
Selenium	7782-49-2	1200	18000	6.5 U	4.5 U	4.8 U	4.5 U	5 U	4.9 U	4.3 U	4.4 U
Silver	7440-22-4	1200	18000	1.9 U	1.3 U	1.4 U	1.3 U	1.4 U	1.4 U	1.2 U	3
Sodium	7440-23-5			930 U	636 U	689 U	638 U	711 U	698 U	614 U	627 U
Thallium	7440-28-0	2.3	35	4.7 UJ	3.2 UJ	3.4 UJ	3.2 UJ	3.6 UJ	3.5 UJ	3.1 UJ	3.1 UJ
Vanadium	7440-62-2	1200	17000	43.8	38.9	54.4	41.5	31.2	29.6	30	28.7
Zinc	7440-66-6	70000	1100000	962	463	691	469	136	152	180	150
Mercury	7439-97-6	33	140	0.3	0.25	0.14	0.14	0.13 UJ	0.14 UJ	0.12 UJ	0.14
Hexavalent Chromium	18540-29-9	30	630	0.82 U	0.55 U	0.57 U	0.53 U	0.57 U	0.57 U	0.52 U	0.53 U
SOLIDS, PERCENT				48.4	73.2	69.6	75.1	70.5	70.1	76.9	75.4

Table 2 Analytical Results for TAL Metals, Hg, Cr⁺⁶ RML THQ=3.0 Comparisons

Result > Benchmarks A, B	HOEN TO THE	CLP San	nple Number:	MC0AC8	T	MCOAC9	T	MCOADO	
Result > Benchmark A Only			Sample #:	SS-17	200	SS-18		SS-19	
Result > Benchmark B Only		Samp	ling Location:	B-15		B-16		B-17 CP10	
			Sub-Location	CP09		CP11			
			Sample Type	Field Samp	le	Field Samp	e	Field Sample	
			Matrix:	Soil		Soil		Soil	
			Units:	mg/kg		mg/kg		mg/kg	
			ate Sampled:	2/19/202	0	2/19/2020		2/19/202	0
			ate Analyzed:	3/10/2020		3/10/2020)	3/10/202	0
		A	8						
Parameter	CAS No.	RML THQ=3.0 ResSoil mg/kg	RML THQ=3.0 IndSoil mg/kg	Result	Flag	Result	Flag	Result	Fla
Aluminum	7429-90-5	230000	3400000	15600		17000		15900	
Antimony	7440-36-0	94	1400	8.8	U	7.7	U	9.5	U
Arsenic	7440-38-2	68	300	18.2		21.3		43.9	
Barium	7440-39-3	46000	650000	168		269		142	2
Beryllium	7440-41-7	470	6900	3		2.5		1.9	
Cadmium	7440-43-9	210	2900	1.8		0.64	U	0.92	
Calcium	7440-70-2		P2 1-14	44500		36200		13600)
Chromium	7440-47-3	V. C.		71.3		43.9		76.3	
Cobalt	7440-48-4	70	1000	7.4	U	6.8		9	
Copper	7440-50-8	9400	140000	38.6		25.1		64.1	
Iron	7439-89-6	160000	2500000	63500		44700		58500	
Lead	7439-92-1	400	800	136		129		151	
Magnesium	7439-95-4			16000		10700		4420)
Manganese	7439-96-5	5500	77000	1990		5510		1870	
Nickel	7440-02-0	4600	67000	19.4		21.4		21.4	-
Potassium	7440-09-7			1960	-	1550		1470	-
Selenium	7782-49-2	1200	18000	5.2	-	4.5	-	5.5	
Silver	7440-22-4	1200	18000	1.5		1.3	-	1.6	-
Sodium	7440-23-5			737	-	639	-	789	-
Thallium	7440-28-0	2.3	35	3.7	UJ	3.2	UJ	3.9	UJ
Vanadium	7440-62-2	1200	17000	42.9		47.5		58.9	-
Zinc	7440-66-6	70000	1100000	635		575		447	1
Mercury	7439-97-6	33	140	0.15	UJ	0.16		0.16	UJ
Hexavalent Chromium	18540-29-9	30	630	0.6	U	0.5	U	0.67	U
SOLIDS, PERCENT				66.2		79.4	-	59.9	

Table 3 Analytical Results for TAL Metals, Hg, Cr⁺⁶ RML THQ=1.0 Comparisons

Result > Benchmarks A, B Result > Benchmark A Only			mple Number: Sample #:	MC0AB2 SS-01	MCOAB3 SS-02	MCOAB4 SS-03	MCOAB5 SS-04	MC0AB6 SS-05	MCOAB7 SS-06	MCOAB8 SS-07	MC0AB9 SS-08
Result > Benchmark B Only		Sampling Location:		P-01	P-02	P-03	P-03	P-04	P-05	P-06	P-07
			Sub-Location	CP06	CP08	R11	R11	R10	R12	CP07	R13
			Sample Type	Field Sample	Field Sample	Field Sample	Dupe of SS-03	Field Sample	Field Sample	Field Sample	Field Sample
			Matrix:	Soil							
			Units:	mg/kg 2/19/2020							
			Date Sampled: Date Analyzed:	3/10/2020	3/10/2020	3/10/2020	3/10/2020	3/10/2020	3/10/2020	3/10/2020	3/10/2020
		A	B B	3/ 20/ 2020	3,20,2020	3/ 20/ 2020	3/20/2020	5/20/2020	5/10/1010	5/ 20/ 2020	0/10/1010
Parameter	CAS No.	RML THQ=1.0 ResSoil mg/kg	RML THQ=1.0 IndSoll mg/kg	Result Flag							
Aluminum	7429-90-5	77000	1100000	15000	16400	12900	12400	14300	13200	16100	17600
Antimony	7440-36-0	31	470	1.3 J	7.3 U	7.2 U	6.9 U	8.4 U	8.6 U	9.6 U	8.2 U
Arsenic	7440-38-2	35	300	11.4	18.1	20.1	20.3	17.1	11.6	10	8.8
Barium	7440-39-3	15000	220000	81.1	192	285	249	236	113	107	142
Beryllium	7440-41-7	160	2300	0.65 J	1	0.8	0.83	1.2	0.85	1.3	1
Cadmium	7440-43-9	71	980	0.15 J	0.93	2.4	2.1	1.4	0.71 U	0.8 U	0.68 U
Calcium	7440-70-2			4520	8040	19400	13900	11500	7160	9090	4740
Chromium	7440-47-3			59.8	41.9	218	186	54.7	43.1	44.8	42.7
Cobalt	7440-48-4	23	350	10.9	12.8	11.2	10.6	11.4	8.3	12.4	12.3
Copper	7440-50-8	3100	47000	22	31.7	204	210	45.2	33.4	28.3	17.2
Iron	7439-89-6	55000	820000	32400	34100	62700	64700	35900	30200	33300	26900
Lead	7439-92-1	400	800	28	246	382	361	485	114	43.9	41.1
Magnesium	7439-95-4			3310	4410	5060	4570	3720	2800	4960	3070
Manganese	7439-96-5	1800	26000	1200	1110	4670	4000	1460	826	991	1530
Nickel	7440-02-0	1500	22000	22.3	28.8	32.2	26.7	22.6	19.9	33.5	23.3
Potassium	7440-09-7		11 (11)	1700	2150	1920	1820	2330	1790	2500	2530
Selenium	7782-49-2	390	5800	4.9 U	4.3 U	4.2 U	4 U	4.9 U	5 U	5.6 U	4.8 U
Silver	7440-22-4	390	5800	0.23 J	1.2 U	1.2 U	1.1 U	1.4 U	1.4 U	1.6 U	1.4 U
Sodium	7440-23-5			47.4 J	608 U	597 U	573 U	704 U	715 U	800 U	679 U
Thallium	7440-28-0	0.78	12	3.5 U	3 UJ	3 UJ	2.9 UJ	3.5 UJ	3.6 UJ	4 UJ	3.4 UJ
Vanadium	7440-62-2	390	5800	40.4	36.5	96.4	87.7	38.8	32.5	33	36.7
Zinc	7440-66-6	23000	350000	194	3010	1000	927	682	353	1110	197
Mercury	7439-97-6	11	46	0.031 J	0.12 UJ	0.32	0.25	0.31	0.14 UJ	0.16 UJ	0.14 UJ
Hexavalent Chromium	18540-29-9	30	630	0.61 U	0.51 U	0.5 U	0.53 U	0.58 U	0.58 U	0.65 U	0.59 U
SOLIDS, PERCENT	8 6 3 m &			65.2	78.3	80.3	75.4	68.5	68.7	61.2	68

Table 3 Analytical Results for TAL Metals, Hg, Cr⁺⁶ RML THQ=1.0 Comparisons

Result > Benchmarks A, B Result > Benchmark A Only		CLP Sa	mple Number: Sample #:	MC0AC0 SS-09	MC0AC1 SS-10	MC0AC2 SS-11	MC0AC3 SS-12	MC0AC4 SS-13	MC0AC5 SS-14	MC0AC6 SS-15	MCOAC7 SS-16
Result > Benchmark B Only		Sampling Location			P-09	P-10	P-11	P-12	P-12	P-13	P-14
			Sub-Location	R03	R01	R06	R09	R08	R08	CP01	CP03
		Sample Type			Field Sample	Field Sample	Field Sample	Field Sample	Dupe of SS-13	Field Sample	Field Sample
			Matrix:	Soil	Soil mg/kg 2/19/2020 3/10/2020						
			Units: Date Sampled: Date Analyzed:	mg/kg 2/19/2020 3/10/2020							
		A	B B	3/10/2020	3/10/2020	3/10/2020	5/20/2020	5/20/2020	5/20/2020	0/20/2020	-11
Parameter	CAS No.	RML THQ=1.0 ResSoil mg/kg	RML THQ=1.0 IndSoil mg/kg	Result Flag							
Aluminum	7429-90-5	77000	1100000	16200	14800	16800	13600	12600	11900	10700	12000
Antimony	7440-36-0	31	470	11.2 U	7.6 U	8.3 U	7.7 U	8.5 U	8.4 U	7.4 U	7.5 U
Arsenic	7440-38-2	35	300	15.7	17.3	17.3	18.4	11.5	10.5	12.8	14.1
Barium	7440-39-3	15000	220000	121	138	188	138	63.6	60.1	57	154
Beryllium	7440-41-7	160	2300	0.93 U	0.88	0.95	0.81	0.71 U	0.7 U	0.61 U	0.95
Cadmium	7440-43-9	71	980	2.5	0.98	1.6	1.1	0.71 U	0.7 U	0.61 U	0.63 U
Calcium	7440-70-2			14200	5820	5830	4840	3300	3420	2900	8170
Chromium	7440-47-3			66.3	57.7	94.3	63.1	30.9	29.8	37.4	37.5
Cobalt	7440-48-4	23	350	13	12.1	13	10.8	8.6	7.9	7.5	13.3
Copper	7440-50-8	3100	47000	54.1	36.3	38.2	38.7	21.1	20.6	21.3	45.3
Iron	7439-89-6	55000	820000	45100	44400	44300	38500	25400	24000	24600	34700
Lead	7439-92-1	400	800	189	144	221	145	39.5	41.2	41.4	30.9
Magnesium	7439-95-4			4450	3460	3710	2990	2370	2300	2220	3470
Manganese	7439-96-5	1800	26000	2120	1370	2340	1420	619	580	953	1160
Nickel	7440-02-0	1500	22000	30	24.1	26	22.3	17.4	16.2	15.5	28.7
Potassium	7440-09-7			3190	2000	2590	1610	1530	1460	1200	2030
Selenium	7782-49-2	390	5800	6.5 U	4.5 U	4.8 U	4.5 U	5 U	4.9 U	4.3 U	4.4 U
Silver	7440-22-4	390	5800	1.9 U	1.3 U	1.4 U	1.3 U	1.4 U	1.4 U	1.2 U	3
Sodium	7440-23-5			930 U	636 U	689 U	638 U	711 U	698 U	614 U	627 U
Thallium	7440-28-0	0.78	12	4.7 UJ	3.2 UJ	3.4 UJ	3.2 UJ	3.6 UJ	3.5 UJ	3.1 UJ	3.1 UJ
Vanadium	7440-62-2	390	5800	43.8	38.9	54.4	41.5	31.2	29.6	30	28.7
Zinc	7440-66-6	23000	350000	962	463	691	469	136	152	180	150
Mercury	7439-97-6	11	46	0.3	0.25	0.14	0.14	0.13 UJ	0.14 UJ	0.12 UJ	0.14
Hexavalent Chromium	18540-29-9	30	630	0.82 U	0.55 U	0.57 U	0.53 U	0.57 U	0.57 U	0.52 U	0.53 U
SOLIDS, PERCENT				48.4	73.2	69.6	75.1	70.5	70.1	76.9	75.4

Table 3 Analytical Results for TAL Metals, Hg, Cr⁺⁶ RML THQ=1.0 Comparisons

Result > Benchmarks A, B Result > Benchmark A Only		CLP San	nple Number: Sample #:	MCOAC8 SS-17		MC0AC9 SS-18		MCOADO SS-19	
Result > Benchmark & Only	Marian Co.	Cama	ling Location:	B-15		B-16		B-17	
Result > Benchmark B Only		Samp	Sub-Location:	CP09		CP11		CP10	
				CONST. SEC.		Field Samp			1-
			Sample Type	Field Sampl	e		e	Field Samp	ie
			Matrix:	Soil		Soil		Soil	
			Units:	mg/kg 2/19/2020		mg/kg 2/19/2020		mg/kg	
			ate Sampled: ate Analyzed:	3/10/2020		3/10/2020		2/19/202 3/10/202	
		A	B	3/ 20/ 2020		3/ 20/ 202		3/20/202	
Parameter	CAS No.	RMLTHQ=1.0 ResSoil mg/kg	RML THQ=1.0 IndSoil mg/kg	Result Flag		Result	Flag	Result	Flag
Aluminum	7429-90-5	77000	1100000	15600	_	17000		15900	_
Antimony	7440-36-0	31	470	8.8	-	7.7		9.5	-
Arsenic	7440-38-2	35	300	18.2		21.3		43.9	-
Barium	7440-39-3	15000	220000	168		269		142	-
Beryllium	7440-41-7	160	2300	3		2.5		1.9	
Cadmium	7440-43-9	71	980	1.8		0.64	U	0.92	
Calcium	7440-70-2			44500		36200		13600	
Chromium	7440-47-3		a sa	71.3		43.9		76.3	
Cobalt	7440-48-4	23	350	7.4	U	6.8		9	
Copper	7440-50-8	3100	47000	38.6		25.1		64.1	
Iron	7439-89-6	55000	820000	63500		44700		58500	
Lead	7439-92-1	400	800	136		129		151	
Magnesium	7439-95-4			16000		10700		4420	
Manganese	7439-96-5	1800	26000	1990		5510		1870	
Nickel	7440-02-0	1500	22000	19.4		21.4		21.4	
Potassium	7440-09-7			1960		1550		1470	-
Selenium	7782-49-2	390	5800	5.2		4.5		5.5	-
Silver	7440-22-4	390	5800	1.5	_	1.3	_	1.6	-
Sodium	7440-23-5			737		639	1	789	-
Thallium	7440-28-0	0.78	12	3.7	UJ	3.2	UJ		UJ
Vanadium	7440-62-2	390	5800	42.9		47.5		58.9	-
Zinc	7440-66-6	23000	350000	635		575		447	-
Mercury	7439-97-6	11	46	0.15	-	0.16	-	0.16	-
Hexavalent Chromium	18540-29-9	30	630	0.6	U	0.5	U	0.67	-
SOLIDS, PERCENT				66.2		79.4		59.9	

Table 4 Analytical Results and WV Natural Background Levels Comparison

		P Sample Number: Sample #: Sampling Location: Sample Type Matrix: Units: Date Sampled: Date Analyzed:	MC0AB2 SS-01 P-01 Field Sample Soil mg/kg 2/19/2020 3/10/2020	MCOAB3 SS-02 P-0 Field Sample St mg/kg 2/19/2020 3/10/2020		MCOABS SS-04 P-03 Dupe of SS-03 Soil mg/kg 2/19/2020 3/10/2020	MC0AB6 SS-05 P-04 Field Sample Soil mg/kg 2/19/2020 3/10/2020	MCOAB7 SS-06 P-05 Field Sample Soil mg/kg 2/19/2020 3/10/2020	MC0AB8 SS-07 P-06 Field Sample Soil mg/kg 2/19/2020 3/10/2020		
Parameter	CAS No.	A WV_Background Soft (Mean) mg/kg	Result Flag	Result Fla	g Result Flag	Result Flag	Result Flag	Result Flag	Result Flag	Result Flag	
Aluminum	7429-90-5	52921	15000	16400	12900	12400	14300	13200	16100	17600	
Antimony	7440-36-0	0.61	131				71500	15200	10100	17000	
Arsenic	7440-38-2	8.3	11.4	18.1	20.1	20.3	17.1	11.6	10	8.8	
Barium	7440-39-3	380	81.1	192	285	249	236	113	107	142	
Beryllium	7440-41-7	1.9	0.65 J	1	0.8	0.83	1.2	0.85	1.3	1	
Cadmium	7440-43-9	0.3	0.15 J	0.93	2.4	2.1	1.4				
Calcium	7440-70-2	1568	4520	8040	19400	13900	11500	7160	9090	4740	
Chromium	7440-47-3	40.5	59.8	41.9	218	186	54.7	43.1	44.8	42.7	
Cobalt	7440-48-4	14	10.9	12.8	11.2	10.6	11.4	8.3	12.4	12.3	
Copper	7440-50-8	17.5	22	31.7	204	210	45.2	33.4	28.3	17.2	
Iron	7439-89-6	26256	32400	34100	62700	64700	35900	30200	33300	26900	
Lead	7439-92-1	24.8	28	246	382	361	485	114	43.9	41.1	
Magnesium	7439-95-4	3414	3310	4410	5060	4570	3720	2800	4960	3070	
Manganese	7439-96-5	907	1200	1110	4670	4000	1460	826	991	1530	
Nickel	7440-02-0	20.4	22.3	28.8	32,2	26.7	22.6	19.9	33.5	23.3	
Potassium	7440-09-7	13650	1700	2150	1920	1820	2330	1790	2500	2530	
Selenium	7782-49-2	0.5				A CONTRACTOR OF THE PARTY OF TH					
Silver	7440-22-4	<1	0.23 J								
Sodium	7440-23-5	1991	47.4 J						745		
Thallium	7440-28-0	0.5						The second second			
Vanadium	7440-62-2	63	40.4	36.5	96.4	87.7	38.8	32.5	33	36.7	
Zinc	7440-66-6	67	194	3010	1000	927	682	353	1110	197	
Mercury	7439-97-6	0.06	0.031 J		0.32	0.25	0.31				
Hexavalent Chromium	18540-29-9										
SOLIDS, PERCENT			65.2	78.3	80.3	75.4	68.5	68.7	61.2	68	

Table 4 Analytical Results and WV Natural Background Levels Comparison

	C	CLP Sample Number: Sample #: Sampling Location: Sample Type Matrix: Units: Date Sampled: Date Analyzed:	MC0AC0 SS-09 P- Field Sample S mg/kg 2/19/2020 3/10/2020	100000000000000000000000000000000000000		g mg/kg /2020 2/19/2020		P-10 Soil	MC0AC3 SS-12 P-11 Field Sample Soil mg/kg 2/19/2020 3/10/2020	MCOAC4 SS-13 P-12 Field Sample Soil mg/kg 2/19/2020 3/10/2020	MCOACS SS-14 P-12 Dupe of SS-13 Soil mg/kg 2/19/2020 3/10/2020	MCOAC6 SS-15 P-13 Field Sample Soil mg/kg 2/19/2020 3/10/2020	MCOAC7 SS-16 P-14 Field Sample Soil mg/kg 2/19/2020 3/10/2020	
Parameter	CAS No.	A WV_Background Soll (Mean) mg/kg	Result Fi	ag	lesult Fla	ag	Result	Flag	Result Flag	Result Flag	Result Flag	Result Flag	Result Fla	
Aluminum	7429-90-5	52921	16200	-	14800	-	16800		13600	12600	11900	10700	12000	
Antimony	7440-36-0	0.61												
Arsenic	7440-38-2	8.3	15.7	10000	17.3	100	17.3		18.4	11.5	10.5	12.8	14.1	
Barium	7440-39-3	380	121		138		188		138	63.6	60.1	57	154	
Beryllium	7440-41-7	1.9			0.88		0.95		0.81				0.95	
Cadmium	7440-43-9	0.3	2.5	1000	89.0		1.6		1.1					
Calcium	7440-70-2	1568	14200	10000	5820	-	5830		4840	3300	3420	2900	8170	
Chromium	7440-47-3	40.5	66.3	1000	57.7	- 200	94.3		63.1	30.9	29.8	37.4	37.5	
Cobalt	7440-48-4	14	13		12.1		13		10.8	8.6	7.9	7.5	13.3	
Copper	7440-50-8	17.5	54.1	113.00	36.3	100	38.2		38.7	21.1	20.6	21.3	45,3	
Iron	7439-89-6	26256	45100	TO STATE OF	44400		44300		38500	25400	24000	24600	34700	
Lead	7439-92-1	24.8	189	THE	144	1000	221		145	39.5	41.2	41.4	30.9	
Magnesium	7439-95-4	3414	4450	420	3460		3710		2990	2370	2300	2220	3470	
Manganese	7439-96-5	907	2120	1	1370		2340		1420	619	580	953	1160	
Nickel	7440-02-0	20.4	30	3	24.1	1000	26		22.3	17.4	16.2	15.5	28.7	
Potassium	7440-09-7	13650	3190		2000		2590		1610	1530	1460	1200	2030	
Selenium	7782-49-2	0.5												
Silver	7440-22-4	<1		11									3	
Sodium	7440-23-5	1991												
Thallium	7440-28-0	0.5			-									
Vanadium	7440-62-2	63	43.8		38.9		54.4		41.5	31.2	29.6	30	28.7	
Zinc	7440-66-6	67	962	-	463	250	691		469	136	152	180	150	
Mercury	7439-97-6	0.06	0.3		0.25	1	0.14		0.14		The state of the s		0.14	
Hexavalent Chromium	18540-29-9				No.									
SOLIDS, PERCENT			48.4		73.2		69.6		75.1	70.5	70.1	76.9	75.4	

Table 4 Analytical Results and WV Natural Background Levels Comparison

	c	IP Sample Number: Sample #: Sampling Location: Sample Type Matrix: Units: Date Sampled: Date Analyzed:	MC0AC8 SS-17 B-15 Field Sample Soi mg/kg 2/19/2020 3/10/2020		MCOADO SS-19 B-17 Field Sample Soil mg/kg 2/19/2020 3/10/2020
		A WV_Background Soll (Mean) mg/kg			
Parameter	CAS No.		Result Flag	Result Flag	Result Flag
Aluminum	7429-90-5	52921	15600	17000	15900
Antimony	7440-36-0	0.61			
Arsenic	7440-38-2	8.3	18.2	21.3	43.9
Barium	7440-39-3	380	168	269	142
Beryllium	7440-41-7	1.9	3	2.5	1.9
Cadmium	7440-43-9	0.3	1.8		0.92
Calcium	7440-70-2	1568	44500	36200	13600
Chromium	7440-47-3	40.5	71.3	43.9	76.3
Cobalt	7440-48-4	14		6.8	9
Copper	7440-50-8	17.5	38.6	25.1	64.1
Iron	7439-89-6	26256	63500	44700	58500
Lead	7439-92-1	24.8	136	129	151
Magnesium	7439-95-4	3414	16000	10700	4420
Manganese	7439-96-5	907	1990	5510	1870
Nickel	7440-02-0	20.4	19.4	21.4	21.4
Potassium	7440-09-7	13650	1960	1550	1470
Selenium	7782-49-2	0.5			
Silver	7440-22-4	<1			
Sodium	7440-23-5	1991		CHEVILLE ST	
Thallium	7440-28-0	0.5			
Vanadium	7440-62-2	63	42.9	47.5	58.9
Zinc	7440-66-6	67	635	575	447
Mercury	7439-97-6	0.06		0.16	THE RESERVE TO SERVE THE RESERVE THE RESER
Hexavalent Chromium	18540-29-9				
SOLIDS, PERCENT			66.2	79.4	59.9

Weirton BOP Implosion Site

Table 5 - Soil Samples Asbestos Results

EPA Removal Assessment Sampling Event February 19, 2020

R35754_EMSL04_042004637_03-05-20_soil_PLM.xism National Asbestos Data Entry Spreadsheet (NADES) for Bulk & Soil Analysis by PLM Visual Estimation AMALTYTICAL REPORT FILE NAME: R35754_EMSL04_042004637_03-05-20_soil_PLM.xism

100000000000000000000000000000000000000	- 50			PROJECTIN	FORMATION			015	-	-		1000-100	000		ANI	ALYSIS I	NFORMA	TION		ALUE SUP										ABBREV	ATED NO	TES		1			
e/Project Name: ste/Federal Site/I le/Project Identifi		entifier:		R35754 R35754 R35754		Lab Name: Lab Job Ni Date Recei	unber:		EMS1.04 04200463 02/21/20	37		Method: A 600_VE	Analysis B Analysis D Data Entry	ate:	Non-	res UZO respons		Data Entry QA by QA Date	y Date	3/9/2 Nove 3/10/	-	10-15	Not QA	- Not a QA sa b Duplicate	mpie	CR - stock	dolle TR - be	molte W	RTA - wind	AM amoste AN anthophylite CH - chrysottle winchilatiotherhethemoste/actinoite OA - other amphibole her mineral type (specify in "other mineral description" field)				(c)	OM Description Sandard Selections Taconite Etonite		
		Index Inde		100			Base Mineral Type of	A	elinolita (A	uc)	Amosi	to (AM)	Anthoph	yeste (AH)	0	hrysottle	-	-	e as a va otto (CR)	_	fraction (wisch Reirich	herite/	Other Am	phibole (GA	Ho	n-asbestor (NAN	Meterial	Oth	er Miner	rel Type (Of	19	T		
Client Sample Number	Sample	Suffix Suffi Char No.	CA Type (a)	Lab Sample Number	Sample Appearance	Ref Naterial	Reference Material (b)	Qual	AC-AF A	AC-MF	Qual AM-	AF AM-ME	Qual AN-	F ANME	Qual	CH-AF	CH-MF	Qual CR	AF CR-	MF Qual	TR-AF	TR-MF	Qual	WRTA-AF	WRTA-MF	Qual Of	LAF CAM	Qual	NAM-AF	NAM-MF	Que C	M-AF	CM-MF	OM Devis	tion?	Comments	
-01	Sol	CONTRACTOR PERSON	Not QA	042004637-0001	Brown Non-F	Actineite	AC	U	COMMENTS IN	Maria I	U		U		U	-	BRIDGE	U		110	THE REAL PROPERTY.	Marine Co.	- U	1	-	THE PERSON NAMED IN		410	10000		100 m			Nes	AS	3/5/2020	
02	Soi	DOMESTIC OF THE PERSON NAMED IN	Not QA	042004637-0000	Brown-Non-F	Activolite	AC	U			U		u		U			U.	TO 100	D			U-			TO I		315			12			No		3/5/2020	
93	Soi		Not GA	042004637-0003	Brown-Non-F	Actinoite	AC	U			U		U		U		1000	U		U			U.			THE STATE OF		1 0			10			No		3/5/2020	
04	Soi		Not QA	042004637-0004	Brown-Non-F	Actinoite	AC	U			U		U		U		Acres 1	U.		· u			U			TU.	100	11			111			No		3 M5/2020	
05	Sol	SHOW HER		042004637-0005			AC	U.			U		U		U		4	Ü		U			-15			N.		10			U			No.		1 M6/2020	
06	Sol		Not GA	042004637-0006	Brown-Non-F	Actinolite	AC	U			U		U	TO THE R	U		1	U		U			U	0		U	the feet in	11		100000	Ŭ.			No		1/5/2020	
-07	Boil	Course Street	Not QA	042004637-0007	Brown-Non-F	Actinoite	AC	U			U		U		U		1.	U	100	- 11			18.00			5112		0.115	100		100			No.		M5/2020	
-08	Sol	Real Property lies	Not GA	042004637-0006	Brown-Non-F	Actinolite	AG	U			U		U		U			U		U			H.V	1	100	U		THE RESERVE		-	101		100	290		3/5/2020	
-09	Sol	Company of the last	Not QA	042004837-0006	Brown-Non-F	Actinolite	AC	U			U		-U		U	100		D	-	U			II.		1	11		61						Dia		3/5/2020	
-10	Sol		Not QA	042004637-0010	Brown-Non-F	Actinoite	AC	u			U		U		U			U		U			U			U		10			W.		200	No		3/5/2020	
-11	Sol	100	Not QA	042004637-0011	Brown-Non-F	Actinoite	AC.	U			U		U		U	-10		U	40 15	U			U			U		100	2		-15			No		36/2020	
-12	Sol	Sandy Co.	Not QA	042004637-0012	Brown-Non-F	Tremolts	TR	U			U		DUE SEE		truce			U	10 100	U		CHES.	U			U		S STOR			0			No		25% CH - QA 3/5/2020	
-10	Bol			042004897-0013			TR	U			U		U		U		1000	U		U		-	-0.	-	-	U		- Us	100		U			190		3/5/2020	
14	Sol	200		042004837-0014			TR	U			U		U		U.			U		U			U		9900	U	100	U.			U	1000		No	0/	3/5/2020	
-15	Sol			042004637-0015			TR	U			U		U		U.			U	and Comment	- 11			11.00			u		110	1000		U		Control of	No	04	3/5/2020	
-16	Sol	100		042004637-0016			TR	U			u		U		U		1	U		U	100	A contra	La U.S.	Samuel Control		U		U	All lands	1	u		2.0	No	Q/	3/5/2020	
17	Sol			042004637-0017			TR	U			U		U		U	1000		U		U		ON THE	U	207	ALL DOM:	U		U			U			No	O.	3/5/2020	
10	591	Second Street		042004637-0016			TR	U			U		U I		U			U		U			U			U		Ü	Tar -		U			190		3/5/2020	
19	Sol	100		042004837-0016			TR	U			U		U		U		5	U		U			U	100	0.00	U		U	No.		U		-	No		M5/2020	
-01	Sol	177 2	LD	042004637-0001	Brown Non-F	Tremolte	TR	U			U		U		U	-		U	of San	u			U	Value Inches		EU S	- N	U			U		and the second	No		M6/2020 - Inter-assist CIC	
97	Sci		LO	042004637-007	Brown-Non-F	Actinolite	AC	U			U		U	A 100 PM	U	10		U	1 150	U	1		0		100	U		U			U		1000	No	AB	3/5/2020 - Intra-analyst OC	
12	Sol	17 10	LD.	042004637-0012	Brown-Non-F	Actinoite	AC.	U			U		U		trace		1000	U		U		150	U	1	70000	u		15			210			No	40	25% CH - AG 3/52020 - Inter-south	
				-	-						100			7														1							- 12	302001100	

Table 5 - Soil Samples **Asbestos Results**

EPA Removal Assessment Sampling Event February 19, 2020

R35754_EMSL04_042004637_03-05-20_soil_PLM.xism National Asbestos Data Entry Spreadsheet (NADES) for Bulk & Soil Analysis by PLM Point Count

Site or Project Name:	R35754
State/Federal Site or Project Identifier:	R35754
Site/Project Identifier Code:	R35754
Lab Name:	EMSL04
Lab Job No:	042004637
Date received by lab:	02/21/20
Analyzed by:	Non-responsiv
Analysis Date:	3/5/2020

Point Count Method: EPA 680 PC	
Data Entry by: Non-respo	nsive t
Data Entry Date: 3/9/2020	
QA by: Non-respon	SVE
QA Date: 3/10/2020	

MODITETIM	TED NOTES:
(a) Valid QA	Types:
Not QA	Not a QA sample
LD	Lab Duplicate

b) Valid M	lineral Types:		
AC	actinolite	WRTA	winchite/richterite/tremolite/actinolite
AM	amosite	OA	other amphibole
AN	anthophylite	NAM	non-asbestos material
CH	chrysotile	OM	other mineral type
CR	crocidolite		(c)OM Description Standard Selection
TR	tremolite		Ti Ti

OA	other amphibole
NAM	non-asbestos material
OM	other mineral type
	(c)OM Description Standard Selections

Taconite
Erionite
CHARMO

									100	Counts	for each min	neral type (b)		3.08				
Sample Type	Index Suffix ID	QA Type (a)	Lab Sample Number	Sample Appearance	Points Counted	AC	AM	AN	СН	CR	TR	WRTA	OA	NAM	OM	OM Type (c)	Deviation?	Comments
Soil		Not QA	042004637-0001	Brown-Non-Fibrous-Homogeneou	400	0	0	0	0	0	0	0	0	0	0		No	AB 3/5/2020
Soil		Not QA	042004637-0002	Brown-Non-Fibrous-Homogeneou	400	0	0	0	0	0	0	0	0	0	0		No	AB 3/5/2020
Soil		Not QA	042004637-0003	Brown-Non-Fibrous-Homogeneou	400	0	0	0	0	0	0	0	0	0	0		No	AB 3/5/2020
Soil		Not QA	042004637-0004	Brown-Non-Fibrous-Homogeneou	400	0	0	0	0	0	0	0	0	0	0		No	AB 3/5/2020
Soil		Not QA	042004637-0006	Brown-Non-Fibrous-Homogeneou	400	0	0	0	0	0	0	0	0	0	0		No	AB 3/5/2020
Soil		Not QA	042004637-0006	Brown-Non-Fibrous-Homogeneou	400	0	0	0	0	0	0	0	0	0	0		No	AB 3/5/2020
Soil		Not QA	042004637-0007	Brown-Non-Fibrous-Homogeneou	400	0	0	0	0	0	0	0	0	0	0		No	AB 3/5/2020
Soil		Not QA	042004637-0008	Brown-Non-Fibrous-Homogeneou	400	0	0	0	0	0	0	0	0	0	0		No	AB 3/5/2020
Soil		Not QA	042004637-0009	Brown-Non-Fibrous-Homogeneou	400	0	0	0	0	0	0	0	0	0	0	1	No	AB 3/5/2020
Soil		Not QA	042004637-0010	Brown-Non-Fibrous-Homogeneou	400	0	0	0	0	Ö	0	0	0	0	0		No	OA 3/5/2020
Soil		Not QA	042004637-0011	Brown-Non-Fibrous-Homogeneou	400	0	0	0	0	0	0	0	0	0	0		No	OA 3/5/2020
Soll		Not QA	042004637-0012	Brown-Non-Fibrous-Homogeneou	400	0	0	0	0	0	0	0	0	0	0		No	<0.25% CH - OA 3/5/2020
Soil		Not QA	042004637-0013	Brown-Non-Fibrous-Homogeneou	400	0	0	0	0	0	0	0	0	0	0		No	OA 3/5/2020
Soil		Not QA	042004637-0014	Brown-Non-Fibrous-Homogeneou	400	0	0	0	0	0	0	0	0	0	0		No	OA 3/5/2020
Soil		Not QA	042004637-0015	Brown-Non-Fibrous-Homogeneou	400	0	0	0	0	0	0	0	0	0	0		No	OA 3/5/2020
Soil		Not QA	042004637-0016	Brown-Non-Fibrous-Homogeneou	400	0	0	0	0	0	0	0	0	0	0		No	OA 3/5/2020
Soil	A A	Not QA	042004637-0017	Brown-Non-Fibrous-Homogeneou	400	0	0	0	0	0	0	0	0	0	0		No	OA 3/5/2020
Soil		Not QA	042004637-0018	Brown-Non-Fibrous-Homogeneou	400	0	0	0	0	0	0	0	0	0	0		No	OA 3/5/2020
Soil		Not QA	042004637-0019	Brown-Non-Fibrous-Homogeneou		0	0	0	0	0	0	0	0	0	0		No	OA 3/5/2020
Soil		LD	042004637-0001A	Brown-Non-Fibrous-Homogeneou	400	0	0	0	0	0	0	0	0	0	0		No	JP 3/5/2020 - Inter-analyst QC
Soil		LD	042004637-0007A	Brown-Non-Fibrous-Homogeneou	400	0	0	0	0	0	0	0	0	0	0		No	AB 3/5/2020 - Intra-analyst QC
Soil		LD	042004637-0012A	Brown-Non-Fibrous-Homogeneou	400	0	0	0	0	0	0	0	0	0	0		No	<0.25% CH - AG 3/5/2020 - Inter-eneryst C
	Soil Soil Soil Soil Soil Soil Soil Soil	Sample Type Solf Solf Solf Solf Solf Solf Solf Solf	Sample Type	Sample Type Suffix ID (a) Lab Sample Number	Sample Type	Sample Type Suffix ID (a) Lab Sample Number Sample Appearance Counted	Sample Type	Sample Type Suffix D (a) Lab Sample Number Sample Appearance Counted AC AM	Sample Type	Sample Type	Sample Type	Sample Type	Sample Type Suffix D Suffix D Sample Number Sample Appearance Counted AC AM AN CH CR TR WRTA	Sample Type Suffic Car Type (a) Lab Sample Number Sample Appearance Pointed AC AM AN CH CR TR WRTA OA OA OA OA OA OA OA	Sample Type Suffix O QA Type (a) Lab Sample Number Sample Appearance Counted AC AM AN CH CR TR WRTA QA NAM Spil Not QA 042004637-0002 Brown-Non-Fibrous-Homogeneo 400 0 0 0 0 0 0 0 0	Sample Type Suffix O CA Type Call Rob Call Ro	Sample Type CdA Type CaA Type CaA Type CaA Solfe Counted Counted AC AM AN CH CR TR WRTA OA NAM OM OM Type (c)	Sample Type Suffix D (a) Lab Sample Number Sample Appearance Counted AC AM AN CH CR TR WRTA OA NAM OM OM Type (c) Deviation?

R35754_EMSL04_042004637_03-05-20_soil_PLM.xlsm

National Asbestos Data Entry Spreadsheet (NADES) for Bulk & Soil Analysis by PLM Point Count ANALYTICAL REPORT

FILE NAME: R35754_EMSL04_042004637_03-05-20_soil_PLM.xism

PROJECT INF	ORMATION		ANALYSIS	SINFORMATION	ABBREVIATED NOTES					
Site/Project Name:	R35754	Method:	Analysis By:	Non-responsive base	(a) Valid QA Types:	(b) Valid Mineral Types:				
State/Federal Site/Project Identifier:	R35754	EPA CO	Analysis Date:	3/5/2020	Not QA - Not a QA sample	AC - actinolite AM - amosite AN - anthophyllite				
Site/Project Identifier Code:	R35754	600_PC	Data Entry by:	Non-responsive based on Non-responsive based on	LD - Lab Duplicate	CH - chrysotile CR - crocidolite TR - tremolite				
Lab Name:	EMSL04		Data Entry Date:	3/9/2020	(c) OM Description Standard	WRTA - winchite/richterite/tremolite/actinolite				
Lab Job Number:	042004637		QA by:	Non-responsive based Non-responsive based	Selections:	OA - other amphibole NAM - non-asbestis material				
Date Received by lab:	02/21/20		QA Date:	3/10/2020	Taconite Erionite	OM - other mineral type (specify in "other mineral description" field)				

	1	101	4 10				Grav. Redu	ction				Con	centration	(%) for ea	ch mineral	type (b)		1000		
Client Sample ID	Sample Type	Index Suffix ID	QA Type (a)	Lab Sample ID	Sample Appearance	Points Counted	Ash fraction	Acid Fraction	AC	AM	AN	СН	CR	TR	WRTA	OA	NAM	OM	OM Type (b)	Total (%
SS-01	Soil		Not QA	042004637-0001	Brown-Non-Fib	400	1.000	1.000		ALCOHOL:			Total Contra						MOUNT.	0.0
SS-02	Soil		Not QA	042004637-0002	Brown-Non-Fib	400	1.000	1,000	CONTRACT OF											0.0
SS-03	Soil		Not QA	042004637-0003	Brown-Non-Fib	400	1.000	1.000												0.0
SS-04	Soil		Not QA	042004637-0004	Brown-Non-Fib	400	1.000	1.000												0.0
SS-05	Soil		Not QA .	042004637-0005	Brown-Non-Fib	400	1.000	1.000	D. 01 - 10		3 2			118						0.0
SS-06	Soil	100	Not QA	042004637-0006	Brown-Non-Fib	400	1.000	1.000												0.0
SS-07	Soil		Not QA	042004637-0007	Brown-Non-Fib	400	1.000	1.000	-				- 3 - 6							0.0
SS-08	Soil		Not QA	042004637-0008	Brown-Non-Fib	400	1,000	1,000			1000									0.0
SS-09	Soil		Not QA	042004637-0009	Brown-Non-Fib	400	1.000	1.000												0.0
SS-10	Soil		Not QA	042004637-0010	Brown-Non-Fib	400	1.000	1.000			2									0.0
SS-11	Soil		Not QA	042004637-0011	Brown-Non-Fib	400	1.000	1.000												0.0
SS-12	Soil		Not QA	042004637-0012	Brown-Non-Fib	400	1.000	1.000	0.00											0.0
SS-13	Soil		Not QA	042004637-0013	Brown-Non-Fib	400	1.000	1.000	A STATE OF THE REAL PROPERTY.		State of the					1		No.		0.0
SS-14	Soil		Not QA	042004637-0014	Brown-Non-Fib	400	1,000	1.000												0.0
SS-15	Soil		Not QA	042004637-0015	Brown-Non-Fib	400	1.000	1.000												0.0
SS-16	Soil		Not QA	042004637-0016	Brown-Non-Fib	400	1.000	1.000				11								0.0
SS-17	Soil		Not QA	042004637-0017	Brown-Non-Fib	400	1,000	1.000			1				10. 36					0.0
SS-18	Soil		Not QA	042004637-0018	Brown-Non-Fib	400	1,000	1.000		00 110 110										0.0
SS-19	Soil		Not QA	042004637-0019	Brown-Non-Fib	400	1,000	1,000												0.0
SS-01	Soil		LD	042004637-0001A	Brown-Non-Fib	400	1.000	1.000				THE REAL PROPERTY.				X				0.0
SS-07	Soil		LD	042004637-0007A	Brown-Non-Fib	400	1.000	1.000										100		0.0
SS-12	Soil		LD	042004637-0012A	Brown-Non-Fib	400	1.000	1.000					11 3 1						THE REAL PROPERTY.	0.0

Weirton BOP Implosion Site Removal Assessment Trip Report Revision: Final June 30, 2020

ATTACHMENT 1

CHAIN-OF-CUSTODY/TRAFFIC REPORTS

Page 1 of 2

USEPA CLP COC (REGION COPY)

DateShipped: 2/20/2020 CarrierName: FedEx AirbillNo: 777818097875

CHAIN OF CUSTODY RECORD

Weirton BOP Implosion Site/WV Case #. 48747 Cooler #: K30 No: 3-022020-130922-0003

Lab: Bonner Analytical Testing Company

Lab Contact Lab Phone: 601-264-2854

Sample Identifier	CLP Sample No.	Matrix/Sampler	Coll. Method	Analysis/Turnaround (Days)	Tag/Preservative/Bottles	Location	Collection Date/Time	Sample Type
SS-01	MC0AB2	Soil Non-responsive based of Non-responsive based of Non-responsive based on re- Non-responsive based on re-	Grab	TM+Hg(21)	3-1048 (6 C) (1)	P-01	02/19/2020 09:15	Field Sample
SS-02	MC0AB3	Soil/ Non-responsive based Non-responsive based Non-responsive based on revis Non-responsive based on revis	Grab	TM+Hg(21)	3-1053 (6 C) (1)	P-02	02/19/2020.09:37	Field Sample
\$\$-03	MC0AB4	Soil/ Non-responsive based Non-responsive based Non-responsive based on revi	Grab	TM+Hg(21)	3-1056 (6 C) (1)	P-03	02/19/2020 10:05	Field Sample
SS-04	MC0AB5	Soil/ Non-responsive based on re	Grab	TM+Hg(21)	3-1059 (6 C) (1)	P-03	02/19/2020 10:10	Dupe of SS-03
SS-05	MC0AB6	SolV Non-responsive based Non-responsive based	Grab	TM+Hg(21)	3-1062 (6 C) (1)	P-04	02/19/2020 10:20	Field Sample
SS-06	MC0AB7	Soil/	Grab	TM+Hg(21)	3-1065 (6 C) (1)	P-05	02/19/2020 10:35	Field Sample
SS-07	MC0AB8	Soil/ Non-responsive to Non-re	Grab	TM+Hg(21)	3-1068 (6 C) (1)	P-06	02/19/2020 10:50	Field Sample
SS-08	MC0AB9	Soil/ Non-responsive b	Grab	TM+Hg(21)	3-1071 (6 C) (1)	P-07	02/19/2020 11:15	Field Sample
SS-09	MCOACO	Soil/ Non-responsive base	Grab	TM+Hg(21)	3-1074 (6 C) (1)	P-08	02/19/2020 11:50	Field Sample
SS-10	MC0AC1	Soil/Non-responsive b	Grab	TM+Hg(21)	3-1077 (6 C) (1)	P-09	02/19/2020 11:55	Field Sample
SS-11	MC0AC2	Soil/ Non-responsive base	Grab	TM+Hg(21)	3-1080 (6 C) (1)	P-10	02/19/2020 12:20	Field Sample
SS-12	MC0AC3	Soil/ Non-responsive base	Grab	TM+Hg(21)	3-1083 (6 C) (1)	P-11	02/19/2020 13:25	Field Sample

Sample(s) to be used for Lab QC: SS-01 Tag 3-1048 - Special Instructions: Please return cooler with FedEx return label inside

Shipment for Case Complete? Y

Samples Transferred From Chain of Custody #

Analysis Key: TM+Hg=CLP TAL ICP-AES Metals + Hg

Items/Reason	Relinquished by (Signature and Organization)	Date/Time	Received by (Signature and Organization)	Date/Time	Sample Condition Upon Receipt
	·				,
	1				

Page 2 of 2

USEPA CLP COC (REGION COPY)

DateShipped: 2/20/2020 CarrierName: FedEx AirbillNo: 777818097875

CHAIN OF CUSTODY RECORD

Weirton BOP Implosion Site/WV Case #. 48747 Cooler #: K30 No: 3-022020-130922-0003

Lab: Bonner Analytical Testing Company

Lab Contact: Non-respiration responsed

Lab Phone: 601-264-2854

Sample Identifier	CLP Sample No.	Matrix/Sampler	Coll. Method	Analysis/Turnaround (Days)	Tag/Preservative/Bottles	Location	Collection Date/Time	Sample Type
SS-13	MC0AC4	Soit/Non-responsive to Non-responsive to Non-responsive to	Grab	TM+Hg(21)	3-1086 (6 C) (1)	P-12	02/19/2020 13:30	Field Sample
SS-14	MC0AC5	Soil/Non-responsive to	Grab	TM+Hg(21)	3-1089 (6 C) (1)	P-12	02/19/2020 13:40	Dupe of SS-13
SS-15	MC0AC6	Soil/ Non-responsive bas	Grab	TM+Hg(21)	3-1092 (6 C) (1)	P-13	02/19/2020 14:07	Field Sample
SS-16	MC0AC7	Soil Non-responsive by Non-responsive by Non-responsive by	Grab	TM+Hg(21)	3-1095 (6 C) (1)	P-14	02/19/2020 14:23	Field Sample
SS-17	MC0AC8	Soil/ Non-responsive base	Grab	TM+Hg(21)	3-1098 (6 C) (1)	B-15	02/19/2020 14:45	Field Sample
SS-18	MC0AC9	Scil/Non-responsive to Non-responsive to Non-res	Grab	TM+Hg(21)	3-1101 (6 C) (1)	B-16	02/19/2020 15:10	Field Sample
SS-19	MC0AD0	Soil/ Non-responsive base	Grab	TM+Hg(21)	3-1104 (6 C) (1)	B-17	02/19/2020 15:35	Field Sample
RB-01	MC0AD1	Water/Non-responsive b	Grab	TM+Hg(21)	3-1107 (HNO3 pH<2) (1)	Z .	02/19/2020 07:30	Rinsate Blank
				`				
								<u></u>
					·			
		· · · · · · · · · · · · · · · · · · ·						

	Shipment for Case Complete? Y
Special Instructions: Please return cooler with FedEx return label inside	Samples Transferred From Chain of Custody #
j	
Analysis Key: TM+Hg=CLP TAL ICP-AES Metals + Hg	

Refinquished by (Signature and Organization)	Date/Time	Received by (Signature and Organization)	Date/Time	Sample Condition Upon Receipt
	,			
j				1
			 	-
֡֡֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜	Relinquished by (Signature and Organization)	Relinquished by (Signature and Organization) Date/Time	Retinquished by (Signature and Organization) Date/Time Received by (Signature and Organization)	Retinquished by (Signature and Organization) Date/Time Received by (Signature and Organization) Date/Time

Page 1 of 2

USEPA CLP COC (REGION COPY)

DateShipped: 2/20/2020 CarrierName: FedEx AirbillNo: 777818186723

CHAIN OF CUSTODY RECORD

Weirton BOP Implosion Site/WV DAS #: R35756 Cooler #: K5

No: 3-022020-125952-0002

Lab: USEPA Region III Environmental Science Center

Lab Contact: Lab Phone: 410-305-2938

Sample Identifier	CLP Sample No.	Matrix/Sampler	Coll. Method	Analysis/Turnaround (Days)	Tag/Preservative/Bottles	Location	Collection Date/Time	Sample Type
SS-01	R35756-01	Soil Non-responsive ba Non-responsive ba Non-responsive ba	Grab	Cr+6(21)	3-1052 (6 C) (1)	P-01	02/19/2020 09:15	Field Sample
SS-02	R35756-02	Soil/Non-responsive ba Non-responsive ba	Grab	Cr+6(21)	3-1055 (6 C) (1)	P-02	02/19/2020 09:37	Field Sample
SS-03	R35756-03	Soil/ Non-responsive b	Grab	Cr+6(21)	3-1058 (6 C) (1)	P-03	02/19/2020 10:05	Field Sample
SS-04	R35756-04	Soil/Non-responsive ba	Grab	Cr+6(21)	3-1061 (6 C) (1)	P-03	02/19/2020 10:10	Dupe of SS-03
SS-05	R35756-05	Soil/Non-responsive ba	Grab	Cr+6(21)	3-1064 (6 C) (1)	P-04	02/19/2020 10:20	Field Sample
SS-06	R35756-06	Soil/Non-responsive based	Grab	Cr+6(21)	3-1067 (6 C) (1)	P-05	02/19/2020 10:35	Field Sample
SS-07	R35756-07	Soil/ Non-responsive to Non-re	Grab	Cr+6(21)	3-1070 (6 C) (1)	P-06	02/19/2020 10:50	Field Sample
SS-08	R35756-08	Soil/ Non-responsive b	Grab	Cr+6(21)	3-1073 (6 C) (1)	P-07	02/19/2020 11:15	Field Sample
SS-09	R35758-09	Soil/Non-responsive base	Grab	Cr+6(21)	3-1076 (6 C) (1)	P-08	02/19/2020 11:50	Field Sample
SS-10	R35756-10	Soil/ Non-responsive to Non-responsive to	Grab	Cr+6(21)	3-1079 (6 C) (1)	P-09	02/19/2020 11:55	Field Sample
SS-11	R35756-11	Soil/Non-responsive base	Grab	Cr+6(21)	3-1082 (6 C) (1)	P-10	02/19/2020 12:20	Field Sample
SS-12	R35756-12	Soil/Non-responsive base	Grab	Cr+6(21)	3-1085 (6 C) (1)	P-11	02/19/2020 13:25	Field Sample

Shipment for Case Complete? Y Sample(s) to be used for Lab QC: SS-01 Tag 3-1052 - Special Instructions: Please return cooler with FedEx return label inside Samples Transferred From Chain of Custody # Analysis Key: Cr+6=Hexavalent Chromium

Items/Reason	Relinquished by (Signature and Organization)	Date/Time	Received by (Signature and Organization)	Date/Time	Sample Condition Upon Receipt	
			·			
					, i	
		-			 	
			`-			
	,				. L	

Page 2 of 2

USEPA CLP COC (REGION COPY)

DateShipped: 2/20/2020 CarrierName: FedEx AirbillNo: 777818186723

CHAIN OF CUSTODY RECORD

Weirton BOP Implosion Site/WV DAS #: R35756 Cooler #: K5 No: 3-022020-125952-0002

Lab: USEPA Region III Environmental Science Center Lab Contact: Kevin Poff

Lab Phone: 410-305-2938

Sample Identifier	CLP Sample No.	mple No. Method (Days)		Analysis/Turnaround (Days)	Tag/Preservative/Bottles	Location	Collection Date/Time	Sample Type
SS-13	R35756-13	Soil/Non-responsive to Non-responsive to Non-responsive to	Grab	Cr+6(21)	3-1088 (6 C) (1)	P-12	02/19/2020 13:30	Field Sample Dupe of SS-13
SS-14	R35756-14	Soil/Non-responsive to Non-responsive to Non-res	Grab	Cr+6(21)	3-1091 (6 C) (1)	P-12		
SS-15	R35756-15	Soil/ Non-responsive bas	Grab	Cr+6(21)	3-1094 (6 C) (1)	P-13	02/19/2020 14:07	Fleid Sample
SS-16	R35756-16	Soil/ Non-responsive b Non-responsive b Non-responsive b	Grab	Cr+6(21)	3-1097 (6 C) (1)	P-14	02/19/2020 14:23	Field Sample
SS-17	R35756-17	Soil/ Non-responsive bas	Grab	Cr+6(21)	3-1100 (6 C) (1)	B-15	02/19/2020 14:45	Field Sample
SS-18	R35756-18	Soil/Non-responsive b	Grab	Cr+6(21)	3-1103 (6 C) (1)	B-16	02/19/2020 15:10	Field Sample
SS-19	R35756-19	Soil Non-responsive base	Grab	Cr+6(21)	3-1106 (6 C) (1)	B-17	02/19/2020 15:35	Field Sample
RB-01	R35756-R1	Water/Non-responsive b Non-responsive bandon-responsive bandon-res	Grab	Cr+6(21)	3-1108 (NH4OH/(NH4)2SO4 pH 9.5) (1)	Z	02/19/2020 07:30	Rinsate Blank
							ļ	
		L			LL		<u> </u>	

		Shipment for Case Complete? Y
	Special Instructions: Please return cooler with FedEx return label inside	Samples Transferred From Chain of Custody #
		·
ı	Analysis Key: Cr+6=Hexavalent Chromium	

Items/Reason	Relinquished by (Signature and Organization)	Date/Time	Received by (Signature and Organization)	Date/Time	Sample Condition Upon Receipt
	_				
					
-					

Page 1 of 2

USEPA CLP COC (REGION COPY)

DateShipped: 2/20/2020 CarrierName: FedEx AirbillNo: 777817941333

CHAIN OF CUSTODY RECORD

Weirton BOP Implosion Site/WV DAS #: R35754 Cooler #: K27 No: 3-022020-124148-0001

Lab: EMSL Analytical, Inc. Lab Contact:

Lab Phone: 856-303-2556

Sample Identifier	CLP Sample No.	Matrix/Sampler	Coll. Method	Analysis/Turnaround (Days)	Tag/Preservative/Bottles	Location	Collection Date/Time	Sample Type		
SS-01	R35754-01	Soil/ Non-responsive to Non-responsive to Non-responsive to Non-responsive to Non-responsive to	Grab	Asbest(21)	3-1050 (None) (1)	P-01	02/19/2020 09:15	Field Sample		
SS-02	R35754-02	Soil/ Non-responsive by Non-responsive by Non-responsive by	Grab	Grab Asbest(21)	3-1054 (None) (1)	4 (None) (1) P-02	02/19/2020 09:37	Field Sample		
SS-03	R35754-03	Soil/Non-responsive b	Grab	Asbest(21)	3-1057 (None) (1)	P-03	02/19/2020 10:05	Field Sample		
SS-04	R35754-04	Soil/Non-responsive b	Grab	Asbest(21)	3-1060 (None) (1)	P-03	02/19/2020 10:10	Dupe of SS-03		
SS-05	R35754-05	Soil/Non-responsive ba	Grab	Asbest(21)	Asbest(21)	Asbest(21)	3-1063 (None) (1)	- P-04	02/19/2020 10:20	Field Sample
SS-06	R35754-06	Soil/Non-responsive based	Grab	Asbest(21)	3-1066 (None) (1)	P-05	02/19/2020 10:35	Field Sample		
SS-07	R35754-07	Soil/ Non-responsive b Non-responsive b	Grab	Asbest(21)	3-1069 (None) (1)	P-06	02/19/2020 10:50	Field Sample		
SS-08	R35754-08	Soil/Non-responsive b	Grab	Asbest(21)	3-1072 (None) (1)	P-07	02/19/2020 11:15	Field Sample		
SS-09	R35754-09	Soil/ Source Page	Grab	Asbest(21)	3-1075 (None) (1)	P-08	02/19/2020 11:50	Field Sample		
SS-10	R35754-10	Soil/ Non-responsive b	Grab	Asbest(21)	3-1078 (None) (1)	P-09	02/19/2020 11:55	Field Sample		
SS-11	R35754-11	Soil/ Non-responsive base	Grab	Asbest(21)	3-1081 (None) (1)	P-10	02/19/2020 12:20	Field Sample		
SS-12	R35754-12	Soil Non-responsive base	Grab	Asbest(21)	3-1084 (None) (1)	P-11	02/19/2020 13:25	Field Sample		

	Shipment for Case Complete? Y
Special Instructions: Please return cooler with FedEx return label	Samples Transferred From Chain of Custody #
Analysis Key: Asbest≔Asbestos	

items/Reason	Relinquished by (Signature and Organization)	Date/Time	Received by (Signature and Organization)	Date/Time	Sample Condition Upon Receipt	
					· ·	
				,		

Page 2 of 2

USEPA CLP COC (REGION COPY)

DateShipped: 2/20/2020 CarrierName: FedEx AirbillNo: 777817941333

CHAIN OF CUSTODY RECORD

Weirton BOP Implosion Site/WV DAS #: R35754 Cooler #: K27 No: 3-022020-124148-0001

Lab Contact

Lab Phone: 856-303-2556

Sample Identifier	CLP Sample No.	Matrix/Sampler	Coll. Method	Analysis/Turnaround (Days)	Tag/Preservative/Bottles	Location	Collection Date/Time	Sample Type
SS-13	R35754-13	Soil/Non-responsive to Non-responsive to Non-responsive to	Grab	Asbest(21)	3-1087 (None) (1)	P-12	02/19/2020 13:30	Field Sample
SS-14	R35754-14	Soil/Non-responsive to Non-responsive to Non-responsive to Non-responsive to	Grab	Asbest(21)	3-1090 (None) (1)	P-12	02/19/2020 13:40	Dupe of SS-13
SS-15	R35754-15	Soil/ Non-responsive base	Grab	Asbest(21)	3-1093 (None) (1)	P-13	02/19/2020 14:07	Field Sample
SS-16	R35754-16	Soil/Non-responsive to Non-responsive to Non-responsive	Grab	Asbest(21)	3-1096 (None) (1)	P-14	02/19/2020 14:23	Field Sample
SS-17	R35754-17	Soil/ Non-responsive base	Grab	Asbest(21)	3-1099 (None) (1)	B-15	02/19/2020 14:45	Field Sample
SS-18	R35754-18	Soil/Non-responsive b Non-responsive b Non-responsive b Non-responsive b	Grab	Asbest(21)	3-1102 (None) (1)	B-16	02/19/2020 15:10	Field Sample
SS-19	R35754-19	Soil/ Non-responsive base	Grab	Asbest(21)	3-1105 (None) (1)	B-17	02/19/2020 15:35	Field Sample
							ļ	
							 	
		· · · · · · · · · · · · · · · · · · ·				···	 	

	Shipment for Case Complete? Y
Special Instructions: Please return cooler with FedEx return label	Samples Transferred From Chain of Custody #
	<u> </u>
Analysis Key: Asbest=Asbestos	

Items/Reason	Relinquished by (Signature and Organization)	Date/Time	Received by (Signature and Organization)	Date/Time	Sample Condition Upon Receipt
		•			
		,			
			'		
			,		1

TechLaw, Inc. START 5 Region III EP-S3-15-03 Weirton BOP Implosion Site Removal Assessment Trip Report Revision: Final June 30, 2020

ATTACHMENT 2

DATA VALIDATION REPORT TOTAL METALS AND MERCURY

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY REGION III



Environmental Sciences Center 701 Mapes Road Fort Meade, Maryland 20755-5350

DATE:

5/5/2020

SUBJECT:

Region III Data QA Review

FROM:

Eric Graybill

Region III ESAT RPO (3LS20)



TO:

DEBORAH LINDSEY

Hazardous Site Cleanup Division (HSCD)

Attached is the data validation report for the WEIRTON BOP IMPLOSION SITE site for RAS# 48747; SDG# MC8TR1 completed by the Region III Environmental Services Assistance Team (ESAT) contractor, ICF International, under the direction of Region III LSASD.

If you have any questions regarding this review, please call Eric Graybill at (410)-305-2665.

Attachment

cc:



TO: #0002

TDF: #0320061



ICF

ESAT Region 3

US Environmental Protection Agency Environmental Science Center

701 Mapes Road Ft. Meade, MD 20755-5350

Phone 410-305-3012

Date:

May 4, 2020

To:

ESAT Region 3 Project Officer

From:

Non-responsive based on revised scop Non-responsive based on revised scop Validator

Non-responsive based on re Non-responsive based on re Reviewer

Subject:

Inorganic Data Validation (S4VEM)

Weirton BOP Implosion

48747, MC8TR1

Overview

This data package consisted of nineteen (19) soil samples including two field duplicate pairs analyzed for total metals by ICP-AES and for mercury (Hg) by cold vapor atomic absorption technique.

Analysis was performed by Bonner Analytical Testing Company (BON) according to Contract Laboratory Program (CLP) Statement of Work (SOW) ISM02.4.

Data were validated according to the National Functional Guidelines for Inorganic Superfund Methods Data Review and applicable USEPA Region 3 modifications. Electronic validation was performed by the Electronic Data eXchange & Evaluation System (EXES). The validation report has been assigned the Superfund Data Validation Label Stage_3_Validation_Electronic_Manual (S3VEM).

The following validation narrative is an evaluation of laboratory reported data based on the reconciliation electronic data package available through the EXES Data Manager dated March 17, 2020.

Rinsate blank MCOAD1 (analyzed in SDG MCBTR2) was used in evaluating blank contamination for the associated samples in this case based on sampling date.

Summary

No data quality outliers or technical deficiencies were identified that would require rejection of sample results. A matrix spike outlier and blank contamination issues resulted in estimated sample results for several analytes.

Minor Problems

Laboratory instrumentation reported negative values greater than absolute value of the Method Detection Limits (MDL) for thallium (TI) and Hg in blank analyses. Positive results less than the Contract Required Quantitation Limits (CRQLs) for these analytes have been reported at the CRQL and qualified "UJ". Quantitation limits for these analytes are estimated and qualified "UJ".

The matrix spike recovery was low (<75%) for antimony (Sb) in sample MCOAB2. The post digestion spike recovery was within limits. The quantitation limit for Sb is estimated in this sample and has been qualified "UJ".

Notes

Analytes detected below the CRQLs are estimated and have been qualified "J".

Antimony (Sb), beryllium (Be), cadmium (Cd), cobalt (Co), silver (Ag) and sodium (Na) have been detected in laboratory blanks associated with the sample in this SDG. Concentrations of these analytes which were less than the CRQL have been reported at the CRQL and qualified "U".

No positive results were reported for the associated rinsate blank. No data were qualified based on the rinsate blank.

Laboratory duplicate, serial dilution and Laboratory Control Sample (LCS) analyses reported acceptable results.

The matrix spike recovery was outside control limits for lead (Pb) in sample MCOAB2. The initial concentration for Pb was greater than four times (>4X) the amount of the spike added. No data were qualified.

Concentrations for the following analytes exceeded the calibration range in the initial analysis of samples listed. These samples were reanalyzed at dilution to bring the concentration of the analyte within the calibration range. Results for these analytes are reported from dilution.

Sample	DF	Analyte(s)
MC0AB4	5X	Iron (Fe), Manganese (Mn)
MC0AB5	3X	Fe, Mn
MC0AC2	2X	Mn
MCOAC8, MCOADO	2X	Fe
MC0AC9	5X	Mn

Results for the field duplicate pairs, samples MC0AB4/MC0AB5 and MC0AC4/MC0AC5, were within ± CRQL, 25% RPD except for calcium (Ca) in duplicate pair MC0AB4/MC0AB5. Data are not qualified based on field duplicate precision. No data were qualified based on this finding.

All Sample numbers in this SDG were previously used by the laboratory in their LIMS as an SDG number. Per the Region, the SDG number for this case was changed to MC8TR1.

Sample calculation checks were performed for several analytes in several samples. All calculated results had RPDs less than 5% of the reported results. No sample data were qualified.

Validation qualifiers are only applied by the validator to field samples. Qualifiers may be applied by EXES electronic validation to laboratory quality control samples.

Glossan	of Inorganic	Data Ou	alifier Codes
UIUJJUI	, oi illoigaille	vota w	Idillici Coucs

	the state of the s
Validation	In order of descending precedence. Only one of these qualifiers may apply to any
Qualifiers	result.
R	The data are unusable. The sample results are rejected due to serious deficiencies in meeting QC criteria. The analyte may or may not be present in the sample.
UJ	The analyte was analyzed for, but was not detected. The reported quantitation limit is approximate and may be inaccurate or imprecise.
U	The analyte was analyzed for, but was not detected above the level of the reported sample quantitation limit
В	The result is presumed a blank contaminant. This qualifier is used for drinking water samples only.
J	The result is an estimated quantity. The associated numerical value is the approximate concentration of the analyte in the sample.
J+	The result is an estimated quantity, but the result may be biased high.

The result is an estimated quantity, but the result may be biased low.

Project Name: WEIRTON BOP IMPLOSION SITE
Project

GroupID: 48747/EPW14029/MC8TR1

Lab Name: Bonner Analytical Testing Co.

Sample Number: LCS01

Method: Metals by ICP-AES

Matrix: Soil

MA Number:

Sample Location:

pH:

Sample Date:

Sample Time:

% Moisture:

% Solids: 100

Analyte Name	Analyte Type	Validation Result	Validation Flag	Units	Lab Result	Lab Flag	Dilution Factor	Reportable	Validation Level
Aluminum	Spike	42.2		mg/kg	42.2			YES	NV
Antimony	Spike	12.1		mg/kg	12.1		. 1	YES	NV
Arsenic	Spike	1.9		mg/kg	1.9		1	YES	NV
Barium	Spike	41.7		mg/kg	41.7		1	YES	NV
Beryllium	Spike	1.0		mg/kg	1.0		1	YES	NV
Cadmium	Spike	1.1		mg/kg	1.1		11	YES	NV
Calcium	Spike	1080		mg/kg	1080		_ 1	YES	NV
Chromium	Spike	2.3		mg/kg	2.3		1	YES	NV
Cobalt	Spike	10.9		mg/kg	10.9		1	YES	NV
Copper	Spike	5.6		mg/kg	5.6		1	YES	NV
Iron	Spike	21.6		mg/kg	21.6		1	YES	NV
Lead	Spike	2.1		mg/kg	2.1		1	YES	NV
Magnesium	Spike	1050		mg/kg	1050		1	YES	NV
Manganese	Spike	3.3		mg/kg	3.3		1	YES	NV
Nickel	Spike	8.6		mg/kg	8.6		1	YES	NV
Potassium	Spike	1000		mg/kg	1000		1	YES	NV
Selenium	Spike	7.2		mg/kg	7.2		1	YES	NV
Silver	Spike	1.1		mg/kg	1.1		1	YES	NV
Sodium	Spike	1020		mg/kg	1020		1	YES	NV
Thallium	Spike	5.0	_	mg/kg	5.0		1	YES	NV
Vanadium	Spike	10.9		mg/kg	10.9		1	YES	NV
Zinc	Spike	13.5		mg/kg	13.5		1	YES	NV

Project Name: WEIRTON BOP IMPLOSION SITE

Project

GroupID: 48747/EPW14029/MC8TR1

Lab Name: Bonner Analytical Testing Co.

Sample Number: MC0AB2

Method: Mercury by Cold Vapor

Matrix: Soil

MA Number:

Sample Location: P-01

pH:

....

% Moisture:

% Solids: 66.8

Sample Date: 02/19/2020 Sample Time: 09:15:00

Analyte Name	Analyte Type	Validation Result	Validation Flag	Units	Lab Result	Lab Flag	Dilution Factor	Reportable	Validation Level
Мегсигу	Target	0.14	UJ	mg/kg	0.026	J	1	YES	S4VEM

Project Name: WEIRTON BOP IMPLOSION SITE

Project

GroupID: 48747/EPW14029/MC8TR1

Lab Name: Bonner Analytical Testing Co.

Sample Number: MC0AB2

Method: Metals by ICP-AES

Matrix: Soil

MA Number:

Sample Location: P-01

pH:

Sample Date: 02/19/2020

Sample Time: 09:15:00

Moisture:

Analyte Name	Analyte Type	Validation Result	Validation Flag	Units	Lab Result	Lab Flag	Dilution Factor	Reportable	Validation Leve
Aluminum	Target	15600		mg/kg	15600		1	YES	S4VEM
Antimony	Target	8.3	UJ	mg/kg	1.5	J*	11	YES	S4VEM
Arsenic	Target	11.2		mg/kg	11.2		1	YES	S4VEM
Barium	Target	84.9		mg/kg	84.9		1	YES	S4VEM
Beryllium	Target	0.69	Ü	mg/kg	0.68	J	1	YES	S4VEM
Cadmium	Target	0.69	U	mg/kg	0.13	J	1	YES	S4VEM
Calcium	Target	4060		mg/kg	4060		l	YES	S4VEM
Chromium	Target	60.6		mg/kg	60.6		11	YES	S4VEM
Cobalt	Target	10.8		mg/kg	10.8		1	YES	S4VEM
Copper	Target	23.0		mg/kg	23.0		1	YES	S4VEM
Iron	Target	34100		mg/kg	34100		1	YES	S4VEM
Lead	Target	31.4		mg/kg	31.4		l l	YES	S4VEM
Magnesium	Target	3390		mg/kg	3390		1	YES	S4VEM
Manganese	Target	1250		mg/kg	1250		1	YES	S4VEM
Nickel	Target	23.5		mg/kg	23.5	,	1	YES	S4VEM
Potassium	Target	1810		mg/kg	1810		1	YES	S4VEM
Selenium	Target	4.9	Ü.	mg/kg	4.9	Ū	1	YES	S4VEM
Silver	Target	1.4	U	mg/kg	0.22	J	. 1	YES	S4VEM
Sodium	Target	693	U	mg/kg	51.2	J	1	YES	S4VEM
Thallium	Target	3.5	ŲJ	mg/kg	3.5	U	i	YES	S4VEM
Vanadium	Target	41.4	•	mg/kg	41.4		1	YES	S4VEM
Zinc	Target	205		mg/kg	205		1	YES	S4VEM

Project Name: WEIRTON BOP IMPLOSION SITE Project

GroupID: 48747/EPW14029/MC8TR1

Lab Name: Bonner Analytical Testing Co.

Sample Number: MC0AB2A

Method: Metals by ICP-AES

Matrix: Soil

MA Number:

Sample Location:

pH:

Sample Date: 02/19/2020

Sample Time: 09:15:00

% Moisture:

Analyte Name	Analyte Type	Validation Result	Validation Flag	Units	Lab Result	Lab Flag	Dilution Factor	Reportable	Validation Level
Antimony	Spike	17.4		mg/kg	17.4		1	YES	NV

Project Name: WEIRTON BOP IMPLOSION SITE Project GroupID: 48747/EPW14029/MC8TR1

Lab Name: Bonner Analytical Testing Co.

Sample Number: MC0AB2D

Method: Mercury by Cold Vapor

Matrix: Soil

MA Number:

Sample Location:

ρH·

Sample Date: 02/19/2020

Sample Time: 09:15:00

% Moisture:

Analyte Name	Analyte Type	Validation Result	Validation Flag	Units	Lab Result	Lab Flag	Dilution Factor	Reportable	Validation Level
Mercury	Target	0.031	J	mg/kg	0.031	J	1	YES	NV

Project Name: WEIRTON BOP IMPLOSION SITE Project

GroupID: 48747/EPW14029/MC8TR1

Lab Name: Bonner Analytical Testing Co.

Sample Number: MC0AB2D

Method: Metals by ICP-AES

Matrix: Soil

MA Number:

Sample Location:

pH:

Sample Date: 02/19/2020

Sample Time: 09:15:00

% Moisture:

Analyte Name	Analyte Type	Validation Result	Validation Flag	Units	Lab Result	Lab Flag	Dilution Factor	Reportable	Validation Level
Aluminum	Target	15000		mg/kg	15000	-	1	YES	NV
Antimony	Target	1.3	J	mg/kg	1.3	J	1	YES	NV
Arsenic	Target	11.4		mg/kg	11.4		1	YES	NV
Barium	Target	81.1		mg/kg	81.1		1	YES	NV
Beryllium	Target	0.65	J	mg/kg	0.65	j	1	YES	NV
Cadmium	Target	0.15	J	mg/kg	0.15	J	1	YES	NV
Calcium	Target	4520		mg/kg	4520		11	YES	NV
Chromium	Target	59.8		mg/kg	59.8		1	YES	NV
Cobalt	Target	10.9		mg/kg	10.9		1	YES	NV
Copper	Target	22.0		mg/kg	22.0		11	YES	NV
Iron	Target	32400		mg/kg	32400		1	YES	NV
Lead	Target	28.0		mg/kg	28.0		1	YES	NV
Magnesium	Target	3310		mg/kg	3310		1	YES	NV
Manganese	Target	1200		mg/kg	1200		1	YES	NV
Nickel	Target	22.3		mg/kg	22.3		1	YES	NV
Potassium	Target	1700		mg/kg	1700		1	YES	NV
Selenium	Target	4.9	U	mg/kg	4.9	U	1	YES	NV
Silver	Target	0.23	J	mg/kg	0.23	j_	1	YES	NV
Sodium	Target	47.4	J	mg/kg	47.4	J	1	YES	NV
Thallium	Target	3.5	U_	mg/kg	3.5	U	1	YES	NV
Vanadium	Target	40.4		mg/kg	40.4		1	YES	NV
Zinc	Target	194	T	mg/kg	194		ī	YES	NV

Project Name: WEIRTON BOP IMPLOSION SITE Project

GroupID: 48747/EPW14029/MC8TR1

Lab Name: Bonner Analytical Testing Co.

YES

NV

5

ample Number: MC0AB2L

Method: Metals by ICP-AES

Matrix: Soil

MA Number:

Sample Location:

pH:

191

Target Target

Sample Date:

Sample Time:

Moisture:

Zinc

% Solids: 66.8

Analyte Name	Analyte Type	Validation Result	Validation Flag	Units	Lab Result	Lab Flag	Dilution Factor	Reportable	Validation Level
Aluminum	Target	15500		mg/kg	15500		5	YES	NV
Antimony	Target	1.5	J	mg/kg	1.5	J	5	YES	NV
Arsenic	Target	10.7		mg/kg	10.7		5	YES	NV
Barium	Target	83.2	J	mg/kg	83.2	J	5	YES	NV
Beryllium	Target	0.64	J	mg/kg	0.64	J	5	YES	NV
Cadmium	Target	0.12	j	mg/kg	0.12	J	5	YES	NV
Calcium	Target	4110		mg/kg	4110		5	YES	NV
Chromium	Target	61.9		mg/kg	61.9		5	YES	NV
Cobalt	Target	11.0	j	mg/kg	11.0	J	5	YES	NV
Copper	Target	24.2		mg/kg	24.2		5	YES	NV
Iron	Target	35000		mg/kg	35000		5	YES	NV
Lead	Target	29.6		mg/kg	29.6		5	YES	NV
Magnesium	Target	3440	Ĵ	mg/kg	3440	J	5	YES	NV
Manganese	Target	1270		mg/kg	1270		5	YES	NV
Nickel	Target	21.8	J	mg/kg	21.8	J	5	YES	ΝV
Potassium	Target	1810	J	mg/kg	1810	J	5	YES	NV
Selenium	Target	24.3	U	mg/kg	24.3	U	5	YES	NV
Silver	Target	0.52	J	mg/kg	0.52	J	5	YES	NV
Sodium	Target	37.5	J	mg/kg	37.5	·J	5	YES	NV
Thallium	Target	17.3	Ü	mg/kg	17.3	U	5	YES	NV
Vanadium	Target	41.2		mg/kg	41.2	I	5	YES	NV

mg/kg

191

Project Name: WEIRTON BOP IMPLOSION SITE

Project

GroupID: 48747/EPW14029/MC8TR1

Lab Name: Bonner Analytical Testing Co.

Sample Number: MC0AB2S

Method: Mercury by Cold Vapor

Matrix: Soil

MA Number:

Sample Location:

pH:

Sample Date: 02/19/2020

Sample Time: 09:15:00

% Moisture:

1	Analyte Name	Analyte Type	Validation Result	Validation Flag	Units	Lab Result	Lab Flag	Dilution Factor	Reportable	Validation Level
ł	Mercury	Spike	0.82		mg/kg	0.82		1	YES	ΝV

Project Name: WEIRTON BOP IMPLOSION SITE Project

GroupID: 48747/EPW14029/MC8TR1

Lab Name: Bonner Analytical Testing Co.

Sample Number: MC0AB2S

Method: Metals by ICP-AES

Matrix: Soil

MA Number:

Sample Location:

pH:

Sample Date: 02/19/2020

Sample Time: 09:15:00

6 Moisture:

Analyte Name	Analyte Type	Validation Result	Validation Flag	Units	Lab Result	Lab Flag	Dilution Factor	Reportable	Validation Level
Antimony	Spike	10.9		mg/kg	10.9	*	1	YES	NV
Arsenic	Spike	23.1		mg/kg	23.1		1	YES	NV
Barium	Spike	624		mg/kg	624		1	YES	NV
Beryllium	Spike	14.1		mg/kg	14.1		1	YES	NV
Cadmium	Spike	13.2	!	mg/kg	13.2	_	1	YES	NV
Chromium	Spike	124		mg/kg	124		1	YES	NV
Cobalt	Spike	141	,	mg/kg	141		1	YES	NV
Copper	Spike	88.2		mg/kg	88.2		1	YES	NV
Lead	Spike	34.2		mg/kg	34.2		1	YES	NV
Manganese	Spike	1410		mg/kg	1410		1	YES	NV
Nickel	Spike	· 163		mg/kg	163		1	YES	NV
Selenium	Spike	23.9	1	mg/kg	23.9		1	YES	NV
Silver	Spike	13.6		mg/kg	13.6		1	YES	NV
Thallium	Spike	14.0	1	mg/kg	14.0	1	1	YES	NV
Vanadium	Spike	186		mg/kg	186	1	1	YES	NV
Zinc	Spike	358	· · · · ·	mg/kg	358		1	YES	NV

Project Name: WEIRTON BOP IMPLOSION SITE

Project

GroupID: 48747/EPW14029/MC8TR1

Lab Name: Bonner Analytical Testing Co.

Sample Number: MC0AB3

Method: Mercury by Cold Vapor

Matrix: Soil

MA Number:

Sample Location: P-02

nH·

Sample Date: 02/19/2020

Sample Time: 09:37:00

% Moisture:

4	Analyte Name	Analyte Type	Validation Result	Validation Flag	Units	Lab Result	Lab Flag	Dilution Factor	Reportable	Validation Level
Γ	Mercury	Target	0.12	UJ	mg/kg	0.12	U	1	YES	S4VEM

Project Name: WEIRTON BOP IMPLOSION SITE

Project

GroupID: 48747/EPW14029/MC8TR1

Lab Name: Bonner Analytical Testing Co.

Sample Number: MC0AB3

Method: Metals by ICP-AES

Matrix: Soil

MA Number:

Sample Location: P-02

pH:

Sample Date: 02/19/2020

Sample Time: 09:37:00

Moisture:

Analyte Name	Analyte Type	Validation Result	Validation Flag	Units	Lab Result	Lab Flag	Dilution Factor	Reportable	Validation Level
Aluminum	Target	16400		mg/kg	16400		1	YES	S4VEM
Antimony	Target	7.3	U	mg/kg	1.1	J*	1	YES	S4VEM
Arsenic	Target	18.1		mg/kg	18.1		1	YES	S4VEM
Barium	Target	192		mg/kg	192		1	YES	S4VEM
Beryllium	Target	1.0		mg/kg	1.0		1	YES	S4VEM
Cadmium	Target	0.93		mg/kg	0.93		1	YES	S4VEM
Calcium	Target	8040		mg/kg	8040		1	YES	S4VEM
Chromium	Target	41.9		mg/kg	41.9		1	YES	S4VEM
Cobalt	Target	12.8		mg/kg	12.8		1	YES	S4VEM
Copper	Target	31.7		mg/kg	31.7		1	YES	S4VEM
Iron	Target	34100		mg/kg	34100		1	YES	S4VEM
Lead	Target	246		mg/kg	246		1	YES	S4VEM
Magnesium	Target	4410		mg/kg	4410		1	YES	S4VEM
Manganese	Target	. 1110 .		mg/kg	1110		1	YES	S4VEM
Nickel	Target	28.8		mg/kg	28.8		1	YES	S4VEM
Potassium	Target	2150		mg/kg	2150		1	YES	S4VEM
Selenium	Target	4.3	Ū	mg/kg	4.3	U	1	YES	S4VEM
Silver	Target	1.2	U	mg/kg	0.32	J	1	YES	S4VEM
Sodium	Target	608	U	mg/kg	74.9	J	1	YES	S4VEM
Thallium	Target	3.0	UJ	mg/kg	3.0	Ŭ	1	YES	S4VEM
Vanadium	Target	36.5		mg/kg	36.5		l	YES	S4VEM
Zinc	Target	3010		mg/kg	3010		1	YES	S4VEM

Project Name: WEIRTON BOP IMPLOSION SITE

Project

^aGroupID: 48747/EPW14029/MC8TR1

Lab Name: Bonner Analytical Testing Co.

Sample Number: MC0AB4

Method: Mercury by Cold Vapor

Matrix: Soil

MA Number:

Sample Location: P-03

pH:

Sample Date: 02/19/2020

Sample Time: 10:05:00

% Moisture:

1	Analyte Name	Analyte Type	Validation Result	Validation Flag	Units	Lab Result	Lab Flag	Dilution Factor	Reportable	Validation Level
1	Mercury	Target	0.32		mg/kg	0.32		1	YES	S4VEM

Project Name: WEIRTON BOP IMPLOSION SITE

Project

GroupID: 48747/EPW14029/MC8TR1

Lab Name: Bonner Analytical Testing Co.

Sample Number: MC0AB4

Method: Metals by ICP-AES

Matrix: Soil

MA Number:

Sample Location: P-03

pH:

Sample Date: 02/19/2020

Sample Time: 10:05:00

% Moisture:

Analyte Name	Analyte Type	Validation Result	Validation Flag	Units	Lab Result	Lab Flag	Dilution Factor	Reportable	Validation Level
Aluminum	Target	12900		mg/kg	12900		1	YES	S4VEM
Antimony	Target	7.2	Ü	mg/kg	5.2	J*	1	YES	S4VEM
Arsenic	Target	20.1		mg/kg	20.1		1	YES	S4VEM
Barium	Target	285		mg/kg	285		1	YES	S4VEM
Beryllium	Target	0.80		mg/kg	0.80		1	YES	S4VEM
Cadmium	Target	2.4		mg/kg	2.4		1	YES	S4VEM
Calcium	Target	19400		mg/kg	19400		1	YES	S4VEM
Chromium	Target	218		mg/kg	218		1 .	YES	S4VEM
Cobalt	Target	11.2	-	mg/kg	11.2		1	YES	S4VEM
Copper	Target	204	Ī	mg/kg	204		1	YES	S4VEM
Iron	Target	62700		mg/kg	62700	D	5	YES	S4VEM
Lead	Target	382		mg/kg	382		11	YES	S4VEM
Magnesium	Target	5060		mg/kg	5060		1	YES	S4VEM
Manganese	Target	4670		mg/kg	4670	D	5	YES	S4VEM
Nickel	Target	32.2		mg/kg	32.2		i	YES	S4VEM
Potassium	Target	1920		mg/kg	1920		111	YES	S4VEM
Selenium	Target	4.2	U	mg/kg	4.2	U	1	YES	S4VEM
Silver	Target	1.2	Ŭ	mg/kg	0.83	J	1	YES	S4VEM
Sodium	Target	597	U	mg/kg	95.3	J	1	YES	S4VEM
Thallium	Target	3.0	ŲJ	mg/kg	0.43	J	1	YES	S4VEM
Vanadium	Target	96.4		mg/kg	96.4		i	YES	S4VEM
Zinc	Target	1000		mg/kg	1000		1	YES	S4VEM

Project Name: WEIRTON BOP IMPLOSION SITE

Project

GroupID: 48747/EPW14029/MC8TR1

Lab Name: Bonner Analytical Testing Co.

Sample Number: MC0AB5

Method: Mercury by Cold Vapor

Matrix: Soil

MA Number:

Sample Location: P-03

pH:

Sample Date: 02/19/2020

Sample Time: 10:10:00

% Moisture:

% Solids: 80.1

Analyte Name	Analyte Type	Validation Result	Validation Flag	Units	Lab Result	Lab Flag	Dilution Factor	Reportable	Validation Level
Mercury	Target	0.25		mg/kg	0.25		1	YES	S4VEM

roject Name: WEIRTON BOP IMPLOSION SITE Project

GroupID: 48747/EPW14029/MC8TR1

Lab Name: Bonner Analytical Testing Co.

imple Number: MC0AB5

Method: Metals by ICP-AES

Matrix: Soil

MA Number:

Sample Location: P-03

pH:

Sample Date: 02/19/2020

Sample Time: 10:10:00

Moisture:

% Solids: 80.1

Analyte Name	Analyte Type	Validation Result	Validation Flag	Units	Lab Result	Lab Flag	Dilution Factor	Reportable	Validation Level
Aluminum	Target	12400		mg/kg	12400		1 .	YES	S4VEM
Antimony	Target	6.9	Ü	mg/kg	4.6	J*		YES	S4VEM
Arsenic	Target	20.3		mg/kg	20.3		1	YES	S4VEM
Barium	Target	249		mg/kg	249		1	YES	S4VEM
Beryllium	Target	0.83		mg/kg	0.83		1	YES	S4VEM
Cadmium	Target	2.1		mg/kg	2.1		1	YES	S4VEM
Calcium	Target	13900		mg/kg	13900	L"	1	YES	S4VEM
Chromium	Target	186		mg/kg	186		1	YES	S4VEM
Cobalt	Target	10.6		mg/kg	10.6			YES	S4VEM
Copper	Target	210		mg/kg	210		1	YES	S4VEM
Iron	Target	64700		mg/kg	64700	D	3	YES	S4VEM
Lead	Target	361		mg/kg	361		1	YES	S4VEM
Magnesium	Target	4570		mg/kg	4570		1	YES	S4VEM
Manganese	Target	4000		mg/kg	4000	D	3	YES	S4VEM
Nickel	Target	26.7		mg/kg	26.7		1	YES	S4VEM
Potassium	Target	1820		mg/kg	1820		1	YES	S4VEM
Selenium	Target	4,0	U	mg/kg	4.0	U	1	YES	S4VEM
Silver	Target	1.1	U	mg/kg	0.73	J	1	YES	S4VEM
Sodium	Target_	573	U	mg/kg	96.7	j	1	YES	S4VEM
Thallium	Target	2.9	UJ	mg/kg	2.9	U	1	YES	S4VEM
■ Vanadium	Target	87.7		mg/kg	87.7		1	YES	S4VEM
Zinc	Target	927		mg/kg	927		i	YES	S4VEM

Project Name: WEIRTON BOP IMPLOSION SITE

Project

GroupID: 48747/EPW14029/MC8TR1

Lab Name: Bonner Analytical Testing Co.

Sample Number: MC0AB6

Method: Mercury by Cold Vapor

Matrix: Soil

MA Number:

Sample Location: P-04

pH:

Sample Date: 02/19/2020

Sample Time: 10:20:00

% Moisture:

										· · · · · · · · · · · · · · · · · · ·
1	Analyte Name	Analyte Type	Validation Result	Validation Flag	Units	Lab Result	Lab Flag	Dilution Factor	Reportable	Validation Level
			This detical resourt	Tundation Flag	0 11.10	Day Resett	- Day	Direction I deter		
1	Mercury	Target	l 031		mg/kg	0.31	· ·	1 1	VES	l S4VEM I
1	www	i ui got	0.31		III E/KE	1 0.31			1 150	

Project Name: WEIRTON BOP IMPLOSION SITE Project

GroupID: 48747/EPW14029/MC8TR1

Lab Name: Bonner Analytical Testing Co.

Sample Number: MC0AB6

Method: Metals by ICP-AES

Matrix: Soil

MA Number:

Sample Location: P-04

pH:

Sample Date: 02/19/2020

Sample Time: 10:20:00

% Moisture:

Analyte Name	Analyte Type	Validation Result	Validation Flag	Units	Lab Result	Lab Flag	Dilution Factor	Reportable	Validation Level
Aluminum	Target	14300		mg/kg	14300		. 1	YES	S4VEM
Antimony	Target	8.4	U	mg/kg	1.9	j*	1	YES	S4VEM
Arsenic	Target	17.1		mg/kg	17.1		1	YES	S4VEM
Barium	Target	236		mg/kg	236		1	YES	S4VEM
Beryllium	Target	1.2	·	mg/kg	1.2		11	YES	S4VEM
Cadmium	Target	1.4		mg/kg	1.4		1	YES	S4VEM_
Calcium	Target	11500		mg/kg	11500_		1	YES	S4VEM
Chromium	Target	54.7		mg/kg	54.7		_ 1	YES	S4VEM
Cobalt	Target	11.4		mg/kg	11.4		1	YES	S4VEM
Copper	Target	45.2		mg/kg	45.2		1	YES	S4VEM
Iron	Target	35900		mg/kg	35900		1	YES	S4VEM
Lead	Target	485		mg/kg	485		1	YES	S4VEM
Magnesium	Target	3720		mg/kg	3720		1	YES	S4VEM
Manganese	Target	1460		mg/kg	1460		1	YES	S4VEM
Nickel	Target	22.6		mg/kg	22.6		- 1	YES	S4VEM
Potassium	Target	2330		mg/kg	2330		1	YES	S4VEM
Selenium	Target	4.9	U	mg/kg	4.9	U	1	YES	S4VEM
Silver	Target	1.4	U	mg/kg	0.34	J	1	YES	S4VEM
Sodium	Target	704	U	mg/kg	84.2	J	1	YES	S4VEM
Thallium	Target	3.5	UJ	mg/kg	3.5	U	1	YES	S4VEM
Vanadium	Target	38.8		mg/kg	38.8		1	YES	S4VEM
Zinc	Target	682	· · · · · · · · · · · · · · · · · · ·	mg/kg	682		1	YES	S4VEM

Project Name: WEIRTON BOP IMPLOSION SITE

Project

GroupID: 48747/EPW14029/MC8TR1

Lab Name: Bonner Analytical Testing Co.

Sample Number: MC0AB7

Method: Mercury by Cold Vapor

Matrix: Soil

MA Number:

Sample Location: P-05

pH:

Sample Date: 02/19/2020

Sample Time: 10:35:00

% Moisture:

1	Analyte Name	Analyte Type	Validation Result	Validation Flag	Units	Lab Result	Lab Flag	Dilution Factor	Reportable	Validation Level
1	Mercury	Target	0.14	UJ	me/kg	0.13	J	1	YES	S4VEM

Project Name: WEIRTON BOP IMPLOSION SITE

Project

GroupID: 48747/EPW14029/MC8TR1

Lab Name: Bonner Analytical Testing Co.

ample Number: MC0AB7

Method: Metals by ICP-AES

Matrix: Soil

MA Number:

Sample Location: P-05

nH·

Sample Date: 02/19/2020

Sample Time: 10:35:00

6 Moisture:

Analyte Name	Analyte Type	Validation Result	Validation Flag	Units	Lab Result	Lab Flag	Dilution Factor	Reportable	Validation Level
Aluminum	Target	13200		mg/kg	13200		1	YES	S4VEM
Antimony	Target	8.6	U	mg/kg	1.5	J*	1	YES	S4VEM
Arsenic	Target	11.6		mg/kg	11.6		1	YES	S4VEM
Barium	Target	113		mg/kg	113		i	YES	S4VEM
Beryllium	Target	0.85		mg/kg	0.85		1	YES	S4VEM
Cadmium	Target	0.71	U	mg/kg	0.64	J	1 .	YES	S4VEM
Calcium	Target	7160		mg/kg	7160		1	YES	S4VEM
Chromium	Target	43.1		mg/kg	43.1		1	YES	S4VEM
Cobalt	Target	8.3		mg/kg	8.3		1	YES	S4VEM
Copper	Target	33.4		mg/kg	33.4		1	YES	S4VEM
Iron	Target	30200		mg/kg	30200		1	YES .	S4VEM
Lead	Target	114		mg/kg	114		1	YES	S4VEM
Magnesium	Target	2800		mg/kg	2800		1	YES	S4VEM
Manganese	Target	826		mg/kg	826		1	_YES	S4VEM
Nickel	Target	19.9		mg/kg	19.9		1	YES	S4VEM
Potassium	Target	1790		mg/kg	1790		1	YES	S4VEM
Selenium	Target	5.0	Ü	mg/kg	5.0	U	1	YES	S4VEM
Silver	Target	1.4	U	mg/kg	0.23	J	1	YES	S4VEM
Sodium	Target	715	Ü	mg/kg	62.0	J	1	YES	S4VEM
Thallium	Target	3.6	UJ	mg/kg	3.6	U	1	YES	S4VEM
Vanadium	Target	. 32.5		mg/kg	32.5		1	YES	S4VEM
Zinc	Target	353		mg/kg	353		1	YES	S4VEM

Project Name: WEIRTON BOP IMPLOSION SITE

Project

GroupID: 48747/EPW14029/MC8TR1

Lab Name: Bonner Analytical Testing Co.

Sample Number: MC0AB8

Method: Mercury by Cold Vapor

Matrix: Soil

MA Number:

Sample Location: P-06

pH:

Sample Date: 02/19/2020

Sample Time: 10:50:00

% Moisture:

1	Analyte Name	Analyte Type	Validation Result	Validation Flag	Units	Lab Result	Lab Flag	Dilution Factor	Reportable	Validation Level
١	Mercury	Target	0.16	UJ	mg/kg	0.035	J	1"	YES	S4VEM

Project Name: WEIRTON BOP IMPLOSION SITE Project

GroupID: 48747/EPW14029/MC8TR1

Lab Name: Bonner Analytical Testing Co.

Sample Number: MC0AB8

Method: Metals by ICP-AES

Matrix: Soil

MA Number:

Sample Location: P-06

pH:

Sample Date: 02/19/2020

Sample Time: 10:50:00

Moisture:

Analyte Name	Analyte Type	Validation Result	Validation Flag	Units	Lab Result	Lab Flag	Dilution Factor	Reportable	Validation Level
Aluminum	Target	16100		mg/kg	16100		ı	YES	S4VEM_
Antimony	Target	9.6	U	mg/kg	1.1	J*	1	YES	S4VEM
Arsenic	Target	10.0		mg/kg	10.0		1	YES	S4VEM
Barium	Target	107		mg/kg	107		1	YES	S4VEM
Beryllium	Target	1.3		mg/kg	1.3		1	YES	S4VEM_
Cadmium	Target	0.80	U	mg/kg	0.18	j	1	YES	S4VEM
Calcium	Target	9090		mg/kg	9090		1	YES	S4VEM
Chromium	Target	44.8		mg/kg	44.8		1	YES	S4VEM
Cobalt	Target	12.4		mg/kg	12.4		1	YES	S4VEM
Соррег	Target	28.3		mg/kg	28.3		1	YES	S4VEM
Iron	Target	33300		mg/kg	33300		1	YES	S4VEM
Lead	Target	43.9		mg/kg	43.9		1	YES	S4VEM
Magnesium	Target	4960		mg/kg	4960		1	YES	S4VEM
Manganese	Target	991		mg/kg	991		1	YES	S4VEM
Nickel	Target	33.5		mg/kg	33.5		. 1	YES	S4VEM
Potassium	Target	2500		mg/kg	2500		1	YES	S4VEM
Selenium	Target	5.6	U	mg/kg	5.6	U	1	YES	S4VEM
Silver	Target	1.6	U	mg/kg	0.13	3	1	YES	S4VEM
Sodium	Target	800	U	mg/kg	83.3	J	1	YES	S4VEM
Thallium	Target	4.0	UJ	mg/kg	4.0	U	1	YES	S4VEM
Vanadium	Target	33.0		mg/kg	33.0		1	YES	S4VEM
Zinc	Target	1110		mg/kg	1110		1	YES	S4VEM

Project Name: WEIRTON BOP IMPLOSION SITE Project

GroupID: 48747/EPW14029/MC8TR1

Lab Name: Bonner Analytical Testing Co.

Sample Number: MC0AB9

Method: Mercury by Cold Vapor

Matrix: Soil

MA Number:

Sample Location: P-07

pH:

Sample Date: 02/19/2020

Sample Time: 11:15:00

% Moisture:

Analyte Name	Analyte Type	Validation Result	Validation Flag	Units	Lab Result	Lab Flag	Dilution Factor	Reportable	Validation Level
Mercury	Target	0.14	UJ	mg/kg	0.056	J	1	YES	S4VEM

Project Name: WEIRTON BOP IMPLOSION SITE

Project

GroupID: 48747/EPW14029/MC8TR1

Lab Name: Bonner Analytical Testing Co.

ample Number: MC0AB9

Method: Metals by ICP-AES

Matrix: Soil

MA Number:

Sample Location: P-07

pH:

Sample Date: 02/19/2020

Sample Time: 11:15:00

% Moisture:

Analyte Name	Analyte Type	Validation Result	Validation Flag	Units	Lab Result	Lab Flag	Dilution Factor	Reportable	Validation Level
Aluminum	Target	17600		mg/kg	17600		1	YES	S4VEM
Antimony	Target	8.2	Ŭ	mg/kg	0.85	J*	1	YES	S4VEM
Arsenic	Target	8.8		mg/kg	8.8		1	YES	S4VEM
Barium	Target	142		mg/kg	142		1	YES	S4VEM
Beryllium	Target	1.0		mg/kg	1.0		1	YES	S4VEM
Cadmium	Target	0.68	U	mg/kg	0.33	J	1	YES	S4VEM
Calcium	Target	4740		mg/kg	4740		1	YES	S4VEM
Chromium	Target	42.7		mg/kg	42.7		1	YES	S4VEM
Cobalt	Target	12.3		mg/kg	12.3		1	YES	S4VEM
Copper	Target	17,2		mg/kg	17.2		1	YES	S4VEM
Iron	Target	26900		mg/kg	26900		1	YES	S4VEM
Lead	Target	41.1		mg/kg	41.1		1	YES	S4VEM
Magnesium	Target	3070		mg/kg	3070		1	YES	S4VEM
Manganese	Target	1530		mg/kg	1530	·	1	YES	S4VEM
Nickel	Target	23.3		mg/kg	23.3		1	YES	S4VEM
Potassium	Target	2530		mg/kg	2530	-	1	YES	S4VEM
Selenium	Target	4.8	U	mg/kg	4.8	U	1	YES	S4VEM
Silver	Target	1.4	Ü	mg/kg	0.19	J	1	YES	S4VEM
Sodium	Target	679	Ü	mg/kg	49.2	J	1	YES	S4VEM
Thallium	Target	3.4	UJ	mg/kg	0.68	J	1	YES	S4VEM
Vanadium	Target	36.7		mg/kg	36.7		1	YES	S4VEM
Zinc	Target	197	i -	mg/kg	197	<u> </u>	1	YES	S4VEM

Project Name: WEIRTON BOP IMPLOSION SITE

Project

GroupID: 48747/EPW14029/MC8TR1

Lab Name: Bonner Analytical Testing Co.

Sample Number: MC0AC0

Method: Mercury by Cold Vapor

Matrix: Soil

MA Number:

Sample Location: P-08

pH:

Sample Date: 02/19/2020

Sample Time: 11:50:00

% Moisture:

% Solids: 51.2

Analyte Name	Analyte Type	Validation Result	Validation Flag	Units	Lab Result	Lab Flag	Dilution Factor	Reportable	Validation Level
Mercury	Target	0.30		mg/kg	0.30		1	YES	S4VEM

Project Name: WEIRTON BOP IMPLOSION SITE
Project

GroupID: 48747/EPW14029/MC8TR1

Lab Name: Bonner Analytical Testing Co.

Sample Number: MC0AC0

Method: Metals by ICP-AES

Matrix: Soil

MA Number:

Sample Location: P-08

pH:

Sample Date: 02/19/2020

Sample Time: 11:50:00

% Moisture:

% Solids: 51.2

Analyte Name	Analyte Type	Validation Result	Validation Flag	Units	Lab Result	Lab Flag	Dilution Factor	Reportable	Validation Level
Aluminum	Target	16200		mg/kg	16200		1	YES	S4VEM
Antimony	Target	11.2	Ū	mg/kg	2.3	J*	1	YES	S4VEM_
Arsenic	Target	15.7		mg/kg	15.7		1	YES	S4VEM
Barium	Target	121		mg/kg	121		1	YES	S4VEM
Beryllium	Target	0.93	U	mg/kg	0.87	J	1	YES	S4VEM_
Cadmium	Target	2.5		mg/kg	2.5	-	i	YES	S4VEM
Calcium	Target	14200		mg/kg	14200		1	YES	S4VEM
Chromium	Target	66:3		mg/kg	66.3		1	YES	S4VEM
Cobalt	Target	13.0		mg/kg	13.0		1	YES	S4VEM
Copper	Target	54.1		mg/kg	54.1		1	YES	S4VEM
Iron	Target	45100		mg/kg	45100		1	YES	S4VEM
Lead	Target	189		mg/kg	189		1	YES	S4VEM
Magnesium	Target	4450		mg/kg	4450		. 1	YES	S4VEM
Manganese	Target	2120		mg/kg	2120		1	YES	S4VEM
Nickel	Target	30.0		mg/kg	30.0	ľ	1	YES	S4VEM
Potassium	Target	3190		mg/kg	3190		l	YES	S4VEM
Selenium	Target	6.5	U	mg/kg	6.5	U	1	YES	S4VEM
Silver	Target	1.9	· U	mg/kg	0.51	j	1	YES	S4VEM
Sodium	Target	930	U	mg/kg	92.8	J	i	YES	S4VEM
Thallium	Target	4.7	UJ	mg/kg	4.7	U	1	YES	S4VEM
Vanadium	Target	43.8		mg/kg	43.8		11	YES	S4VEM
Zinc	Target	962		mg/kg	962		i	YES	S4VEM

Project Name: WEIRTON BOP IMPLOSION SITE Project

GroupID: 48747/EPW14029/MC8TR1

Lab Name: Bonner Analytical Testing Co.

Sample Number: MC0AC1

Method: Mercury by Cold Vapor

Matrix: Soil

MA Number:

Sample Location: P-09

pH:

Sample Date: 02/19/2020

Sample Time: 11:55:00

% Moisture:

-	Analyte Name	Analyte Type	Validation Result	Validation Flag	Units	Lab Result	Lab Flag	Dilution Factor	Reportable	Validation Level
	Mercury	Target	0.25		mg/kg	0.25		1	YES	S4VEM

Project Name: WEIRTON BOP IMPLOSION SITE
Project

GroupID: 48747/EPW14029/MC8TR1

Lab Name: Bonner Analytical Testing Co.

ample Number: MC0AC1

Method: Metals by ICP-AES

Matrix: Soil

MA Number:

Sample Location: P-09

pH:

Sample Date: 02/19/2020

Sample Time: 11:55:00

6 Moisture:

Analyte Name	Analyte Type	Validation Result	Validation Flag	Units	Lab Result	Lab Flag	Dilution Factor	Reportable	Validation Level
Aluminum	Target	14800		mg/kg	14800		1	YES	S4VEM
Antimony	Target	7.6	U	mg/kg	1.9	J*	1	YES	S4VEM
Arsenic	· n.; Target	17.3		mg/kg	17.3		_ 1	YES	S4VEM
Barium	Target	138		mg/kg	138		1	YES	S4VEM
Beryllium	Target	0.88		mg/kg	0.88		1	YES	S4VEM
Cadmium	Target	0.98		mg/kg	0.98		1	YES	S4VEM
Calcium	Target	5820		mg/kg	5820		1	YES	S4VEM
Chromium	Target	57.7		mg/kg	57.7		1	YES	S4VEM
Cobalt	Target	12.1		mg/kg	12.1		1	YES	S4VEM
Copper	Target	36.3		mg/kg	36.3		1	YES	S4VEM
Iron	Target	44400		mg/kg	44400		1	YES	S4VEM
Lead	Target	144		mg/kg	144		1	YES	S4VEM
Magnesium	Target	3460		mg/kg	3460		1	YES	S4VEM
Manganese	Target	1370		mg/kg	1370		1	YES	S4VEM
Nickel	Target	24.1		mg/kg	24.1		1	YES	S4VEM
Potassium	Target	2000		mg/kg	2000		1	YES	S4VEM
Selenium	Target	4.5	U	mg/kg	4.5	Ü	1	YES	S4VEM
Silver	Target	1.3	U	mg/kg	0.50	j	1	YES	S4VEM
Sodium	Target	636	U	mg/kg	56.7	J	1	YES	S4VEM
Thallium	Target	3.2	UJ	mg/kg	3.2	U	1	YES	S4VEM
Vanadium	Target	· 38.9		mg/kg	38.9]	YES	S4VEM
Zinc	Target	463		mg/kg	463		1	YES	S4VEM

Project Name: WEIRTON BOP IMPLOSION SITE

Project

GroupID: 48747/EPW14029/MC8TR1

Lab Name: Bonner Analytical Testing Co.

Sample Number: MC0AC2

Method: Mercury by Cold Vapor

Matrix: Soil

MA Number:

Sample Location: P-10

pH:

Sample Date: 02/19/2020

Sample Time: 12:20:00

% Moisture:

Analyte Name	Analyte Type	Validation Result	Validation Flag	Units	Lab Result	Lab Flag	Dilution Factor	Reportable	Validation Level
Mercury	Target	. 0.14		mg/kg	0.14		1	YES	S4VEM

Project Name: WEIRTON BOP IMPLOSION SITE Project

GroupID: 48747/EPW14029/MC8TR1

Lab Name: Bonner Analytical Testing Co.

ample Number: MC0AC2

Method: Metals by ICP-AES

Matrix: Soil

MA Number:

Sample Location: P-10

% Moisture:

pH:

Sample Date: 02/19/2020

Sample Time: 12:20:00

Anaivte Name	Analyte Type	Validation Result	Validation Flag	Units	Lab Result	Lab Flag	Dilution Factor	Reportable	Validation Level
Aluminum	Target	16800		mg/kg	16800		1	YES	S4VEM
Antimony	Target	8.3	υ	mg/kg	2.6	j*	1	YES	S4VEM
Arsenic	Target	17.3		mg/kg	17.3		1	YES	S4VEM
Barium	Target	188		mg/kg	188		1	YES	S4VEM
Beryllium	Target	0.95		mg/kg	0.95	Ĭ	. 1	YES	S4VEM
Cadmium	Target	1.6		mg/kg	1.6		1	YES	S4VEM
Calcium	Target	5830		mg/kg	5830		1	YES	S4VEM
Chromium	Target	94.3		mg/kg	94.3		1	YES	S4VEM
Cobalt	Target	13.0		mg/kg	13.0		1	YES	S4VEM
Copper	Target	38.2		mg/kg	38.2		1	YES	\$4VEM
Iron	Target	44300		mg/kg	44300		1	YES	S4VEM
Lead	Target	221		mg/kg	221		1	YES	S4VEM
Magnesium	Target	3710		mg/kg	3710		1	YES	S4VEM
Manganese	Target	2340		mg/kg	2340	D	2	YES	S4VEM
Nickel	Target	26.0		mg/kg	26.0		1	YES	S4VEM
Potassium	Target	2590	Í	mg/kg	2590		1	YES	S4VEM
Selenium	Target	4.8	U	mg/kg	4.8	U	1	YES	S4VEM
Silver	Target	1.4	U	mg/kg	0.43	J	1	YES	S4VEM
Sodium	Target	689	U	mg/kg	60.2	J	1	YES	S4VEM
Thallium	Target	3.4	UJ	mg/kg	0.29	J	1	YES	S4VEM
Vanadium	Target	54.4		mg/kg	54.4		i	YES	S4VEM
Zinc	Target	691		mg/kg	691		1	YES	S4VEM

Project Name: WEIRTON BOP IMPLOSION SITE Project

GroupID: 48747/EPW14029/MC8TR1

Lab Name: Bonner Analytical Testing Co.

Sample Number: MC0AC3

Method: Mercury by Cold Vapor

Matrix: Soil

MA Number:

Sample Location: P-11

Sample Date: 02/19/2020

Sample Time: 13:25:00

% Moisture:

ĺ	Analyte Name	Analyte Type	Validation Result	Validation Flag	Units	Lab Result	Lab Flag	Dilution Factor	Reportable	Validation Level
	Mercury	Target	0.14		mg/kg	0.14		1	YES	S4VEM

Project Name: WEIRTON BOP IMPLOSION SITE
Project

GroupID: 48747/EPW14029/MC8TR1

Lab Name: Bonner Analytical Testing Co.

sample Number: MC0AC3

Method: Metals by ICP-AES

Matrix: Soil

MA Number:

Sample Location: P-11

pH:

Sample Date: 02/19/2020

Sample Time: 13:25:00

Moisture:

Analyte Name	Analyte Type	Validation Result	Validation Flag	Units	Lab Result	Lab Flag	Dilution Factor	Reportable	Validation Level
Aluminum	Target	13600		mg/kg	13600		1	YES	S4VEM
Antimony	Target	7.7	· U	mg/kg	2,1	J*	1	YES	S4VEM
Arsenic	Target	18.4		mg/kg	18.4		1	YES	S4VEM
Barium	Target	138		mg/kg	138		1	YES	S4VEM
Beryllium	Target	0.81		mg/kg	0.81		1	YES	S4VEM
Cadmium	Target	1.1		mg/kg	1,1		1	YES	S4VEM_
Calcium	Target	4840		mg/kg	4840		1	YES	S4VEM
Chromium	Target	63.1		mg/kg	63.1		1	YES	S4VEM
Cobalt	Target	10.8		mg/kg	10.8		1	YES	S4VEM
Соррег	Target	38.7		mg/kg	38.7		1	YES	S4VEM
Iron	Target	38500		mg/kg	38500		1	YES	S4VEM
Lead	Target	145		mg/kg	145		1	YES	S4VEM
Magnesium	Target	2990		mg/kg	2990		1	YES	S4VEM
Manganese	Target	1420		mg/kg	1420		1	YES	S4VEM
Nickel	Target	22.3		mg/kg	22.3		1	YES	S4VEM
Potassium	Target	1610		mg/kg	1610		1	YES	S4VEM
Selenium	Target	4.5	U	mg/kg	4.5	Ŭ	1	YES	S4VEM
Silver	Target	1.3	U	mg/kg	0.27	J	1	YES	S4VEM
Sodium	Target	638	U	mg/kg	51.2	j	1	YES	S4VEM
Thallium	Target	3.2	UJ	mg/kg	3.2	U	1	YES	S4VEM
Vanadium	Target	41,5		mg/kg	41.5		1	YES	S4VEM
Zinc	Target	469		mg/kg	469		1 .	YES	S4VEM

Project Name: WEIRTON BOP IMPLOSION SITE

Project

GroupID: 48747/EPW14029/MC8TR1

Lab Name: Bonner Analytical Testing Co.

Sample Number: MC0AC4

Method: Mercury by Cold Vapor

Matrix: Soil

MA Number:

Sample Location: P-12

pH:

Sample Date: 02/19/2020

Sample Time: 13:30:00

% Moisture:

Analyte Name	Analyte Type	Validation Result	Validation Flag	Units.	Lab Result	Lab Flag	Dilution Factor	Reportable	Validation Level
Mercury	Target	0.13	UJ	mg/kg	0.031	J	1	YES	S4VEM

Project Name: WEIRTON BOP IMPLOSION SITE
Project

GroupID: 48747/EPW14029/MC8TR1

Lab Name: Bonner Analytical Testing Co.

Sample Number: MC0AC4

Method: Metals by ICP-AES

Matrix: Soil

MA Number:

Sample Location: P-12

pH:

Sample Date: 02/19/2020

Sample Time: 13:30:00

% Moisture:

Analyte Name	Analyte Type	Validation Result	Validation Flag	Units	Lab Result	Lab Flag	Dilution Factor	Reportable	Validation Level
Aluminum	Target	12600		mg/kg	12600		1	YES	S4VEM
Antimony	Target	8.5	U	mg/kg	1, i	J*	1	YES	S4VEM
Arsenic	Target	11.5		mg/kg	11.5		1	YES	S4VEM
Barium	Target	63.6		mg/kg	63.6		1	YES	S4VEM
Beryllium	Target	0.71	U	mg/kg	0.58	J	1	YES	S4VEM
Cadmium	Target	0.71	U	mg/kg	0.059	J	1	YES	S4VEM
Calcium	Target	3300		mg/kg	3300		11	YES	S4VEM
Chromium	Target	30.9	_	mg/kg	30.9		1	YES	S4VEM
Cobalt	Target	8.6		mg/kg	8.6		1	YES	S4VEM
Соррег	Target	21.1		mg/kg	21.1		1	YES	S4VEM
Iron	Target	25400		mg/kg	25400		1	YES	S4VEM
Lead	Target	39.5		mg/kg	39.5		1	YES	S4VEM
Magnesium	Target	2370		mg/kg	2370		1	YES	S4VEM
Manganese	Target	619		mg/kg	. 619		1	YES	S4VEM
Nickel	Target	17.4		mg/kg	17.4		1	YES	S4VEM
Potassium	Target	1530		mg/kg	1530		1	YES	S4VEM
Selenium	Target	5.0	U	mg/kg	5.0	Ü	1	YES	S4VEM
Silver	Target	1.4	Ū	mg/kg	1.4	U	1	YES	S4VEM
Sodium	Target	711	U	mg/kg	61.5	J	1	YES	S4VEM
Thallium	Target	3.6	UJ	mg/kg	3.6	U	1	YES	S4VEM
Vanadium	Target	31.2		mg/kg	31.2		1	YES	S4VEM
Zinc	Target	136		mg/kg	136		1	YES	S4VEM

Project Name: WEIRTON BOP IMPLOSION SITE

Project

GroupID: 48747/EPW14029/MC8TR1

Lab Name: Bonner Analytical Testing Co.

Sample Number: MC0AC5

Method: Mercury by Cold Vapor

Matrix: Soil

MA Number:

Sample Location: P-12

pH:

Sample Date: 02/19/2020

Sample Time: 13:40:00

% Moisture:

ı	Analyte Name	Analyte Type	Validation Result	Validation Flag	Units	Lab Result	Lab Flag	Dilution Factor	Reportable	Validation Level
	Mercury	Target	0:14	UJ	me/ke	0.033	J	1	YES	S4VEM

Project Name: WEIRTON BOP IMPLOSION SITE

GroupID: 48747/EPW14029/MC8TR1

Lab Name: Bonner Analytical Testing Co.

Sample Number: MC0AC5

Method: Metals by ICP-AES

Matrix: Soil

MA Number:

Sample Location: P-12

pH:

Sample Date: 02/19/2020

Sample Time: 13:40:00

Moisture:

Analyte Name	Analyte Type	Validation Result	Validation Flag	Units	Lab Result	Lab Flag	Dilution Factor	Reportable	Validation Level
Aluminum	Target	11900		mg/kg	11900		1	YES	S4VEM
Antimony	Target	8.4	U	mg/kg	0.98	J+	1	YES	S4VEM
Arsenic	Target	10.5		mg/kg	10.5		ï	YES.	S4VEM
Barium	Target	60.1		mg/kg	60.1		1	YES	S4VEM
Beryllium	Target	0.70	U	mg/kg	0.54	J	1	YES	S4VEM
Cadmium	Target	0.70	U	mg/kg	0.11	J	i	YES	S4VEM
Calcium	Target	3420		mg/kg	3420		1	YES	S4VEM
Chromium	Target	29.8		mg/kg	29.8		1	YES	S4VEM
Cobalt	Target	7.9		mg/kg	7.9		1	YES	S4VEM
Copper	Target	20.6		mg/kg	20.6		1	YES	S4VEM
Iron	Target	24000		mg/kg	24000	1	1	YES	S4VEM
Lead	Target	41.2		mg/kg	41.2		1	YES	S4VEM
Magnesium	Target	2300		mg/kg	2300		i	YES	S4VEM
Manganese	Target	580		mg/kg	580		1	YES	S4VEM
Nickel	Target	16.2		mg/kg	16.2		1	YES	S4VEM
Potassium	Target	1460	· · · · · · · · · · · · · · · · · · ·	mg/kg	1460		1	YES	S4VEM
Selenium	Target	4.9	U	mg/kg	4.9	U	i	YES	S4VEM
Silver	Target	1.4	U	mg/kg	1.4	U	i	YES	S4VEM
Sodium	Target	698	Ü	mg/kg	60.2	, j	i	YES	S4VEM
Thallium	Target	3.5	ÜJ	mg/kg	3.5	Ü	i	YES	S4VEM
Vanadium	Target	29.6		mg/kg	29.6	 	1	YES	S4VEM
Zinc	Target	152	<u> </u>	mg/kg	152		1	YES	S4VEM

Project Name: WEIRTON BOP IMPLOSION SITE

Project

GroupID: 48747/EPW14029/MC8TR1

Lab Name: Bonner Analytical Testing Co.

Sample Number: MC0AC6

Method: Mercury by Cold Vapor

Matrix: Soil

MA Number:

Sample Location: P-13

pH:

Sample Date: 02/19/2020

Sample Time: 14:07:00

% Moisture:

Analyte Name	Analyte Type	Validation Result	Validation Flag	Units	Lab Result	Lab Flag	Dilution Factor	Reportable	Validation Level
Mercury	Target	0.12	ÜJ	mg/kg	0.028	· J	1	YES	S4VEM

Project Name: WEIRTON BOP IMPLOSION SITE

Project

GroupID: 48747/EPW14029/MC8TR1

Lab Name: Bonner Analytical Testing Co.

ample Number: MC0AC6

Method: Metals by ICP-AES

Matrix: Soil

MA Number:

Sample Location: P-13

pH:

Sample Date: 02/19/2020

Sample Time: 14:07:00

6 Moisture:

Analyte Name	Analyte Type	Validation Result	Validation Flag	Units	Lab Result	Lab Flag	Dilution Factor	Reportable	Validation Level
Aluminum	Target	10700		mg/kg	10700		1	YES	S4VEM
Antimony	Target	7.4	U	mg/kg	1.3	J*	1	YES	S4VEM_
Arsenic	Target	12.8		mg/kg	12.8		1	YES	S4VEM
Barium	Target	57.0		mg/kg	57.0		1	YES	S4VEM
Beryllium	Target	0.61	Ü	mg/kg	0.52	J	1	YES	S4VEM
Cadmium	Target	0.61	U	mg/kg	0.14	J	1	YES	S4VEM
Calcium	Target	2900		mg/kg	2900		. 1	YES	S4VEM
Chromium	Target	37.4		mg/kg	37.4		1	YES	S4VEM
Cobalt	Target	7.5		mg/kg	7.5		1	YES	S4VEM
Copper	Target	21.3		mg/kg	21.3		1	YES	S4VEM
Iron	Target	24600		mg/kg	24600		1	YES	S4VEM
Lead	Target	41.4		mg/kg	41.4		1	YES	S4VEM
Magnesium	Target	. 2220		mg/kg	2220		1	YES	S4VEM
Manganese	Target	953		mg/kg	953		1 '	YES	S4VEM
Nickel	Target	15.5		mg/kg	15.5		1	YES	S4VEM
Potassium	Target	1200		mg/kg	1200		1	YES	S4VEM
Selenium	Target	4.3	U	mg/kg	4.3	U	1	YES	S4VEM
Silver	Target	1.2	U	mg/kg	0.14	J	1	YES	S4VEM
Sodium	Target	614	U	mg/kg	32.3	J	1	YES	S4VEM
Thallium	Target	3.1	UJ	mg/kg	3.1	U	j	YES	S4VEM
Vanadium	Target	30.0		mg/kg	30.0		1	YES	S4VEM
Zinc	Target	180		mg/kg	180		1	YES	S4VEM

Project Name: WEIRTON BOP IMPLOSION SITE

Project

GroupID: 48747/EPW14029/MC8TR1

Lab Name: Bonner Analytical Testing Co.

Sample Number: MC0AC7

Method: Mercury by Cold Vapor

Matrix: Soil

MA Number:

Sample Location: P-14

pH:

Sample Date: 02/19/2020

Sample Time: 14:23:00

% Moisture:

1	Analyte Name	Analyte Type	Validation Result	Validation Flag	Units	Lab Result	Lab Flag	Dilution Factor	Reportable	Validation Level
	Mercury	Targét	0.14		mg/kg	0.14		1	YES	S4VEM

Project Name: WEIRTON BOP IMPLOSION SITE

Project

GroupID: 48747/EPW14029/MC8TR1

Lab Name: Bonner Analytical Testing Co.

Sample Number: MC0AC7

Method: Metals by ICP-AES

Matrix: Soil

MA Number:

Sample Location: P-14

nH·

Sample Date: 02/19/2020

Sample Time: 14:23:00

% Moisture:

Analyte Name	Analyte Type	Validation Result	Validation Flag	Units	Lab Result	Lab Flag	Dilution Factor	Reportable	Validation Level
Aluminum	Target	12000		mg/kg	12000		1	YES	S4VEM
Antimony	Target	7.5	Ü	mg/kg	1.2	J*	1	YES	S4VEM
Arsenic	Target	14.1		mg/kg	14.1		i	YES	S4VEM
Barium	Target	154		mg/kg	154		1	YES	S4VEM
Beryllium	Target	0.95		mg/kg	0.95		1	YES	S4VEM
Cadmium	Target	0.63	U	mg/kg	0.27	J	1	YES	S4VEM
Calcium	Target	8170		mg/kg	8170		1	YES	S4VEM
Chromium	Target	37.5		mg/kg	37.5		1	YES	S4VEM
Cobalt	Target	13.3		mg/kg	13.3		1	YES	S4VEM
Copper	Target	45.3		mg/kg	45.3		1	YES	S4VEM
Iron	Target	34700		mg/kg	34700		1	YES	S4VEM
Lead	Target	30.9		mg/kg	30.9		11	YES	S4VEM
Magnesium	Target	3470		mg/kg	3470		1	YES	S4VEM
Manganese	Target	1160		mg/kg	1160		1	YES	S4VEM
Nickel	Target	28.7		mg/kg	28.7		1	YES	S4VEM
Potassium	Target	2030		mg/kg	2030		1	YES	S4VEM
Selenium	Target	4.4	U	mg/kg	4.4	Ū	l	YES	S4VEM
Silver	Target	3.0		mg/kg	3.0		1	YES	S4VEM
Sodium	Target	627	U	mg/kg	78.6	J	L1	YES	S4VEM
Thallium	Target	3.1	UJ	mg/kg	3.1	U	1	YES	S4VEM
Vanadium	Target	28.7		mg/kg	28.7		1	YES	S4VEM
Zinc	Target	150		mg/kg	150		1	YES	S4VEM

Project Name: WEIRTON BOP IMPLOSION SITE

Project

GroupID: 48747/EPW14029/MC8TR1

Lab Name: Bonner Analytical Testing Co.

Sample Number: MC0AC8

Method: Mercury by Cold Vapor

Matrix: Soil

MA Number:

Sample Location: B-15

pH:

Sample Date: 02/19/2020

Sample Time: 14:45:00

% Moisture:

ı	Analyte Name	Analyte Type	Validation Result	Validation Flag	Units	Lab Result	Lab Flag	Dilution Factor	Reportable	Validation Level
۱			0.16	111		0.057	1 1	1	VEC	S4VEM
	Mercury	Target	0.15	l UJ	mg/kg	0.037	, ,	1	YES	07 V L1VI

Project Name: WEIRTON BOP IMPLOSION SITE Project

GroupID: 48747/EPW14029/MC8TR1

Lab Name: Bonner Analytical Testing Co.

ample Number: MC0AC8

Method: Metals by ICP-AES

Matrix: Soil

MA Number:

Sample Location: B-15

pH:

Sample Date: 02/19/2020

Sample Time: 14:45:00

% Moisture:

Analyte Name	Analyte Type	Validation Result	Validation Flag	Units	Lab Result	Lab Flag	Dilution Factor	Reportable	Validation Level
Aluminum	Target	15600		mg/kg	15600		1.	YES	S4VEM_
Antimony	Target	8.8	U	mg/kg	2.6	J*	1	YES	S4VEM
Arsenic	Target	18.2		mg/kg	18.2		1	YES	S4VEM
Barium	Target	168		mg/kg	168		1	YES	S4VEM
Beryllium	Target	3.0		mg/kg	3.0		1	YES	S4VEM
Cadmium	Target	1.8		mg/kg	1.8		1	YES	S4VEM
Calcium	Target	44500		mg/kg	44500		1	YES	S4VEM
Chromium	Target	71.3		mg/kg	71.3		1	YES	S4VEM
Cobalt	Target	7.4	U	mg/kg	7.1	J	1	YES	S4VEM
Copper	Target	38.6		mg/kg	38.6		1	YES	S4VEM
Iron	Target	63500	-	mg/kg	63500	D	2	YES	S4VEM
Lead	Target	136		mg/kg	136		1	YES	S4VEM
Magnesium	Target	16000		mg/kg	16000		1	YES	S4VEM
Manganese	Target	1990	•	mg/kg	1990		1	YES	S4VEM
Nickel	Target	19.4		mg/kg	19.4		1	YES	S4VEM
Potassium	Target	1960		mg/kg	1960		1	YES	S4VEM
Selenium	Target	5.2	U	mg/kg	5.2	U	1	YES	S4VEM
Silver	Target	1.5	U	mg/kg	0.49	J	1	YES	S4VEM
Sodium	Target	737	U	mg/kg	288	J	1	YES	S4VEM
Thallium	Target	3.7	UJ	mg/kg	3.7	U	1	YES	S4VEM
Vanadium	Target	42.9		mg/kg	42.9		1	YES	S4VEM
Zinc	Target	635		mg/kg	635		1	YES	S4VEM

Project Name: WEIRTON BOP IMPLOSION SITE Project

GroupID: 48747/EPW14029/MC8TR1

Lab Name: Bonner Analytical Testing Co.

Sample Number: MC0AC9

Method: Mercury by Cold Vapor

Matrix: Soil

MA Number:

Sample Location, B-16

pH:

Sample Date: 02/19/2020

Sample Time: 15:10:00

% Moisture:

Analyte Name	Analyte Type	Validation Result	Validation Flag	Units	Lab Result	Lab Flag	Dilution Factor	Reportable	Validation Level
Mercury	Target	0.16		mg/kg	0.16		1	YES_	S4VEM

Project Name: WEIRTON BOP IMPLOSION SITE Project GroupID: 48747/EPW14029/MC8TR1

Lab Name: Bonner Analytical Testing Co.

ample Number: MC0AC9

Method: Metals by ICP-AES

Matrix: Soil

MA Number:

Sample Location: B-16

pH:

Sample Date: 02/19/2020

Sample Time: 15:10:00

% Moisture:

Analyte Name	Analyte Type	Validation Result	Validation Flag	Units	Lab Result	Lab Flag	Dilution Factor	Reportable	Validation Leve
Aluminum	Target	17000		mg/kg	17000		1	YES	S4VEM
Antimony	Target	7.7	U	mg/kg	1.7	J*	1	YES	S4VEM
Arsenic	Target	21.3		mg/kg	21.3		1	YES	S4VEM
Barium	Target	269		mg/kg	269		1	YES	S4VEM
Beryllium	Target	2.5		mg/kg	2.5		1 _	YES	S4VEM
Cadmium	Target	0.64	U	mg/kg	0.52	J	1	YES	S4VEM
Calcium	Target	36200		mg/kg	36200		1	YES	S4VEM
Chromium	Target	43.9		mg/kg	43.9		1	YES	S4VEM
Cobalt	Target	6.8		mg/kg	6.8		1	YES	S4VEM
Соррег	Target	25.1		mg/kg	25.1		1	YES	S4VEM
Iron	Target	44700		mg/kg	44700		1	YES	S4VEM
Lead	Target	129		mg/kg	129		1	YES	S4VEM
Magnesium	Target	10700		mg/kg	10700		1	YES	S4VEM
Manganese	Target	. 5510		mg/kg	5510	D	3	YES	S4VEM
Nickel	Target	21.4		mg/kg	21.4		1	YES	S4VEM
Potassium	Target	1550		mg/kg	1550		ì	YES	S4VEM
Selenium	Target	4.5	U	mg/kg	4.5	U	1	YES	S4VEM
Silver	Target	1.3	U	mg/kg	0.37	J	Ī	YES	S4VEM
Sodium	Target	639	U	mg/kg	282	J	1	YES	S4VEM
Thallium	Target	3.2	UJ	mg/kg	3.0	J	1	YES	S4VEM
Vanadium	Target	47.5	Ī	mg/kg	47.5		1	YES	S4VEM
Zinc	Target	575		mg/kg	575		1	YES	S4VEM

Project Name: WEIRTON BOP IMPLOSION SITE Project

GroupID: 48747/EPW14029/MC8TR1

Lab Name: Bonner Analytical Testing Co.

Sample Number: MC0AD0

Method: Mercury by Cold Vapor

Matrix: Soil

MA Number:

Sample Location: B-17

pH:

Sample Date: 02/19/2020

Sample Time: 15:35:00

% Moisture:

1	Analyte Name	Analyte Type	Validation Result	Validation Flag	Units	Lab Result	Lab Flag	Dilution Factor	Reportable	Validation Level
1	Mercury	Target	0.16	UJ	mg/kg	0.11	J	1	YES	S4VEM

Project Name: WEIRTON BOP IMPLOSION SITE Project

GroupID: 48747/EPW14029/MC8TR1

Lab Name: Bonner Analytical Testing Co.

Sample Number: MC0AD0

Method: Metals by ICP-AES

Matrix: Soil

MA Number:

Sample Location: B-17

Sample Date: 02/19/2020

Sample Time: 15:35:00

% Moisture:

Analyte Name	Analyte Type	Validation Result	Validation Flag	Units	Lab Result	Lab Flag	Dilution Factor	Reportable	Validation Level
Aluminum	Target	15900		mg/kg	15900		1	YES	S4VEM
Antimony	Target	9.5	U	mg/kg	2.9	J*	1	YES	S4VEM
Arsenic	Target	43.9		mg/kg	43.9		- 1	YES	S4VEM
Barium	Target	142		mg/kg	142		1	YES	S4VEM
Beryllium	Target	1.9		mg/kg	1.9		1	YES	S4VEM
Cadmium	Target	0.92		mg/kg	0.92		1	YES	S4VEM
Calcium	Target	13600		mg/kg	13600		1	YES	S4VEM
Chromium	Target	76.3		mg/kg	76.3		1	YES	S4VEM
Cobalt	Target	9.0		mg/kg	9.0		1	YES	S4VEM_
Copper	Target	64.1		mg/kg	64.1		1	YES	S4VEM
Iron	Target	58500		mg/kg	58500	D	2	YES	S4VEM
Lead	Target	151		mg/kg	151		1	YES	S4VEM
Magnesium	Target	4420		mg/kg	4420		1	YES	S4VEM
Manganese	Target	1870		mg/kg	1870		1	YES	S4VEM -
Nickel	Target	21.4		mg/kg	21.4		1	YES	S4VEM
Potassium	Target	1470		mg/kg	1470		l	YES	S4VEM
Selenium	Target	5.5	U	mg/kg	5.5	υ	1	YES	S4VEM
Silver	Target	1.6	U	mg/kg	0.53	J		YES	S4VEM
Sodium	Target	789	U	mg/kg	149	J	1	YES	S4VEM
Thallium	Target	3.9	UJ	mg/kg	3.9	U	<u> </u>	YES	S4VEM
Vanadium	Target	58.9		mg/kg	58.9		l	YES	S4VEM
Zinc	Target	447		mg/kg	447		1	YES	S4VEM

Project Name: WEIRTON BOP IMPLOSION SITE

Project

GroupiD: 48747/EPW14029/MC8TR1

Lab Name: Bonner Analytical Testing Co.

Sample Number: PBS01

Method: Mercury by Cold Vapor

Matrix: Soil

MA Number:

Sample Location:

pH;

Sample Date:

Sample Time:

% Moisture:

Į	Analyte Name	Analyte Type	Validation Result	Validation Flag	Units	Lab Result	Lab Flag	Dilution Factor	Reportable	Validation Level
	Mercury	Target	0.10	U	mg/kg	0.10	Ü	1	YES	NV

Project Name: WEIRTON BOP IMPLOSION SITE Project

GroupID: 48747/EPW14029/MC8TR1

Lab Name: Bonner Analytical Testing Co.

Sample Number: PBS01

Method: Metals by ICP-AES

Matrix: Soil

MA Number:

Sample Location:

pH:

Sample Date:

Sample Time:

% Moisture:

Analyte Name	Analyte Type	Validation Result	Validation Flag	Units	Lab Result	Lab Flag	Dilution Factor	Reportable	Validation Level
Aluminum	Target	11.7	J	mg/kg	11.7	J	1	YES	NV
Antimony	Target	0.27	J	mg/kg	0.27	J	1	YES	NV
Arsenic	Target	1.0	U	mg/kg	1.0	U	1	YES	NV
Barium	Target	0.41	J	mg/kg	0.41	J	1	YES	NV
Beryllium	Target	0.50	U	mg/kg	0.50	U	1	YES	NV
Cadmium	Target	0.50	Ü	mg/kg	0.50	Ü	1	YES	NV
Calcium	Target	19.2	· J	mg/kg	19.2	J	1	YES	NV
Chromium	Target	1.0	U	mg/kg	1.0	υ	1	YES	NV
Cobalt	Target	5.0	Ü.	mg/kg	5.0	U	1	YES	NV
Copper	Target	0.49	J	mg/kg	0.49	J	1	YES	NV
Iron	Target	5.0	J	mg/kg	5.0	J	1	YES	NV
Lead	Target	1.0	U	mg/kg	1.0	U	1	YES	NV
Magnesium	Target	12.1	J	mg/kg	12.1	J	1	YES	NV
Manganese	Target	0.26	J	mg/kg	0.26	J	1	YES	NV
Nickel	Target	4.0	Ü	mg/kg	4.0	U	1	YES	NV
Potassium	Target	5.0	J	mg/kg	5.0	J	1	YES	NV
Selenium	Target	3.5	U	mg/kg	3.5	U	1	YES	NV
Silver	Target	1.0	U	mg/kg	1.0	U	1	YES	NV
Sodium	Target	5.7	J	mg/kg	5.7	J	1	YES	NV
Thallium	Target	-0.33	J	mg/kg	-0.33	J	1	YES	NV
Vanadium	Target	5.0	υ	mg/kg	5.0	U	I	YES	NV
Zinc	Target	6.0	U	mg/kg	6.0	U	1	YES	NV

Project Name: WEIRTON BOP IMPLOSION SITE Project

GroupID: 48747/EPW14029/MC8TR1

Lab Name: Bonner Analytical Testing Co.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY REGION III



Environmental Sciences Center 701 Mapes Road Fort Meade, Maryland 20755-5350

DATE:

5/5/2020

SUBJECT:

Region III Data QA Review

FROM:

Eric Graybill

Region III ESAT RPO (3LS20)

TO:

DEBORAH LINDSEY

Hazardous Site Cleanup Division (HSCD)

Attached is the data validation report for the WEIRTON BOP IMPLOSION SITE site for RAS# 48747; SDG# MC8TR2 completed by the Region III Environmental Services Assistance Team (ESAT) contractor, ICF International, under the direction of Region III LSASD.

If you have any questions regarding this review, please call Eric Graybill at (410)-305-2665.

Attachment

cc:



TO: #0002

TDF: #0320060



ICF

ESAT Region 3

US Environmental Protection Agency Environmental Science Center

701 Mapes Road Ft. Meade, MD 20755-5350

Phone 410-305-3012

Date:

May 1, 2020

To:

ESAT Region 3 Project Officer

From:

Non-responsive based on revised scope Non-responsive based on revised scope

Validator

Non-responsive based on revision-responsive based on revisions Reviewer

Subject:

Inorganic Data Validation (S4VEM)

Weirton BOP Implosion

48747, MC8TR2

Overview

This data package consisted of one (1) rinsate blank analyzed for total metals by ICP-AES and mercury by cold vapor atomic absorption technique

Analysis was performed by Bonner Analytical Testing Company (BON) according to Contract Laboratory Program (CLP) Statement of Work (SOW) ISM02.4.

Data were validated according to the National Functional Guidelines for Inorganic Superfund Methods Data Review and applicable USEPA Region 3 modifications. Electronic validation was performed by the Electronic Data exchange & Evaluation System (EXES). The validation report has been assigned the Superfund Data Validation Label Stage_3_Validation_Electronic_Manual (S3VEM).

The following validation narrative is an evaluation of laboratory reported data based on the electronic data package available through the EXES Data Manager dated March 13, 2020.

Summary

No data quality outliers or technical deficiencies were identified that would require rejection of sample results. A blank contamination issue resulted in estimated sample result for mercury.

Minor Problem

Laboratory instrumentation reported negative values for mercury (Hg) greater than absolute value of the Method Detection Limit (MDL) in blank analyses. No positive result was reported for Hg. The quantitation limit for Hg in sample MC0AD1 is estimated and qualified "UJ".

Notes

No analytes below the Contract Required Quantitation Limits (CRQLs) were detected in this sample.

Aluminum (AI), calcium (Ca), copper (Cu), silver (Ag), thallium (TI) and zinc (Zn) have been detected in laboratory blanks associated with the sample in this SDG. Concentrations of these analytes which were less than the CRQL have been reported at the CRQL and qualified "U".

Sample number MCOAD1 was previously used by the laboratory in their LIMS as an SDG number. Per the Region, the SDG number for this case was changed to MC8TR2.

As this sample is a field quality control sample, matrix spike, laboratory duplicate, and serial dilution analyses were not performed. No data were qualified based on this finding.

Sample calculation checks were performed for all analytes in sample MC0AD1. All calculated results had RPDs less than 5% of the reported results. No sample data were qualified.

Validation qualifiers are only applied by the validator to field samples. Qualifiers may be applied by EXES electronic validation to laboratory quality control samples.

Glossary o	of Inorganic	Data Q	lualifier	Codes
------------	--------------	--------	-----------	-------

Validation	In order of descending precedence. Only one of these qualifiers may apply to any
Qualifiers	result.
R	The data are unusable. The sample results are rejected due to serious deficiencies in meeting QC criteria. The analyte may or may not be present in the sample.
UJ	The analyte was analyzed for, but was not detected. The reported quantitation limit is approximate and may be inaccurate or imprecise.
U	The analyte was analyzed for, but was not detected above the level of the reported sample quantitation limit
В	The result is presumed a blank contaminant. This qualifier is used for drinking water samples only.
J	The result is an estimated quantity. The associated numerical value is the approximate concentration of the analyte in the sample.
j+	The result is an estimated quantity, but the result may be biased high.

The result is an estimated quantity, but the result may be biased low.

J- .

Project Name: WEIRTON BOP IMPLOSION SITE Project

GroupID: 48747/EPW14029/MC8TR2

Lab Name: Bonner Analytical Testing Co.

Sample Number: LCS01

Method: Metals by ICP-AES

Matrix: Water

MA Number:

Sample Location:

pH:

Sample Date:

Sample Time:

% Moisture:

Analyte Name	Analyte Type	Validation Result	Validation Flag	Units	Lab Result	Lab Flag	Dilution Factor	Reportable	Validation Level
Aluminum	Spike	417		ug/L	417		1	YES	NV
Antimony	Spike	122		ug/L	122		1	YES	NV
Arsenic	Spike	20.3		ug/L	20.3		1	YES	NV
Barium	Spike	377		ug/L	377		1	YES	NV
Beryllium	Spike	9.9		ug/L	9.9		1	YES	NV
Cadmium	Spike	11.2		ug/L	11.2		1	YES	NV
Calcium	Spike	10200		ug/L	10200		11	YES	NV
Chromium	Spike	22.8		ug/L	22.8		1	YES	NV
Cobalt	Spike	109		ug/L	109		1	YES	NV
Соррег	Spike	51.8		ug/L	51.8		1	YES	NV
Iron	Spike	213		ug/L	213		1	YES	NV
Lead	Spike	20.4		ug/L	20.4		1	YES	NV
Magnesium	Spike	10200		ug/L	10200		1	YES	NV
Manganese	Spike	32.4		ug/L	32.4		1	YES	NV
Nickel	Spike	78.6		ug/L	78.6		1	YES	NV
Potassium	Spike	9840		ug/L	9840		1	YES	NV
Selenium	Spike	77.2		ug/L	77.2		1	YES	NV
Silver	Spike	21.9		ug/L	21.9		1	YES	NV
Sodium	Spike	9840		ug/L	9840		1	YES	NV
Thallium	Spike	53.3		ug/L	53.3		1	YES	NV
Vanadium	Spike	110		ug/L	110		1	YES	NV
Zinc	Spike	123		ug/L	123		ì	YES	NV

Project Name: WEIRTON BOP IMPLOSION SITE

Project

GroupID: 48747/EPW14029/MC8TR2

Lab Name: Bonner Analytical Testing Co.

Sample Number: MC0AD1

Method: Mercury by Cold Vapor

Matrix: Water

MA Number:

Sample Location: Z

pH: 1.

Sample Date: 02/19/2020

Sample Time: 07:30:00

% Moisture:

Analyte Name	Analyte Type	Validation Result	Validation Flag	Units	Lab Result	Lab Flag	Dilution Factor	Reportable	Validation Level
Mercury	Target	0.20	UJ	ug/L	0.20	U	1	YES	S4VEM

Project Name: WEIRTON BOP IMPLOSION SITE Project

GroupID: 48747/EPW14029/MC8TR2

Lab Name: Bonner Analytical Testing Co.

Sample Number: MC0AD1

Method: Metals by ICP-AES

Matrix: Water

MA Number:

Sample Location. Z

pH: 1.

Sample Date: 02/19/2020

Sample Time: 07:30:00

% Moisture:

Analyte Name	Analyte Type	Validation Result	Validation Flag	Units	Lab Result	Lab Flag	Dilution Factor	Reportable	Validation Level
Aluminum	Target	200	U	ug/L	10.5	J	11	YES	S4VEM
Antimony	Target	60.0	U_	ug/L	60.0	U	· 1	YES	S4VEM
Arsenic	Target	10.0	U	ug/L	10.0	U	1	YES	S4VEM
Barium	Target	200	U_	ug/L	200	U	1	YES	S4VEM_
Beryllium	Target	5.0	U	ug/L	5.0	U	11	YES	S4VEM
Cadmium	Target	5.0	U	ug/L	5.0	U	1	YES	S4VEM_
Calcium	Target	5000	U	ug/L	38.2	J	1 .	YES	S4VEM
Chromium	Target	10.0	U	ug/L	10.0	U	1	YES	S4VEM
Cobalt	Target	50.0	υ	ug/L	50.0	U	1	YES	S4VEM
Copper	Target	25.0	U	ug/L	1.7	j	1	YES	S4VEM
Iron	Target	100	U	ug/L	100	U	1	YES	S4VEM_
Lead	Target	10.0	U	ug/L	10.0	U	1	YES	S4VEM
Magnesium	Target	5000	Ü	ug/L	5000	U	1	YES	S4VEM
Manganese	Target	15.0	U	ug/L	15.0	U	1	YES	S4VEM
Nickel	Target	40.0	U	ug/L	40.0	U	1	YES	S4VEM
Potassium	Target	5000	U	ug/L	5000	U	1	YES	S4VEM_
Selenium	Target	35.0	U	ug/L	35.0	U	1	YES	S4VEM
Silver	Target	10.0	U ·	ug/L	1.7	J	1	YES	S4VEM
Sodium	Target	5000	U	ug/L	5000	U	1	YES	S4VEM
Thallium	Target	25.0	U	ug/L	2.2	J	1	YES	S4VEM
Vanadium	Target	50.0	U	ug/L	50.0	U	1	YES	S4VEM
Zinc	Target	60.0	U	ug/L	0.75	J	1	YES	S4VEM

Project Name: WEIRTON BOP IMPLOSION SITE
Project

Ŀ

GroupID: 48747/EPW14029/MC8TR2

Lab Name: Bonner Analytical Testing Co.

Sample Number: PBW01

Method: Mercury by Cold Vapor

Matrix: Water

MA Number:

Sample Location:

pH:

Sample Date:

Sample Time:

% Moisture:

Analyte Name	Analyte Type	Validation Result	Validation Flag	Units	Lab Result	Lab Flag	Dilution Factor	Reportable	Validation Level
Мегсигу	Target	0.20	U	ug/L	0.20	Ü	1	YES	NV

Project Name: WEIRTON BOP IMPLOSION SITE Project

GroupID: 48747/EPW14029/MC8TR2

Lab Name: Bonner Analytical Testing Co.

Sample Number: PBW01

Method: Metals by ICP-AES

Matrix: Water

MA Number:

Sample Location:

pH:

Sample Date:

Sample Time:

% Moisture:

Analyte Name	Analyte Type	Validation Result	Validation Flag	Units	Lab Result	Lab Flag	Dilution Factor	Reportable	Validation Level
Aluminum	Target	10.9	J	ug/L	10.9	J	1	YES	NV
Antimony	Target	60.0	U	ug/L	60.0	U	1	YES	NV
Arsenic	Target	10.0	U	ug/L	10.0	U	1	YES	NV
Barium	Target	0.67	J	ug/L	0.67	J	1	YES	NV
Beryllium	Target	5.0	U	ug/L	5.0	U	1	YES	NV
Cadmium	Target	5.0	U	ug/L	5.0	U	11	YES	NV
Calcium	Target	5000	U	ug/L	5000	Ü	1	YES	NV
Chromium	Target	0.66	J	ug/L	0.66	J	1	YES	NV
Cobalt	Target	0.31	J	ug/L	0.31	J	1	YES	NV
Copper	Target	2.4	j	ug/L	2.4	j	1	YES	NV
Iron	Target	9.3	j	ug/L	9.3	J	1	YES	NV
Lead	Target	10.0	Ü	ug/L	10.0	U	1	YES	NV
Magnesium	Target	5000	Ü	ug/L	5000	U	1	YES	NV
Manganese	Target	0.72	J	ug/L	0.72	J	1	YES	NV
Nickel	Target	40.0	Ü	ug/L	40.0	Ü	1	YES	NV
Potassium	Target	5000	Ü	ug/L	5000	U	11	YES	NV
Selenium	Target	35.0	U	ug/L	35.0	U	1	YES	NV
Silver	Target	1.8	J	ug/L	1.8	J	1	YES	NV
Sodium	Target	5000	Ŭ	ug/L	5000	U	i	YES	NV
Thallium	Target	25.0	U .	ug/L	25.0	U	1	YES	NV
Vanadium	Target	50.0	U	ug/L	50.0	U	1	YES	NV
Zinc	Target	1.6	J	ug/L	1.6]]	1	YES	NV

Project Name: WEIRTON BOP IMPLOSION SITE Project

GroupID: 48747/EPW14029/MC8TR2

Lab Name: Bonner Analytical Testing Co.

TechLaw, Inc. START 5 Region III EP-S3-15-03 Weirton BOP Implosion Site Removal Assessment Trip Report Revision: Final June 30, 2020

ATTACHMENT 3

FINAL DATA REPORT HEXAVALENT CHROMIUM



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

Environmental Science Center Region III Laboratory 701 Mapes Road Fort Meade, Maryland 20755-5350



Final Analytical Report

Site Name	WEIRTON BOP IMPLOSION SITE
Sample Collection Date(s)	2/19/2020 - 2/19/2020
Contact	Debbie Lindsey
Report Date	04/15/2020 14:30
Project #	DAS R35756
Work Order	2002010

Analyses included in this report:

Hexavalent Chromium IC by EPA 218.6 (ESAT) .

Percent Dry Weight (105C) by USGS

Approved for Release

Non-responsive based on revised scope Non-responsive based on revised scope Non-responsive based on revised scope

Region III Laboratory Representative



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

Environmental Science Center Region III Laboratory 701 Mapes Road Fort Meade, Maryland 20755-5350



Site Name:

WEIRTON BOP IMPLOSION SITE

Project #: DAS R35756

Report Narrative

Aqueous Hexavalent Chromium Analysis Note:

This report contains the results for dissolved hexavalent chromium in water by EPA Method 218.6. This report provides reporting units in ug/L.

Solid Hexavalent Chromium Analysis Note:

Soil samples were analyzed following the On-Demand protocols specified in the EPA Region III LSASD Laboratory Quality Manual and section 6.12 of SOP R3QA069-012320. The samples were digested using SW-846 Method 3060A and analyzed by EPA Method 218.6. This report provides reporting units in ug/g. Slight rounding errors will occur in the Electronic Data Deliverable (EDD).

The soluble and insoluble matrix spikes (BB02604-MS1, BB02604-MS2, BB02604-MS3 and BB02604-MS4) of QC source samples 2002010-01 and 2002010-11 yielded recoveries outside the acceptance limit (< 75%); however, the associated post digestion spikes passed. The pH and Oxidation Reduction Potential of samples 2002010-01 and 2002010-11 were measured and the results indicated that the samples could support hexavalent chromium. Samples 2002010-01, 2002010-11 and associated QCs were re-digested and re-analyzed, however matrix spike recoveries were comparable to the initial analysis. Hexavalent chromium was not detected at or above the quantitation limits in samples 2002010-01 and 2002010-11; therefore, the quantitation limits are qualified as estimated (UJ).

The results for QC source sample 2002010-11 and its associated duplicate sample (BB02604-DUP2) are below the quantitation limit (0.57 ug/g) and the RPD is artificially high (49%). Therefore, the RPD value is qualified as having no significance for this QC data (D).

2002010 Final Report DAS R35756 04 15 20 1430



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

Environmental Science Center Region III Laboratory 701 Mapes Road Fort Meade, Maryland 20755-5350



Site Name:

WEIRTON BOP IMPLOSION SITE

Project #: DAS R35756

ANALYTICAL REPORT FOR SAMPLES

Station ID	Laboratory ID	Matrix	Date Sampled	Date Received
· SS-01	2002010-01	Soil	02/19/2020 9:15	02/21/2020 10:30
SS-02	2002010-02	Soil	02/19/2020 9:37	02/21/2020 10:30
SS-03	2002010-03	Soil	02/19/2020 10:05	02/21/2020 10:30
SS-04	2002010-04	Soil	02/19/2020 10:10	02/21/2020 10:30
SS-05	2002010-05	Soil	02/19/2020 10:20	02/21/2020 10:30
SS-06	2002010-06	Soil	02/19/2020 10:35	02/21/2020 10:30
SS-07	2002010-07	Soil	02/19/2020 10:50	02/21/2020 10:30
SS-08	2002010-08	Soil	02/19/2020 11:15	02/21/2020 10:30
SS-09	2002010-09	Soil	02/19/2020 11:50	02/21/2020 10:30
SS-10	2002010-10	Soil	02/19/2020 11:55	02/21/2020 10:30
SS-11	2002010-11	Soil	02/19/2020 12:20	02/21/2020 10:30
SS-12	2002010-12	Soil	02/19/2020 13:25	02/21/2020 10:30
SS-13	2002010-13	Soil	02/19/2020 13:30	02/21/2020 10:30
SS-14	2002010-14	Soil	02/19/2020 13:40	02/21/2020 10:30
SS-15	2002010-15	Soil	02/19/2020 14:07	02/21/2020 10:30
SS-16	2002010-16	Soil	02/19/2020 14:23	02/21/2020 10:30
SS-17	2002010-17	Soil	02/19/2020 14:45	02/21/2020 10:30
SS-18	2002010-18	Soil	02/19/2020 15:10	02/21/2020 10:30
SS-19 .	2002010-19	Soil	02/19/2020 15:35	02/21/2020 10:30
,RB-01	2002010-20	Water	.02/19/2020 7:30	02/21/2020 10:30

Page 1 of 2

USEPA CLP COC (LAB COPY)

DateShipped: 2/20/2020 CarnerName: FedEx

AirbillNo: 777818186723

CHAIN OF CUSTODY RECORD

DAS #: R35756

Cooler #: K5

No: 3-022020-125952-0002

Lab: USEPA Region III Environmental Science Center

Lab Contact: Kevin Poff

Lab Phone: 410-305-2938

Sample Identifier	CLP Sample No.	Matrix/Sampler	Coll. Method	Analysis/Turnaround (Days)	Tag/Preservative/Bottles	Location	Collection Date/Time	For Lab Use Only
SS-01	R35756-01	Soil/ Non-responsive to Non-responsive to Non-responsive to Non-responsive to	Grab	Cr+6(21)	3-1052 (6 C) (1)	P-01	02/19/2020 09:15	2002010-01
SS-02	R35756-02	Soil/Non-responsive to Non-responsive to Non-res	Grab	Cr+6(21)	3-1055 (6 C) (1)	P-02	02/19/2020 09:37	-02
SS-03	R35756-03	Soil/ Non-responsive b Non-responsive b Non-responsive b	Grab	Cr+6(21)	3-1058 (6 C) (1)	P-03	02/19/2020 10:05	- 03
SS-04	R35756-04	Soil/Non-responsive b Non-responsive b Non-responsive b Non-responsive b	Grab	Cr+6(21)	3-1061 (6 C) (1)	P-03	02/19/2020 10:10	-04
SS-05	R35756-05	Soil/Non-responsive ba Non-responsive ba Non-responsive ba Non-responsive ba	Grab	Cr+6(21)	3-1064 (6 C) (1)	P-04	02/19/2020 10:20	· 05
SS-06	R35756-06	Soil Non-responsive base	Grab	Cr+6(21)	3-1067 (6 C) (1)	P-05	02/19/2020 10:35	- 06
SS-07	R35756-07	Soil/ Non-responsive to Non-responsive to Non-responsive to Non-responsive to	Grab	Cr+6(21)	3-1070 (6 C) (1)	P-06	02/19/2020 10:50	-07
SS-08	R35756-08	Soil/Non-responsive to Non-responsive to Non-responsive to Non-responsive to	Grab	Cr+6(21)	3-1073 (6 C) (1)	P-07	02/19/2020 11:15	- 08
SS-09	R35756-09	Soil/ Non-responsive base	Grab	Cr+6(21)	3-1076 (6 C) (1)	P-08	02/19/2020 11:50	- 09
SS-10	R35756-10	Soil/ Non-responsive to Non-responsive to Non-responsive to Non-responsive to	Grab	Cr+6(21)	3-1079 (6 C) (1)	P-09	02/19/2020 11:55	-10
SS-11	R35756-11	Soil/Non-responsive base	Grab	Cr+6(21)	3-1082 (6 C) (1)	P-10	02/19/2020 12:20	- 1)
SS-12	R35756-12	Soil/Non-responsive base	Grab	Cr+6(21)	3-1085 (6 C) (1)	P-11	02/19/2020 13:25	-12

Sample(s) to be used for Lab QC: SS-01 Tag 3-1052 - Special Instructions: Please return coder with FedEx return label inside

Sample(s) to be used for Lab QC: SS-01 Tag 3-1052 - Special Instructions: Please return coder with FedEx return label inside

Non-responsive based on revised scope

Analysis Key: Cr+6=Hexavalent Chromium

Shipment for Case Complete? Y

Samples Transferred From Chain of Costody #

Non-responsive based on revised scope

Items/Reason	Relinquished by (Signature and Organization)	Date/Time	Received by (Signature and C	Organization)	Date/Time	Sample Condition Upon Receipt	
	Techlaw	2/20/20 1700	Non-responsive based on revised scope Non-responsive based on revised scope Non-responsive based on revised scope Non-responsive based on revised scope	TAZ	2/21/20 10:30	4.8.0 2/21/20	

Page 2 of 2

USEPA CLP COC (LAB COPY)

DateShipped: 2/20/2020 CarrierName: FedEx AirbillNo: 777818186723

CHAIN OF CUSTODY RECORD

No: 3-022020-125952-0002

Lab: USEPA Region III Environmental Science Center

Lab Contact: Kevin Poff Lab Phone: 410-305-2938

DAS #: R35756 Cooler #: K5

Sample Identifier	CLP Sample No.	Matrix/Sampler	Coll. Method	Analysis/Turnaround (Days)	Tag/Preservative/Bottles	Location	Collection Date/Time	For Lab Use Only
SS-13	R35756-13	Soil/Non-responsive to Non-responsive to Non-responsive to	Grab	Cr+6(21)	3-1088 (6 C) (1)	P-12	02/19/2020 13:30	2002010-13
SS-14	R35756-14	Soil/ Non-responsive to Non-responsive to Non-responsive to	Grab	Cr+6(21)	3-1091 (6 C) (1)	P-12	02/19/2020 13:40	-14
SS-15	R35756-15	Soil/Non-responsive base	Grab	Cr+6(21)	3-1094 (6 C) (1)	P-13	02/19/2020 14:07	-15
SS-16	R35756-16	Soil/ Non-responsive to Non-responsive to Non-responsive to	Grab	Cr+6(21)	3-1097 (6 C) (1)	P-14	02/19/2020 14:23	-14
SS-17	R35756-17	Soil/ Non-responsive base	Grab	Cr+6(21)	3-1100 (6 C) (1)	B-15	02/19/2020 14:45	-17
SS-18	R35756-18	Soil/Non-responsive b Non-responsive b Non-responsive ba Non-responsive ba	Grab	Cr+6(21)	3-1103 (6 C) (1)	B-16	02/19/2020 15:10	-18
SS-19	R35756-19	Soil/Non-responsive base	Grab	Cr+6(21)	3-1106 (6 C) (1)	B-17	02/19/2020 15:35	-19
RB-01	R35756-R1	Water/Non-responsive ba Non-responsive ba Non-responsive b Non-responsive b	Grab	Cr+6(21)	3-1108 (NH4OH/(NH4)2SO4 pH 9.5) (1)	Z	02/19/2020 07:30	- 20
	l	· .						

		Shipment for Case Complete? Y
Special Instructions: Please return cooler with FedEx return label inside	Non-responsive based on revised scope	Samples Transferred From Chain of Custody #
	Samplers Non-responsive based on revised scope	
Analysis Key: Cr+6=Hexavalent Chromium		

Items/Reason	Relinquished by (Signature and Organization)	Date/Time	Received by (Signature and Organization)	Date/Time	Sample Condition Upon Receipt	
	Tahlan	2/20/20 1700	Non-responsive based on revised scope	2/21/20 10:30	4.8 . 2/21/20	
	ion-responsive based on revised soop		1			



Environmental Science Center Region III Laboratory 701 Mapes Road Fort Meade, Maryland 20755-5350



Site Name:

WEIRTON BOP IMPLOSION SITE

Project #: DAS R35756

Physical Parameters

Flags/ Quantitation Dilution Prepared Analyte Method/SOP# Result Analyzed Qualifiers Limit Units Lab ID: 2002010-01 Station ID: SS-01 Sample Matrix: Soil 02/19/2020 Collected: % by Weight 1 % Solids 65.2 USGS I-5753-85/R3QA056

Physical Parameters

Analyte		Result	Flags/ Qualifiers	Quantitation Limit	Units	Dilution	Prepared	Analyzed	Method/SOP#
Lab ID: Station ID: Sample Matrix: Collected:	2002010-02 SS-02 Soil 02/19/2020								
% Solids		78.3			% by We	ight 1	02/26/2020 12:26.	02/28/2020 12:40	USGS L-5753-85/R3OA056

Analyte		Result	Flags/ Qualifiers	Quantitation Limit	Units	Dilution	Prepared	Analyzed	Method/SOP#
Lab ID:	2002010-03		-						
Station ID:	SS-03								
Sample Matrix:	Soil								
Collected:	02/19/2020								
% Solids		80.3			% by We	eight 1	02/26/2020 12:26	02/28/2020 12:40	USGS 1-5753-85/R3QA056



Environmental Science Center Region III Laboratory 701 Mapes Road Fort Meade, Maryland 20755-5350



Site Name:

WEIRTON BOP IMPLOSION SITE

Project #: DAS R35756

Physical Parameters

Analyte		Result	Flags/ Qualifiers	Quantitation Limit	Units	Dilution	Prepared	Analyzed	Method/SOP#	
Lab ID: Station ID: Sample Matrix: Collected:	2002010-04 SS-04 Soil 02/19/2020			-						
% Solids		75.4			% by We	ight 1	02/26/2020 12:26	02/28/2020 12:40	USGS I-5753-85/R3QA056	

Physical Parameters

Analyte		Result	Flags/ Qualifiers	Quantitation Limit	Units	Dilution	Prepared	Analyzed	Method/SOP#
Lab ID: Station ID: Sample Matrix: Collected:	2002010-05 SS-05 Soil 02/19/2020								
% Solids	. · ·	68.5			% by We	eight l	02/26/2020 12:26	02/28/2020 12:40	USGS 1-5753-85/R3QA056

Analyte	144	Result	Flags/ Qualifiers	Quantitation Limit	Units	Dilution	Prepared	Analyzed	Method/SOP#
Lab ID: Station ID: Sample Matrix: Collected:	2002010-06 SS-06 Soil 02/19/2020								
% Solids		68.7			% by We	eight 1	02/26/2020 12:26	02/28/2020 12:40	USGS I-5753-85/R3QA056



Environmental Science Center Region III Laboratory 701 Mapes Road Fort Meade, Maryland 20755-5350



Site Name:

WEIRTON BOP IMPLOSION SITE

Project #: DAS R35756

Physical Parameters

Analyte		Result	Flags/ Qualifiers	Quantitation Limit	Units	Dilution	Prepared	Analyzed	Method/SOP#	
Lab ID:	2002010-07									
Station ID:	SS-07								•	
Sample Matrix:	Soil									
Collected:	02/19/2020							•		
% Solids		61.2			% by Wei	ght l	02/26/2020 12:26	02/28/2020 12:40	USGS 1-5753-85/R3OA056	

Physical Parameters

Analyte		Result	Flags/ Qualifiers	Quantitation Limit	Units	Dilution	Prepared	Analyzed	Method/SOP#
Lab ID:	2002010-08		· ···		·				
Station ID:	SS-08	,							
Sample Matrix:	Soil								
Collected:	02/19/2020	•		•					
% Solids		68.0			% by Wei	ight I	02/26/2020 12:26	02/28/2020 12:40	USGS 1-5753-85/B3OA056

Analyte		Result	Flags/ Qualifiers	Quantitation Limit	Units	Dilution	Prepared	Analyzed	Method/SOP#
Lab ID:	2002010-09								
Station ID:	SS-09							•	
Sample Matrix:	Soil							•	
Collected:	02/19/2020								
% Solids	-	48.4			% by W	eight l	02/26/2020 12:26	02/28/2020 12:40	USGS 1-5753-85/R3QA056



Environmental Science Center Region III Laboratory 701 Mapes Road Fort Meade, Maryland 20755-5350



I-5753-85/R3QA056

Site Name:

WEIRTON BOP IMPLOSION SITE

Project #: DAS R35756

Physical Parameters

Analyte		Result	Flags/ Qualifiers	Quantitation Limit	Units	Dilution	Prepared	Analyzed	Method/SOP#
Lab ID:	2002010-10		-		•				
Station ID:	SS-10								
Sample Matrix:	Soil								
Collected:	02/19/2020								
% Solids		73.2			% by We	eight I	02/26/2020 12:26	02/28/2020 12:40	USGS I-5753-85/R3QA056

Physical Parameters

Analyte		Result	Flags/ Qualifiers	Quantitation Limit	Units	Dilution	Prepared ,	Analyzed	Method/SOP#
Lab ID: Station ID: Sample Matrix: Collected:	2002010-11 SS-11 Soil 02/19/2020					-			
% Solids		69.6			% by We	eight l	02/26/2020 12:26	02/28/2020 12:40	USGS I-5753-85/R3QA056

Analyte		Result	Flags/ Qualifiers	Quantitation Limit	Units	Dilution	Prepared	Analyzed	Method/SOP#
Lab ID: Station ID:	2002010-12 SS-12								*- 1-
Sample Matrix:	Soil								
Collected:	02/19/2020								
% Solids		75.1			% by Wei	ight 1	02/26/2020 12:26	02/28/2020 12:40	USGS



Environmental Science Center Region III Laboratory 701 Mapes Road Fort Meade, Maryland 20755-5350



Site Name:

WEIRTON BOP IMPLOSION SITE

Project #: DAS R35756

Physical Parameters

Analyte		Result	Flags/ Qualifiers	Quantitation Limit	Units	Dilution	Prepared	Analyzed	Method/SOP#
Lab ID:	2002010-13								
Station ID:	SS-13					•			•
Sample Matrix:	Soil								
Collected:	02/19/2020								
% Solids		70.5			% by We	ight 1	02/26/2020 12:26	02/28/2020 12:40	USGS 1-5753-85/R3OA056

Physical Parameters

Analyte		Result	Flags/ Qualifiers	Quantitation Limit	Units	Dilution	Prepared	Analyzed	Method/SOP#
Lab ID:	2002010-14								
Station ID:	SS-14								
Sample Matrix:	Soil								
Collected:	02/19/2020								
% Solids		70.1			% by We	eight 1	02/26/2020 12:26	02/28/2020 12:40	USGS 1-5753-85/R3QA056

Analyte		Result	Flags/ Qualifiers	Quantitation Limit	Units	Dilution	Prepared	Analyzed	Method/SOP#	
Lab ID: Station ID: Sample Matrix: Collected:	2002010-15 SS-15 Soil 02/19/2020									
% Solids	·	76.9			% by W	eight 1	02/26/2020 12:26	02/28/2020 12:40	USGS I-5753-85/R3QA056	



Environmental Science Center Region III Laboratory 701 Mapes Road Fort Meade, Maryland 20755-5350



I-5753-85/R3QA056

Site Name:

% Solids

WEIRTON BOP IMPLOSION SITE

Project #: DAS R35756

Physical Parameters

Flags/ Quantitation Dilution Prepared Analyzed Method/SOP# Result Units Qualifiers Limit Analyte 2002010-16 Lab ID: SS-16 Station ID: Soil Sample Matrix: 02/19/2020 Collected: % by Weight 1 02/26/2020 12:26 02/28/2020 12:40 USGS % Solids 75.4 I-5753-85/R3QA056

Physical Parameters

Flags/ Quantitation Dilution Prepared Method/SOP# Analyzed Result Qualifiers Units Analyte Limit 2002010-17 Lab ID: SS-17 Station ID: Sample Matrix: 02/19/2020 Collected: USGS 66.2 % by Weight 1 % Solids I-5753-85/R3QA056

Physical Parameters

Flags/ Quantitation Dilution Prepared Analyzed Method/SOP# Qualifiers Limit Units Result Analyte 2002010-18 Lab ID: Station ID: SS-18 Sample Matrix: Soil 02/19/2020 Collected: 02/26/2020 12:26 02/28/2020 12:40 USGS % by Weight 1

79.4



Environmental Science Center Region III Laboratory 701 Mapes Road Fort Meade, Maryland 20755-5350



Site Name:

WEIRTON BOP IMPLOSION SITE

Project #: DAS R35756

Physical Parameters

Analyte		Result	Flags/ Qualifiers	Quantitation Limit	Units	Dilution	Prepared	Analyzed	Method/SOP#
Lab ID:	2002010-19								
Station ID:	SS-19								
Sample Matrix:	Soil								
Collected:	02/19/2020								
% Solids		59.9			% by We	eight 1	02/26/2020 12:26	02/28/2020 12:40	USGS 1-5753-85/R3QA056

Classical Chemistry Parameters

Analyte		Result	Flags/ Qualifiers	Quantitation Limit	Units	Dilution	Prepared	Analyzed	Method/SOP#
Lab ID:	2002010-01								
Station ID:	SS-01								
Sample Matrix:	Soil								
Collected:	02/19/2020								
Hexavalent Chromium		U	UJ	0.61	ug/g drv	1	02/27/2020 15:25	03/03/2020 17:33	EPA 218.6/R3QA161

Classical Chemistry Parameters

Analyte		Result	Flags/ Qualifiers	Quantitation Limit	Units	Dilution	Prepared	Analyzed	Method/SOP#
Lab ID:	2002010-02								
Station ID:	SS-02								,
Sample Matrix:	Soil								•
Collected:	02/19/2020								
Hexavalent Chromiu	ım	U		0.51	ug/g dry	1	02/27/2020 15:25	03/03/2020 13:56	EPA 218.6/R3QA161



Environmental Science Center Region III Laboratory 701 Mapes Road Fort Meade, Maryland 20755-5350



Site Name:

WEIRTON BOP IMPLOSION SITE

Project #: DAS R35756

Classical Chemistry Parameters

Flags/ Quantitation Dilution Prepared Result Analyte Qualifiers Limit Units Analyzed Method/SOP# 2002010-03 Lab ID: SS-03 Station ID: Soil Sample Matrix: 02/19/2020 Collected: Hexavalent Chromium U 0.50 ug/g dry 02/27/2020 15:25 03/03/2020 14:03 EPA 218.6/R3QA161

Classical Chemistry Parameters

Flags/ Ouantitation Dilution Qualifiers Prepared Analyte Result Analyzed Limit Units Method/SOP# Lab ID: 2002010-04 SS-04 Station ID: Sample Matrix: Soil 02/19/2020 Collected: U 0.53 02/27/2020 15:25 03/03/2020 14:10 Hexavalent Chromium EPA 218.6/R3QA161 ug/g dry

Classical Chemistry Parameters

Flags/ Quantitation Dilution Prepared Analyte Result Qualifiers Limit Units Analyzed Method/SOP# 2002010-05 Lab ID: Station ID: SS-05 Sample Matrix: Soil 02/19/2020 Collected: Hexavalent Chromium U 0.58 ug/g dry 02/27/2020 15:25 03/03/2020 14:17 EPA 218.6/R3QA161



Environmental Science Center Region III Laboratory 701 Mapes Road Fort Meade, Maryland 20755-5350



Site Name:

WEIRTON BOP IMPLOSION SITE

Project #: DAS R35756

Classical Chemistry Parameters

Analyte		Result	Flags/ Qualifiers	Quantitation Limit	Units	Dilution	Prepared	Analyzed	Method/SOP#
Lab ID:	2002010-06								
Station ID:	SS-06								
Sample Matrix:	Soil								
Collected:	02/19/2020								•
Hexavalent Chromiun	n	U		0.58	ug/g dry	1	02/27/2020 15:25	03/03/2020 14:24	EPA 218.6/R3QA161

Classical Chemistry Parameters

Analyte		Result	Flags/ Qualifiers	Quantitation Limit	Units	Dilution	Prepared	Analyzed	Method/SOP#
Lab ID:	2002010-07								
Station ID:	SS-07								
Sample Matrix:	Soil								
Collected:	02/19/2020								
Hexavalent Chromium		u.		0.65	ug/g dry	, 1	02/27/2020 15:25	03/03/2020 14:46	EPA 218.6/R3QA16

Classical Chemistry Parameters

Analyte		Result	Flags/ Qualifiers	Quantitation Limit	Units	Dilution	Prepared	Analyzed	Method/SOP#	
Lab ID:	2002010-08						· ·			
Station ID:	SS-08									
Sample Matrix:	Soil									
Collected:	02/19/2020									
Hexavalent Chromium		U		0.59	ug/g dry	1	02/27/2020 15:25	03/03/2020 14:53	EPA 218.6/R3QA161	



Environmental Science Center Region III Laboratory 701 Mapes Road Fort Meade, Maryland 20755-5350



Site Name:

WEIRTON BOP IMPLOSION SITE

Project #: DAS R35756

Classical Chemistry Parameters

Flags/ Ouantitation Dilution Prepared Result Qualifiers Analyte Limit Units Analyzed Method/SOP# Lab ID: 2002010-09 SS-09 Station ID: Sample Matrix: Soil 02/19/2020 Collected: U 0.82 Hexavalent Chromium ug/g dry 02/27/2020 15:25 03/03/2020 15:00 EPA 218.6/R3QA161

Classical Chemistry Parameters

Flags/ Quantitation Dilution Prepared Analyte Result Qualifiers Limit Units Analyzed Method/SOP# Lab ID: 2002010-10 Station ID: SS-10 Sample Matrix: Soil 02/19/2020 Collected: Hexavalent Chromium U 0.55 ug/g dry 02/27/2020 15:25 03/03/2020 15:07 EPA 218.6/R3QA161

Classical Chemistry Parameters

Flags/ Quantitation Dilution Prepared Analyte Result Qualifiers Limit Units Analyzed Method/SOP# Lab ID: 2002010-11 SS-11 Station ID: Sample Matrix: Soil 02/19/2020 Collected: Hexavalent Chromium U UJ 0.57 02/27/2020 15:25 03/03/2020 18:09 ug/g dry EPA 218.6/R3QA161



Environmental Science Center Region III Laboratory 701 Mapes Road Fort Meade, Maryland 20755-5350



Site Name:

WEIRTON BOP IMPLOSION SITE

Project #: DAS R35756

Classical Chemistry Parameters

Flags/ Quantitation Dilution Prepared Analyte Result Qualifiers Limit Units Analyzed Method/SOP# Lab ID: 2002010-12 Station ID: SS-12 Sample Matrix: Soil 02/19/2020 Collected: EPA 218.6/R3QA161 Hexavalent Chromium 02/27/2020 15:25 03/03/2020 16:04 U 0.53 ug/g dry

Classical Chemistry Parameters

Analyte	· · · · · ·	Result	Flags/ Qualifiers	Quantitation Limit	Units	Dilution	Prepared	Analyzed	Method/SOP#
Lab ID:	2002010-13								
Station ID:	SS-13	,							
Sample Matrix:	Soil								
Collected:	02/19/2020	•							
Hexavalent Chromium	•	U		0.57	ug/g drv	1	02/27/2020 15:25	03/03/2020 16:11	EPA 218.6/R3OA161

Classical Chemistry Parameters

Analyte		Result	Flags/ Qualifiers	Quantitation Limit	Units	Dilution	Prepared	Analyzed	Method/SOP#
Lab ID:	2002010-14	<u> </u>					<u>-</u>		,
Station ID:	SS-14						•		
Sample Matrix:	Soil								
Collected:	02/19/2020								
Hexavalent Chromium		U		0.57	ug/g dry	1	02/27/2020 15:25	03/03/2020 16:37	. EPA 218.6/R3QA161



Environmental Science Center Region III Laboratory 701 Mapes Road Fort Meade, Maryland 20755-5350



Site Name:

WEIRTON BOP IMPLOSION SITE

Project #: DAS R35756

Classical Chemistry Parameters

Flags/ Quantitation Dilution Prepared Result Analyte Qualifiers Limit Units Analyzed Method/SOP# Lab ID: 2002010-15 SS-15 Station ID: Sample Matrix: Soil 02/19/2020 Collected: Hexavalent Chromium U 0.52 ug/g dry 02/27/2020 15:25 03/03/2020 16:43 EPA 218.6/R3QA161

Classical Chemistry Parameters

Flags/ Quantitation Dilution Prepared Analyte Result Qualifiers Limit Units Analyzed Method/SOP# Lab ID: 2002010-16 Station ID: SS-16 Soil Sample Matrix: Collected: 02/19/2020 Hexavalent Chromium U 0.53 ug/g dry 02/27/2020 15:25 03/03/2020 16:50 EPA 218.6/R3QA161

Classical Chemistry Parameters

Flags/ Quantitation Dilution Prepared Analyte Result Qualifiers Limit Units Analyzed Method/SOP# 2002010-17 Lab ID: Station ID: SS-17 Sample Matrix: Soil. 02/19/2020 Collected: 02/27/2020 15:25 03/03/2020 16:57 Hexavalent Chromium U 0.60 ug/g dry EPA 218.6/R3QA161



Environmental Science Center Region III Laboratory 701 Mapes Road Fort Meade, Maryland 20755-5350



Site Name:

WEIRTON BOP IMPLOSION SITE

Project #: DAS R35756

Classical Chemistry Parameters

Flags/ Quantitation Dilution Prepared Analyte Result Qualifiers Units Analyzed Method/SOP# Limit Lab ID: 2002010-18 Station ID: SS-18 Sample Matrix: Soil Collected: 02/19/2020 02/27/2020 15:25 03/03/2020 17:05 EPA 218.6/R3QA161 Hexavalent Chromium U 0.50 ug/g dry

Classical Chemistry Parameters

Flags/ Quantitation Prepared Dilution Analyte Result Qualifiers Limit Units Analyzed Method/SOP# Lab ID: 2002010-19 Station ID: SS-19 Sample Matrix: Soil 02/19/2020 Collected: EPA 218.6/R3QA161 Hexavalent Chromium U 0.67 ug/g dry 02/27/2020 15:25 03/03/2020 17:12

Classical Chemistry Parameters

Analyte		Result	Flags/ Qualifiers	Quantitation Limit	Units	Dilution	Prepared	Analyzed	Method/SOP#
Lab ID:	2002010-20								
Station ID:	RB-01								•
Sample Matrix:	Water								
Collected:	02/19/2020							•	
Hexavalent Chromiu	m ·	U		1.00	ug/L	1	02/26/2020 10:00	02/26/2020 12:40	EPA 218.6/R3QA161



. Environmental Science Center Region III Laboratory 701 Mapes Road Fort Meade, Maryland 20755-5350



Site Name:

WEIRTON BOP IMPLOSION SITE

Project #: DAS R35756

QC Data Physical Parameters

		Quantitation		Spike	Source		%REC		RPD		ı
Analyte	Result	Limit	Units	Level	Result	%REC	Limits	RPD	Limit	Notes	
		·			•						_

Batch BB02603 - PD60/PD105 ESAT					
Duplicate (BB02603-DUP1)	Source:	2002010-01	Prepared: 02/26/2020 12:20	5 Analyzed: 02/28/2020 12:40)
% Solids	67.3	% by Weight	65.2	3	20
Duplicate (BB02603-DUP2)	Source: 2	2002010-11	Prepared: 02/26/2020 12:20	5 Analyzed: 02/28/2020 12:40)
% Solids	68.2	% by Weight	69.6	2	20



Environmental Science Center Region III Laboratory 701 Mapes Road Fort Meade, Maryland 20755-5350



Site Name:

WEIRTON BOP IMPLOSION SITE

Project #: DAS R35756

QC Data Classical Chemistry Parameters

		Quantitation		Spike	Source	0/DEC	%REC		RPD	
Analyte	Result	Limit	Units	Level	Result	%REC	Limits	RPD .	Limit	Notes
Satch BB02602 - Hex Chrom Prep ESAT										
Blank (BB02602-BLK1)				Prepared: ()2/26/2020	10:00	Analyzed: 02	/26/2020 12:1	9	
Hexavalent Chromium	U	1.00	ug/L							
CS (BB02602-BS1)				Prepared: (02/26/2020	10:00	Analyzed: 02	/26/2020 12:3	3	
Hexavalent Chromium	39.7	1.00	ug/L	40.000		99	90-110			
uplicate (BB02602-DUP1)	Sou	rce: 2002010-2	20	Prepared: (02/26/2020	10:00	Analyzed: 02	2/26/2020 12:4	8	
Hexavalent Chromium	U	. 1.00	ug/L		Ü				20	
Aatrix Spike (BB02602-MS1)	Sou	rce: 2002010-	20	Prepared: (02/26/2020	10:00	Analyzed: 02	2/26/2020 12:5	5	
Hexavalent Chromium	40.4	1.00	ug/L	40.000	U	101	90-110			
Batch BB02604 - Hex Chrom Prep ESAT					·					
Blank (BB02604-BLK1)				Prepared:	02/27/2020	15:25	Analyzed: 03	3/03/2020 12:2	2	
Hexavalent Chromium	U	0.40	ug/g wet							
LCS (BB02604-BS1)				Prepared:	02/27/2020	0 15:25	Analyzed: 03	3/03/2020 12:3	6	
Hexavalent Chromium	3.82	0.40	ug/g wet	4.0000		95	90-110			
Duplicate (BB02604-DUP1)	Sou	rce: 2002010-	01	Prepared:	02/27/2020	0 15:25	Analyzed: 0	3/03/2020 17:4	0	
Hexavalent Chromium	0.105	0.61	ug/g dry		0.125			17	20	
Ouplicate (BB02604-DUP2)	Sou	ırce: 2002010-	-11	Prepared:	02/27/202	0 15:25	Analyzed: 0	3/03/2020 18:1	6	
Hexavalent Chromium	0.120	0.57	ug/g dry		0.198	··	•	49	20	D
Matrix Spike (BB02604-MS1)	Sou	ırce: 2002010-	-01	Prepared:	02/27/202	0 15:25	Analyzed: 0	3/03/2020 17:4	17	
Hexavalent Chromium	0.132	0.61	ug/g dry	6,1186	0.125	0.1	75-125			A



Environmental Science Center Region III Laboratory 701 Mapes Road Fort Meade, Maryland 20755-5350



Site Name:

WEIRTON BOP IMPLOSION SITE

Project #: DAS R35756

QC Data Classical Chemistry Parameters

•		Quantitation		Spike	Source	A/DEG	%REC		RPD	
Analyte	Result	Limit	Units	Level	Result	%REC	Limits	RPD	Limit	Notes
Batch BB02604 - Hex Chrom Prep ESAT						-	<u> </u>			
Matrix Spike (BB02604-MS2)	Sour	ce: 2002010-	01	Prepared: (02/27/2020	15:25	Analyzed: 03	3/03/2020 17:5	4	
Hexavalent Chromium	380	12.3	ug/g dry	1193.1	0.125	32	75-125			Α
Matrix Spike (BB02604-MS3)	Sour	ce: 2002010-	11	Prepared: (02/27/2020	15:25	Analyzed: 03	3/03/2020 18:2	3	
Hexavalent Chromium	0.180	0.57	ug/g dry	5.7368	0.198	NR	75-125			Α
Matrix Spike (BB02604-MS4)	Sour	ce: 2002010-	11	Prepared: ()2/27/2020	15:25	Analyzed: 03	3/03/2020 18:3	0	
Hexavalent Chromium	1040	- 57,4	ug/g dry	1450.7	0.198	72	75-125			A
Post Spike (BB02604-PS1)	Sour	ce: 2002010-	01	Prepared: 0	2/27/2020	15:25	Analyzed: 03	3/03/2020 18:0	Ι.	
Hexavalent Chromium	103		ug/L	100.00	2.05	101	85-115			
Post Spike (BB02604-PS2)	Sour	ce: 2002010-	11	Prepared: 0	2/27/2020	15:25	Analyzed: 03	/03/2020 18:3	7 .	
Hexavalent Chromium	105		ug/L	100.00	3.44	101	85-115			
Reference (BB02604-SRM1)				Prepared: 0	2/27/2020	15:25	Analyzed: 03	/03/2020 12:4:	3	
Hexavalent Chromium	113	7.98	ug/g wet	126.00		89	65-135			



Environmental Science Center Region III Laboratory 701 Mapes Road Fort Meade, Maryland 20755-5350



Site Name:

WEIRTON BOP IMPLOSION SITE

Project #: DAS R35756

Notes and Definitions

UJ The analyte was not detected at or above the quantitation limit. The quantitation limit is an estimate.

D Source sample result and/or duplicate sample result are below the quantitation limit and the RPD is artificially high. Precision data

(RPD value) has no significance for this QC Sample.

A Quality control value is outside acceptance limits.

%REC Percent Recovery

RPD Relative Percent Difference

U Analyte included in the analysis, but not detected at or above the quantitation limit.

NR Not Reported

QUANTITATION LIMIT: The lowest concentration of an analyte that can be reliably measured within specified limits of precision and accuracy for a specific laboratory analytical method and that takes into account analytical adjustments made during sample preparation and analysis.

SOLID SAMPLE RESULTS - REPORTING PROTOCOL: Percent Solids (percent dry wt at 105 degrees C) determinations are routinely performed for most organic and inorganic analyses. Consequently, these samples are analyzed wet and converted to a dry weight result for reporting purposes. If metals and mercury analyses are requested, they are routinely prepared for analyses by an initial drying at 60 degrees C, homogenized prior to digestion, and are analyzed and reported on a dry weight basis. Oil-type samples are analyzed and reported on a wet weight basis for all analyses because of the nature of the sample matrix. Any exceptions to this protocol will be noted in the narrative.

ON-DEMAND: The term 'on-demand' analysis, if noted in the report narrative, refers to Section 13.1.4 in the Region III OASQA Laboratory Quality Manual, which provides procedures for non-routine analyses or analyses.

TechLaw, Inc. START 5 Region III EP-S3-15-03 Weirton BOP Implosion Site Removal Assessment Trip Report Revision: Final June 30, 2020

ATTACHMENT 4

DATA VALIDATION REPORT ASBESTOS

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY REGION III



Environmental Sciences Center 701 Mapes Road Fort Meade, Maryland 20755-5350

DATE:

6/2/2020

SUBJECT:

Region III Data QA Review

FROM:

Eric Graybill

Region III ESAT RPO (3LS20)

TO:

DEBORAH LINDSEY

Hazardous Site Cleanup Division (HSCD)

Attached is the data validation report for the WEIRTON BOP IMPLOSION SITE site for DAS# R35754; SDG# EMSL04 completed by the Region III Environmental Services Assistance Team (ESAT) contractor, ICF International, under the direction of Region III LSASD.

If you have any questions regarding this review, please call Eric Graybill at (410)-305-2665.

Attachment

cc:

Non-responsive based on revise Non-responsive based on revise Non-responsive based on revised Non-responsive based on revised

TO: #0002

TDF: #0520008



ICF

ESAT Region 3

US Environmental Protection Agency Environmental Science Center

701 Mapes Road Ft. Meade, MD 20755-5350

Phone 410-305-3012

Date:

May 19, 2020

To:

ESAT Region 3 Project Officer

From:

Non-responsive based on revision-responsive based on revisions Validator

Non-responsive based on revise Non-responsive based on revise Reviewer

Subject:

Inorganic Data Validation (S4VM)

Weirton BOP Implosion

R35754 EMSL04

Overview

This data package consisted of nineteen (19) soil samples, including two (2) field duplicate pairs, analyzed for asbestos utilizing polarized light microscopy (PLM).

Analyses were performed by EMSL Analytical, Inc. (EMSL). The samples were submitted to the laboratory directly by the sampling contractor. The laboratory indicated analyses were performed according to Test Method for the Determination of Asbestos in Bulk Building Materials, EPA/600/R-93/116 July 1993, with milling prep.

Data were validated according to the USEPA PLM Validation Process Guidelines for Asbestos Data Review and with guidance from the National Functional Guidelines for Inorganic Superfund Methods Data Review and are assigned the Superfund Data Validation Label S4VM (Stage_4_Validation_Manual).

The following validation narrative is an evaluation of laboratory reported data based on the electronic data package received by Region 3 on May 7, 2020.

An Electronic Data Deliverable (EDD) was provided by the laboratory. It was protected and could not be modified by the validator. No EDD is provided with this data validation report.

Summary

No data quality outliers or technical deficiencies were identified that would require rejection of sample results. Missing Refractive Index (RI) Liquid Calibration required estimation of sample results.

Minor Problem

The RI Liquid Calibration was not included in the data package. Visual Estimation and Point Count Limits of Quantification (LOQs) are estimated and have been qualified "UJ".

Notes

Mill preparation can reduce fiber size. While allowable to homogenize samples under the method, care must be taken to discontinue as soon as the material appears homogenous. This cannot be evaluated through the data package. No data were qualified based on this finding.

Asbestos fibers classified as chrysotile by the laboratory were detected in trace amounts in visual estimation of sample SS-12. The result for this sample was below the LOQ in point counting.

Data for field duplicate pairs SS-03/SS-04 and SS-13/SS-14 were comparable. No asbestos fibers were detected in either analysis.

For the laboratory duplicate analysis performed on sample SS-12, results were comparable (both results were below the LOQ in point counting). For the laboratory duplicate analyses performed on samples SS-01 and SS-07, no asbestos fibers were detected in any sample pair. No data were qualified based on laboratory precision.

Laboratory blanks associated with the samples in this SDG were free of asbestos.

Microscope alignment verification is present and shows proper alignment.

Reference sample analysis and fiber identification criteria for the visual examination trace results were reviewed by the validator and found to be accurate and consistent.

DCN: ESATR3-CY7-V723

Glossary of Inorganic Data Qualifier Codes

Validation Qualifiers	In order of descending precedence. Only one of these qualifiers may apply to any result.
R	The data are unusable. The sample results are rejected due to serious deficiencies in meeting QC criteria. The analyte may or may not be present in the sample.
UJ	The analyte was analyzed for, but was not detected. The reported quantitation limit is approximate and may be inaccurate or imprecise.
U	The analyte was analyzed for, but was not detected above the level of the reported sample quantitation limit
В	The result is presumed a blank contaminant. This qualifier is used for drinking water samples only.
j	The result is an estimated quantity. The associated numerical value is the approximate concentration of the analyte in the sample.
J+	The result is an estimated quantity, but the result may be biased high.
j-	The result is an estimated quantity, but the result may be biased low.

R35754_EMSL04_042004637_03-05-20_soil_PLM.xism National Asbestos Data Entry Spreadsheet (NADES) for Bulk & Soil Analysis by PLM

Lab Name Lab Job No:	Analyzed by: 3/5/2020
Data Entry by: Data Entry Date:	QA by: Non-responsy QA Date: 3/10/2020

	Index	Index				l			OPTICA	L PROPER	TIES			
Client Sample Number	Suffix Char.	Suffix No.	QA Type (a)	Lab Sample Number	Mineral Type (b)	Morph	Fiber Color	Sign Elong. (+/-)	Pleoch (Y/N)	Angle Extinct.	Ref. Index a (perallel)	Ref. Index y (perpendicular)	Biref.	Comments
SS-01			Not QA	042004637-0001										AB 3/5/2020
SS-02			Not QA	042004637-0002										AB 3/5/2020
SS-03			Not QA	042004837-0003										AB 3/5/2020
SS-04	Γ		Not QA	042004837-0004								,		AB 3/5/2020
SS-05			Not QA	042004837-0005										AB 3/5/2020
SS-08			Not QA	042004837-0006										AB 3/5/2020
SS-07			Not QA	042004637-0007										AB 3/5/2020
88-08			Not QA	042004837-0008										AB 3/5/2020
SS-09			Not QA	042004637-0009										AB 3/5/2020
SS-10			Not QA	042004637-0010					,					OA 3/5/2020
SS-11			Not QA	042004637-0011										OA 3/5/2020
SS-12			Not QA	042004637-0012	Ę	W	C	+	N	Р	1.551	1.557	L	OA 3/5/2020
SS-13			Not QA	042004637-0013										OA 3/5/2020
SS-14			Not QA	042004637-0014										OA 3/5/2020
SS-15			Not QA	042004637-0015										OA 3/5/2020
SS-16			Not QA	042004637-0016								-		OA 3/5/2020
SS-17			Not QA	042004637-0017						·				OA 3/5/2020
SS-18			Not QA	042004837-0018										OA 3/5/2020
SS-19			Not QA	042004837-0019										OA 3/5/2020
SS-01			LD	042004837-0001/	A									JP 3/5/2020 - Inter-anal
SS-07			Ū	042004637-0007/	1									AB 3/5/2020 - Intra-ana
SS-12			ū	042004637-0018	CH	w	·c	+	N	Р	1.551	1.554	L	AG 3/5/2020 - Inter-ana

R35754_EMSL04_042004037_03-05-20_soil_PLM.xism National Asbastos Data Entry Spreadsheet (NADES) for Bulk 8 Soil Analysis by PLM Visual Estimation NALYTICAL REPORT FILE NAME: R35754_EMSL04_042004037_03-05-20_soil_PLM.xism

			_		PROJECT	INFORMAT	non					_	$\overline{}$			_			AKALY	SIS INF	ORMAT	ION					$\neg r$									ABBREVA	ATED	KOTES					
ha/Project Name					R35754			Name			EMSLO	м	\neg	Meth	od:	Anatypia	Bv:	No	нгевро	NS.		Outs Ent	y Darte	Ìsa	7020		(20)	Yeld O	A Inper		(D) YX	'al'ma	t Ivora. A	C - patho	On AM	- amoste	. W-	vittephy	CH CH	ohrysatile		(c) OH De	crocon Standard Selections.
bather edge at 8 to		-			R35754			Job Nur	other:	1	042004	WB37	\neg			Anatysia		3	57020			QA by		Non		nsh	700		Not e QA es	mpie	GR .	erocetoite	TR - barris	NAME OF TAXABLE	A - wncr	da Profession	etrone	Law Street	Re DA -	orwer wrop	nibole		Texaste
twProject ident					R35754				ed by lab:		02/21/2		\neg	EPA 60		Date Entr		Non-	12(5)(0)	sive b		QA Date		3/10	0/2020			- Made C	Supricute .		NAM .	non-auto	oritis matter	w 0M-	opposit res	neral type (specify	n Tolline	mneral d	nerpoor'	funds	1	Erlorde
HARP TO POLIT HORING		_	_	_	I Cabron	_=								0.7.00		_	<u> </u>	=			=		==	==				==			==		==	_	_	_		_	_	_	_	_	
	$\overline{}$	7	7	T^{-}							_						_			_	Enter	percent	20 40 4 1	rahan, no	t of fract	ton (Exp	er påe: I	Enter 5	ON on AA	mol (1.60).	_					Malaria/	÷		_	_	4	1	
	1	1	١.	1	l .	1	- 1	- 1	State Mineral Type of	Ac	c Though	(AC)	Art	resite (A	140	Anthop	byers (UN)	Clay	oca (C	> 0	Crock	tolkie (CR	,	Trans	Ete (TR)	- 1		tricinteerice Distriction		OOM:	Amphib	ole (OA)	HON-MI	CHARG	DELLES THE	۰ ا	ther Ma	wered Typp	(OM)	1	1	
Chart Sample	Samo	Suff.			Lab Sarrate	Samo	I	ı	Reference	_	AC-AF	AC-MF	1 7	MAF	W.W	AN AN	AFT A	FUF .		FAF C	5⊹ur	. Jos	AF CR	.uF	TIR	AF TRA	ME.				-	OA-AF	OX-UF	N	AM-AF	NAM-ME		OM-AF	OM-W	ON	1	1	
Number	Type	Ou		Type (a)	Number	Afterna	ince Ref M	Martenari	Material (t)	ä	(26)	(3)	041.		m I	اللهمة		n i			(5)		60 L 13		" 05	0 (20)	L C	, m	_(M)	_00	Out	(1)		CLES	CH)	CM.	Out	(20)	1.00	Type is	Devetore	·	Comments
\$-01	Bot	-		Not CA	347004137-000	Of Brown N	on F Active	vin I	AC _	2			L v I			V L			XL.	П		<u></u>		_ v				ų.T			c			e e			V			=	No.	48 X 200	
9-02	Sof	$\overline{}$	7		047004037-00				AG.	Ы			Ü			y.			S.			<u> </u>		Ĭ	_			ų,			U		-	и.	\rightarrow		Ų.	_	1	+-	No.	AB 3/3/202	
9-03	Bot	\top			042004837-000				AC	3			Ū.	\rightarrow		U			V.	_	_	\		٧			_	ν.		<u> </u>	- 4			<u> </u>	_		ų.	—	₩-	┿-	Mo.	AB 3/6/202	
904	Bot_		\perp	NO CA	042004037-000	O Brown N	en Fi Actos	OES .	AC.	3			Į į			ÿ.	_		<u> </u>	_			_	- u				u.						<u> </u>			v	┝	-	+-	No	AB 3/3/202	
105	Bot	\perp			042004537-000				_AG	V.			1.0.1			<i>u</i> .			V.	-		Ü	 -	-1-4		-		<u> </u>			1.4			4	_		ų,	_	₩-	+	170	AB 3/5/202	
5-06	301	\perp			042004837-000				AC.	3		—	V.	-		ŭ.	-		ij.,	-		v	 -			+-		!! 		——	1 2	_	_	-11			- 2	-	┿	+	170	AB 3/5/202 AB 3/5/202	
9-97	Bot	_			042004537-000				AG	4			V.	-		<u> </u>	-		y -	-		<u> </u>	-	- 12		+-		: 			18	_		" 	_			-	+	+	100	AB 35/222	
100	904	┺.			047004607-000					W.	_	⊢-	¥ .			U	-+-		#1	-		#1-	-	- 1 8		-		" 			181	-	-	*	-	_	ŭ	_	┿	+	102	AB 3/0/202	
3:09	31	-			042004537400					- 2			 	-+		*	-		*+	-+		* -	-	-1-8		+		" 			1 2	_	_	*			T i		┿	_	100	QA 3/0/202	
9-10	5xL	-			0K2004837-00								1 7	-		٠,	_			-+		* 	-	-13		+-		* +		-	1 *			- 1	_7		ü	_	-	_	No.	OA 3/5/202	
9-11	Sot.	+	+		947994637-001					- 2 1	_	_	1 5 1	-+		* -	-+-		×	╼		ŭ	_	-1 5		_					1 1	$\overline{}$	-	-	\neg		U		1	_	740		- OA 3/5/2020
2-12		+-	+		042004637-001					<u> </u>	_	_	151	-+		ŭ	-			_		ŭ	-			_	_	ŭ T			T u		\Box	v I	\neg		U		_	_	No	OA 3/5/202	
9-13 8-14	904	+			042004837-001					- 2 1		_	l ü l	_		ŭ l	_		ų l			ŭ	1	Ų	1	1	7	ŭΤ			T.U			Ü	\neg		νı				No	OA 3/3/202	
9-15	301 8nt	+-			042004837-001					÷ i	_		υ	_		v l	_		ŭΤ	_		υl		-10				ŭ.			ĪΨ			Ų.	\equiv		·	Н		$\overline{}$	No	QA.8/5/202	
S-16	Obl .	+			047004637-001				TR	Ü	-		U		-1	U	-1-		u L		\neg	<u> </u>			1			v I			L.V	Π		ш			v				No	PA 3/2/202	
3-17	304	+			042004037-001				TB	-0			Ψ			ΨĽ	\equiv		v	\equiv		U L		- U	1			5			U			Ü			U		_		No	OA3/5/202	
9-18	804	_			042004537-001				.18	u			U			v ·		$-\mathbf{I}$	ÿ		-	0		U				U			U		$\overline{}$	U	_		2	_	!		No	OA 3/5/202	
3-19	901			Not the	047004637-001	S Drown N	en-Fil Treme	ello	18	_v_l			ΙŪΙ	-T		u I		T	u I.	\perp				U			_	v			y.	_	_	٧.	_		V.	_	-		79	OA 3/3/202	
901	Bol	1	1	ho	047004537-000	Of Brown-No	on Fa Trans	ofte	TR	Ü			U			Ü			5			U.	-	U		Т.	_	v.				_	\rightarrow	U .	-		- 10	_	-	┝-	110		- Inter-stret/of DC
9-07	Dot .	1	\perp	lu	942004037-000					2			v	_		V.			u .	_		V I					_	v .		<u> </u>	V .			<u>.</u>					₩-	├	Pa.		- Print grange CC
3-12	304	\perp	\perp	LD.	042004027-091	12 Brown th	n-Fi Admy	offe		v			V I	_	_	<u> </u>	-4-		100	4	_	<u> </u>		, u	_	_	-	<u>u</u>			2	_		v I	-4		9		⊢-	-	No	40 Z3/K Q1	-AG 3/5/2020 - Mary Artificial I

R35754_EMSL04_042004837_03-05-20_soil_PLM.xism National Asbestos Data Entry Spreadsheet (NADES) for Bulk & Soil Analysis by PLM Point Count

Site or Project Name:	R35754	_		ABBREVA	ATED NOTES:				
State/Federal Site or Project Identifier:	R35754	Point Count Method:		(a) Valid Q	A Types:	(b) Valid Mi	ineral Types:		
Site/Project Identifier Code:	R35754	rona Count method.	man 7:	Not QA		AC	actinolite	WRTA	winchte/richterte/tremolite/actinolite
Lab Name:				Ф	Leb Duplicate	AM	amosite	OA	other amphibole
Lab Job No:		Data Entry by:	Non-responsive			AN	anthophylite	NAM	non-asbestos material
Date received by lab:	02/21/20	Data Entry Date:	3/9/2020			CH	chrysotile	OM	other mineral type
Analyzed by:	A. Burke	QA by:	Von-responsive bas			CR	crocidolite		(c)OM Description Standard Selections:
Analysis Date:	3/5/2020	QA Date:	3/10/2020			TR	tremolite		Tacoryt
									Erionit

											Counts 1	for each min	eral type (b)						
Client Sample Number	Sample Type	index Suffix ID	QA Type (a)	Lab Sample Number	Sample Appearance	Points Counted	AC	AM	AN	СН	CR	TR	WRTA	OA	NAM	ОМ	OM Type (c)	Validation Qualifier	Comments
SS-01	Sell		Not QA	042004637-0001	Brown-Non-Fibrous-Homogeneou	400	0	0	0	0	0	0		0	0	0			AB 3/5/2020
SS-02	Sal	-	Not QA	042004837-0002	Brown-Non-Fibrous-Hornogeneoc	400	0	0		0	0	0	0	0	0	0		w	AB 3/5/2020
58-03	Sol		Not QA	042004637-0003	Brown-Non-Fibrous-Hornogeneou	400	0	0		0	0	0	0	0	,	0	1		AB 3/5/2020
SS-04	Soft		Not QA	042004637-0004	Brown-Non-Fibrous-Homogeneon	400	0	0	٥.	0	0		-	0	0	-			AB 3/5/2020
S9-05	Soil		Not QA	042004637-0005	Brown-Non-Fibroup-Homogeneos	400	0	0	0	0	0	0	0	,	0	Ť			AB 3/5/2020
SS-06	Set		Not QA	042004637-0006	Brown-Non-Fibrous-Horrogeneoc	400	0	0	0	0	0	0	0	0		-		_	AB 3/5/2020
\$9-07	Sal		Not QA	042004637-0007	Brown-Non-Fibrous-Homogeneou	400	0	0	0	0	0	0	0	6	0	- č			AB 35/2020
SS-08	Soil		Not QA	042004637-0008	Brown-Non-Fibrous-Homogeneod	400	. 0	0	0	0	. 0	0	0	ö	0	0			AB 3/5/2020
SS-09	Soll		Not QA	042004637-0009	Brown-Non-Fibrous-Homogeneou	400	0	0	0	0	0	0	0	0	0 -	0			AB 3/5/2020
SS-10	Sol		Not QA	042004637-0010	Brown-Non-Fibrous-Hornogeneon	400	Q	o	0	0	0	0	0	0	0	0		w.	OA 3/5/2020
SS-11	Soil		Not QA	042004637-0011	Brown-Non-Fibrous-Hornogeneou	400	0	0	. 0	0	0	0	0	0	0	0			OA 3/5/2020
	Sol		Not QA	042004637-0012	Brown-Non-Fibrous-Homogeneou	400	. 0	0	. 0	0	0		0	D	0	0		w.	<0.25% CH - OA 3/5/2020
	Soil		Not QA		Brown-Non-Fibrous-Homogeneog	400	0	0	9	0	0	0	0	0	0	0		3	OA 3/5/2020
	Sol		Not QA	042004837-0014	Brown-Non-Fibrous-Homogeneoc	400	. 0	0	. 0	0	0	0	0		0	0		3	OA 3/5/2020
	Soil .				Brown-Non-Fibrous-Homogeneou	400	. 0	00	Q	0	0	0	0	0	0	0		w .	OA 3/5/2020
55-16	Sol	_		042004637-0016	Brown-Non-Fibrous-Homogeneou	400	. 0	0	0	0	0	0	0	0	. 0	. 0		E	OA 3/5/2020
	Soil		Not QA	042004637-0017	Brown-Non-Fibrous-Homogeneou	400	0		0	0	0	0	. 0	0	0	٥		ε	OA 3/5/2020
	Soil ·		Not QA	042004637-0018	Brown-Non-Fibrous-Homogeneou	400	0	0	0	0	á	٥	0_	Q	0	0		ω.	OA 3/5/2020
58-19	Sot		200 1 101 1		Brown-Non-Fibrous-Homogeneco	400	. 0	0	0	0	0_	0	0	0	0	0		w	OA 3/5/2020
58-01	Soil	_	9	042004637-0001A	Brown-Non-Fibrous-Homogeneou	400	. 0	0	0	0	0	0	0	0	0	0		3	JP 3/5/2020 - Inter-enalyst QC
SS-07	Soil		9	042004637-0007A	Brown-Non-Fibrous-Homogeness	400	0	0	0	0_	0	0	. 0	0	0	0		3	AB 3/5/2020 - Intra-eneryst QC
58-12	Sof		ω	042004637-0012A	Brown-Non-Fibrous-Hornogeneog	400	0	0		0	0	0	. 0	.0	_ 0	0		Ì	40 25% CH - AG 3/5/2020 - Inter-analyst QC
	i									,									

R35754_EMSL04_042004637_03-05-20_soil_PLM.xism National Asbestos Data Entry Spreadsheet (NADES) for Bulk & Soil Analysis by PLM Point Count ANALYTICAL REPORT

FILE NAME: R35754_EMSL04_042004637_03-05-20_soil_PLM.xism

PROJECT INFO	DRMATION		ANALYSK	INFORMATION		ABBREVIATED NOTES
Site/Project Name:	R35754		Analysis By:	Non-responsi	(a) Valid QA Types:	(b) Valid Mineral Types:
State/Federal Site/Project Identifier:	R35754	EPA 600_PC	Analysis Date:	3/5/2020	Not QA - Not a QA sample	AC - actinolite AM - amosite AN - anthophytite
Site/Project Identifier Code:	R35754	000_FC	Data Entry by:	Non-responsive ba	LD - Lab Duplicate	CH - chrysotile CR - crocidolite TR - tremolite
Lab Name:	EMSL04		Data Entry Date:	3/9/2020	(c) OM Description Standard	WRTA - winchite/richterite/tremolite/actinolite
Lab Job Number:	042004637	1	QA by:	Nor-responding Nor-responding	Selections:	OA - other amphibole NAM - non-aspestis material
Date Received by lab:	02/21/20	l	QA Date:	3/10/2020	Taconite Erlonite	OM - other mineral type (specify in "other mineral description" field)

							Grav. Reduc	tion				Con	centration	(%) for ea	ch mineral	type (b)				
Client Sample ID	Sample Type	Index Suffix ID	QA Type	Lab Sample ID	Sample Appearance	Points Counted	Ash fraction	Acid Fraction	AC	AM	AN	СН	CR	TR	WRTA	OA	NAM	ОМ	OM Type (b)	Total (%)
SS-01	Soil			042004637-0001	Brown-Non-Fib	400	1,000	1.000												0.0
SS-02	Soil		Not QA	042004637-0002	Brown-Non-Fib	400	1.000	1,000												0.0
SS-03	Soil		Not QA	042004637-0003	Brown-Non-Fib	400	1.000	1.000												0.0
SS-04	Soil		Not QA	042004837-0004	Brown-Non-Fib	400	1.000	1.000												0.0
SS-05	Soil		Not QA	042004837-0005	Brown-Non-Fib	400	1.000	1.000												0.0
SS-08	Soil		Nat QA	042004637-0008	Brown-Non-Fib	400	1.000	1.000												0.0
SS-07	Soil		Not QA	042004837-0007	Brown-Non-Fib	400	1,000	1.000												0.0
SS-08	Soil		Not QA	042004637-0008	Brown-Non-Fib	400	1.000	1.000												0.0
SS-09	Soil		Not QA	042004637-0009	Brown-Non-Fib	400	1.000	1.000												0.0
SS-10	Soil		Not QA	042004637-0010	Brown-Non-Fib	400	1,000	1.000												0.0
SS-11	Soil		Not QA	042004637-0011	Brown-Non-Fib	400	1.000	1.000												0.0
SS-12	Soil			042004637-0012	Brown-Non-Fib	400	1,000	1.000												0.0
SS-13	Soil		Not QA	042004637-0013	Brown-Non-Fib	400	1.000	1.000												0.0
SS-14	Soil		Not QA	042004837-0014	Brown-Non-Fib	400	1,000	1.000												0.0
SS-15	Soil			042004837-0015	Brown-Non-Fib	400	1.000	1.000												0.0
SS-16	Soil		Not QA	042004637-0016	Brown-Non-Fib	400	1.000	1.000												0.0
SS-17	Soil		Not QA	042004837-0017	Brown-Non-Fib	400	1.000	1.000												0.0
SS-18	Soli		Not QA	042004837-0018	Brown-Non-Fib	400	1.000	1.000												0.0
SS-19	Soil		Not QA	042004837-0019	Brown-Non-Fib	400	1.000	1.000												0.0
SS-01	Soll	-	В	042004837-0001A	Brown-Non-Fib	400	1,000	1.000												0.0
SS-07	Soil		LD	042004637-0007A	Brown-Non-Fib	400	1.000	1.000												0.0
SS-12	Soil		9	042004637-0012A	Brown-Non-Fib	400	1,000	1.000												0.0



Asbestos Data Package

EMSL Order ID: 042004637

Techlaw, Inc. DAS #R35754

Prepared By: EMSL Special Projects Group

Date: March 10, 2020



TABLE OF CONTENTS

- 1. Case Narrative
- 2. Tabulated Sample Results
- 3. Worksheets/Bench Sheets
- 4. QC Data Reports/Logs
- 5. Client and EMSL Internal Chains of Custody
- 6. Equipment Performance Checks
- 7. NVLAP/AIHA Certifications
- 8. Customer Correspondence
- 9. Shipping Documentation



1. Case Narrative

Page 3 of 53

EMSL ANALYTICAL, INC. 200 ROUTE 130 NORTH CINNAMINSON, NJ 08077

> PHONE: (800) 220-3675 FAX: (856) 858-4960

March 10, 2020

Techlaw, Inc.
139 Peninsula Street
Wheeling, WV 26003
(304)230-1230
@TechLawlnc.com

Re: Narrative: PLM EPA/600/R-93/116 with Milling Prep; EMSL Order: 042004637, Case #R35754

Dear long

On February 21, 2020, EMSL Analytical, Inc. in Cinnaminson, NJ received nineteen (19) soil samples for asbestos content analysis via PLM EPA/600/R-93/116 with milling. All samples were received via FedEx under Chain of Custody #3-022020-124148-0001 from Techlaw, Inc. The samples were received in good condition and were logged in following normal lab procedures.

PLM EPA/600/R-93/116 with Milling Prep

The samples were dried prior to being placed in the puck mill. The milled samples were analyzed via Polarized Light Microscopy (PLM) using the procedures from the PLM EPA 600/R-93/116 method. All data was reported on a percent asbestos basis. Per the EMSL SOP method, any sample having asbestos content (visual estimation) ranging from <1 to 10% was subject to a 400 point count. The limit of quantification for this method is <0.25

QC Performed

Two inter-analyst and one intra-analyst QC analyses were completed with acceptable results. Quality Control for this project was performed in compliance with EMSL's Quality Assurance Manual.

I certify that this data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. In addition, I certify, that to the best of my knowledge and belief, the data as reported are true and accurate. Release of the data contained in this data package has been authorized by the Laboratory Manager or their designee, as verified by the following signature.

Non-responsive based on revised scope Non-responsive based on revised scope Non-responsive based on revised scope Non-responsive based on revised scope

3/10/20

Benjamin Ellis

Senior Scientist - Special Projects EMSL Cinnaminson, NJ

















2. Tabulated Sample Results



200 Route 130 North Cinnaminson, NJ 08077
Phone/Fax: (800) 220-3675 / (856) 786-5974
http://www.EMSL.com / cinnasblab@EMSL.com

EMSL Order: 042004637 Customer ID: TCHL75

Customer PO: Project ID:

Attention:

TechLaw Inc. 139 Peninsula St. Wheeling, WV 26003 Phone:

Fax: Received:

02/21/2020 10:40 AM

Analysis Date:

03/05/2020

Collected: 02/19/2020

Project: DAS #R35754

Test Report: Asbestos Analysis of Bulk Building Materials via EPA 600/R-93/116 Method using PLM and Milling Prep. Quantitation using 400 Point Count Procedure

Asbestos Non-Asbestos Sample Description % Fibrous % Non-Fibrous % Туре Appearance None Detected P-01 - R35754-01 / Brown 100.0% Non-fibrous (Other) SS-01 3-1050 042004637-0001 Non-Fibrous Homogeneous None Detected SS-02 P-02 - R35754-02 / Brown 100.0% Non-fibrous (Other) 3-1054 042004637-0002 Non-Fibrous Homogeneous 100.0% Non-fibrous (Other) None Detected SS-03 P-03 - R35754-03 / Brown 042004637-0003 3-1057 Non-Fibrous Homogeneous None Detected 100.0% Non-fibrous (Other) SS-04 P-03 - R35754-04 / Brown 042004637-0004 3-1060 Non-Fibrous Homogeneous SS-05 P-04 - R35754-05 / Brown 100.0% Non-fibrous (Other) None Detected 3-1063 042004637-0005 Non-Fibrous Homogeneous 100.0% Non-fibrous (Other) **None Detected** SS-06 P-05 - R35754-08 / 3-1066 042004637-0006 Non-Fibrous Homogeneous None Detected SS-07 P-06 - R35754-07 / Brown 100.0% Non-fibrous (Other) 042004637-0007 3-1069 Non-Fibrous Homogeneous 100.0% Non-fibrous (Other) **None Detected** P-07 - R35754-08 / Brown 3-1072 042004637-0008 Non-Fibrous Homogeneous 100.0% Non-fibrous (Other) **None Detected** Brown SS-09 P-08 - R35754-09 / 042004637-0009 3-1075 Non-Fibrous Homogeneous 100.0% Non-fibrous (Other) None Detected Brown SS-10 P-09 - R35754-10 /

Disclaimer:Some samples may contain asbestos fibers present in dimensions below PLM resolution limits. The limit of detection as stated in the method is 0.25%. EMSL Analytical Inc suggests that samples reported as <0.25% or none detected undergo additional analysis via TEM. The above test report relates only to the items tested. This report may not be reproduced, except in full, without written approval of EMSL Analytical Inc. This test report must not be used by the client to claim product endorsement by NVLAP or any agency of the United States Government. EMSL Analytical Inc., bears no responsibility for sample collection activities, analytical method limitations, or the accuracy of results when requested to separate layered samples. EMSL Analytical Inc., liability is limited to the cost of sample analysis. The test results contained within this report meet the requirements of NELAC unless otherwise noted. Samples received in good condition unless otherwise noted. Unless requested by the client, building materials manufactured with multiple layers (i.e. lincleum, wallboard, etc.) are reported as a single sample.

Samples analyzed by EMSL Analytical, Inc. Cinnaminson, NJ NVLAP Lab Code 101048-0, AlHA-LAP, LLC-IHLAP Lab 100194, NYS ELAP 10872, NJ DEP 03036, PA ID# 68-00367

Non-Fibrous

Homogeneous

Initial report from: 03/06/2020 09:29:15

Page 6 of 53

3-1078

042004637-0010



200 Route 130 North Cinnaminson, NJ 08077
Phone/Fax: (800) 220-3675 / (858) 786-5974
http://www.EMSL.com / cinnasblab@EMSL.com

EMSL Order: 042004637 Customer ID: TCHL75

Customer PO: Project ID:

Attention: Non-responsive based on revised

TechLaw Inc. 139 Peninsula St. Wheeling, WV 26003 Phone: (304) 230-1230

Fax:

Received: 02/21/2020 10:40 AM

Analysis Date: 03/05/2020 Collected: 02/19/2020

Project: DAS #R35754

Test Report: Asbestos Analysis of Bulk Building Materials via EPA 600/R-93/116 Method using PLM and Milling Prep. Quantitation using 400 Point Count Procedure

			Non-	<u>Asbestos</u>	<u>Asbestos</u>
Sample	Description	Appearance	% Fibrous	% Non-Fibrous	% Type
SS-11 042004637-0011	P-10 - R35754-11 / 3-1081	Brown Non-Fibrous Homogeneous		100.0% Non-fibrous (Other)	None Detected
SS-12 042004637-0012	P-11 - R35754-12 / 3-1084	Brown Non-Fibrous Homogeneous		100.0% Non-fibrous (Other)	<0.25% Chrysotile
SS-13 042004637-0013	P-12 - R35754-13 / 3-1087	Brown Non-Fibrous Homogeneous		100.0% Non-fibrous (Other)	None Detected
SS-14 042004637-0014	P-12 - R35754-14 / 3-1090	Brown Non-Fibrous Homogeneous		100.0% Non-fibrous (Other)	None Detected
SS-15 042004637-0015	P-13 - R35754-15 / 3-1093	Brown Non-Fibrous Homogeneous		100.0% Non-fibrous (Other)	None Detected
SS-16 042004637-0016	P-14 - R35754-16 / 3-1096	Brown Non-Fibrous Homogeneous		100.0% Non-fibrous (Other) ·	None Detected
SS-17 042004637-0017	B-15 - R35754-17 / 3-1099	Brown Non-Fibrous Homogeneous		100.0% Non-fibrous (Other)	None Detected
SS-18 042004637-0018	B-16 - R35754-18 / 3-1102	Brown Non-Fibrous Homogeneous		100.0% Non-fibrous (Other)	None Detected
SS-19 042004637-0019	B-17 - R35754-19 / 3-1105	Brown Non-Fibrous Homogeneous		100.0% Non-fibrous (Other)	None Detected

Disclaimer: Some samples may contain asbestos fibere present in dimensions below PLM resolution limits. The limit of detection as stated in the method is 0.25%. EMSL Analytical Inc suggests that samples reported as <0.25% or none detected undergo additional analysis via TEM. The above test report relates only to the items tested. This report may not be reproduced, except in full, without written approval of EMSL Analytical Inc. This test report must not be used by the client to claim product endorsement by NVLAP or any agency of the United States Government. EMSL Analytical Inc., bears no responsibility for sample collection activities, analytical method limitations, or the accuracy of results when requested to separate layered samples. EMSL Analytical Inc., liability is limited to the cost of sample analysis. The test results contained within this report meet the requirements of NELAC unless otherwise noted. Samples received in good condition unless otherwise noted. Unless requested by the client, building materials manufactured with multiple layers (i.e. linoleum, wallboard, etc.) are reported as a single sample.

Samples analyzed by EMSL Analytical, Inc. Cinnaminson, NJ NVLAP Lab Code 101048-0, AlHA-LAP, LLC-IHLAP Lab 100194, NYS ELAP 10872, NJ DEP 03036, PA ID# 68-00367

Initial report from: 03/06/2020 09:29:15



200 Route 130 North Cinnaminson, NJ 08077
Phone/Fax: (800) 220-3675 / (856) 786-5974
http://www.EMSL.com / cinnasblab@EMSL.com

EMSL Order: 042004637 Customer ID: TCHL75

Customer PO: Project ID:

Attention:

Non-responsive based on revised sod Non-responsive based on revised sod

TechLaw Inc. 139 Peninsula St. Wheeling, WV 26003 Phone: (3

(304) 230-1230

Fax:

02/21/2020 10:40 AM

Analysis Date:

03/05/2020

Collected:

Received:

02/19/2020

Project: DAS #R35754

Test Report: Asbestos Analysis of Bulk Building Materials via EPA 600/R-93/116 Method using PLM and Milling Prep. Quantitation using 400 Point Count Procedure

Non-Asbestos

Asbestos

Sample

Description

Appearance

% Fibrous

% Non-Fibrous

% Туре

Analyst(s)



Non-responsive based on revised scope Non-responsive based on revised scope Non-responsive based on revised scope

or other approved signatory

Disclaimer: Some samples may contain asbestos fibers present in dimensions below PLM resolution limits. The limit of detection as stated in the method is 0.25%. EMSL Analytical Inc suggests that samples reported as <0.25% or none detected undergo additional analysis via TEM. The above test report relates only to the items tested. This report may not be reproduced, except in full, without written approval of EMSL Analytical Inc. This test report must not be used by the client to claim product endorsement by NVLAP or any agency of the United States Government. EMSL Analytical Inc., bears no responsibility for sample collection activities, analytical method limitations, or the accuracy of results when requested to separate leyered samples. EMSL Analytical Inc., liability is limited to the cost of sample analysis. The test results contained within this report meet the requirements of NELAC unless otherwise noted. Samples received in good condition unless otherwise noted. Unless requested by the client, building materials manufactured with multiple layers (i.e. lineleum, wallboard, etc.) are reported as a single sample.

Samples analyzed by EMSL Analytical, Inc. Cinnaminson, NJ NVLAP Lab Code 101048-0, AlHA-LAP, LLC-IHLAP Lab 100194, NYS ELAP 10872, NJ DEP 03036, PA ID# 68-00367

Initial report from: 03/06/2020 09:29:15

age 8 of 3

FILENAME:

R35754_EMSL04_042004637_03-05-20_soil_PLM.xism

National Asbestos Data Entry Spreadsheet (NADES) for Bulk & Soil Analysis by PLM

	Media:	soil
R35754	Date received by lab:	2/21/2020
R35754	Chain of Custody Number:	3-022020-124148-000
EMSL04	Analyzed by:	responsive based on revise responsive based on revise responsive based on revise
042004637	Analysis date:	3/5/2020
	R35754 EMSL04	Chain of Custody Number: EMSL04 Analyzed by:

R35754_EMSL04_042004637_03-05-20_soil_PLM.xism National Asbestos Data Entry Spreadsheet (NADES) for Bulk & Soil Analysis by PLM

Lab Name EMSL04	Analyzed by: Non-respons
Lab Job No: 042004837	Analysis date: (3/5/2020
Data Entry by: Non-responsive by Data Entry Date: 3/9/2020	QA by: Non-responsion QA Date: 3/10/2020

Client Comple	Index	Index	QA Type	Lat Sauda	Manuel				OPTICAL	L PROPER	TIES			
Client Sample Number	Suffix Char.	Suffix No.	(a)	Lab Sample Number	Mineral Type (b)	Morph	Fiber Color	Sign Elong, (+/-)	Pleoch (Y/N)	Angle Extinct.	Ref. Index a (parallel)	Ref, Index y (perpendicular)	Biref.	Comments .
SS-01			Not QA	042004837-0001										AB 3/5/2020
SS-02			Not QA	042004837-0002										AB 3/5/2020
SS-03			Not QA	042004837-0003										AB 3/5/2020
SS-04			Not QA	042004837-0004										AB 3/5/2020
SS-05			Not QA	042004637-0005										AB 3/5/2020
\$\$-06			Not QA	042004637-0006										AB 3/5/2020
\$S-07		I.,	Not QA	042004837-0007							Ĺ			AB 3/5/2020
SS-08			Not QA	042004837-0008										AB 3/5/2020
SS-09			Not QA	042004837-0009										AB 3/5/2020
SS-10			Not QA	042004637-0010										OA 3/5/2020
SS-11			Not QA	042004637-0011						Ē				OA 3/5/2020
SS-12			Not QA	042004637-0012	Ċ	w	ြင	+ +	N	P P	1,551	1.557	L	OA 3/5/2020
SS-13			Not QA	042004837-0013										OA 3/5/2020
SS-14			Not QA	042004837-0014										OA 3/5/2020
SS-15			Not QA	042004837-0015							· -			OA 3/5/2020
\$S-16		Γ_{-}	Not QA	042004837-0016						I				OA 3/5/2020
SS-17			Not QA	042004837-0017										OA 3/5/2020
SS-18			Not QA	042004637-0018										OA 3/5/2020
SS-19	1		Not QA	042004837-0019										OA 3/5/2020 ·
SS-01			9	042004837-0001	Α									JP 3/5/2020 - Inter-analysi
SS-07		L	9	042004837-0007	Α								I	AB 3/6/2020 - Intre-analys
SS-12			Ф	042004837-0019	СН	w	С	+	N	P	1.551	1.554	1	AG 3/5/2020 - Inter-enalys
								L	L					

. R35754_EMSL04_042004037_03-05-20_soil_PLM.xism National Asbestos Data Entry Spreadshert (NADES) for Bulk & Soil Analysis by PLM Visual Estimation ANALYTICAL REPORT FILE NAME: R35764_EMSL04_042004037_03-05-20_soil_PLM.xism

					PROJECT 6	FORMATIO						$\neg \neg$		_	_		AN	ALYSIS	NEORIX	ATION				_					_				ASS	REVIATE	D NOTE	-				
IteProject Name					R35754		Lab Mame			EMSLO		\Box	Method:	Anu	lysis Dj	7.	Non-	resp		Data	Entry D	rte	3/9/202	20			OATyon:		(b) Ye	d Moeral	Types, A	- extroite					H - Chrysol	*	(c) QN D	escription (StateStral Sefection):
tamFederal \$15	Project M	والإنجار			R35754		Lab Job N	umber:		042004	837			Ana	fysis Da	rte:	327	TEXA)		9	У		Non-re	Spons)	V	Mot GA	· Not a QA sa	mple	CR . c	rocupite 1	TR - temo	Le WRTA .	writtels	riconiertre	notioned	anothe Of	- OCHE 617	amboir	1.5.101	Taconde
kterProject klend	Ser Code:				R35754		Date Rece	hed by lab:		02/21/2	و		EPA 600 V	Out	Entry	by	No.			QAE	Date		STILLE	223		an.ua	Duplicate		KAM-	non-este	esta meteri	# CM - at	THE PROPERTY IN	type (spe	ety et "ce	ner minera	description	n' fest)		Erronde
		$\overline{}$							_	_		_		_	_					=		E		=	· · · · · ·	-	60% as 60.0			_				_		=		_	 -	
	1	ł	1 1	1 1		1	1	Rese Money	Ι-			_		т.			т.	_	_	_	_				_		which have be		$\overline{}$			Managaba	abri Urb	AT T	_	_		-1	1	
	i	Inde		1 1		l	1	Type of	\Box	ctinolite	,,		nosite (AM)			ALTO (AN)		Chrysota			rocklodite			emo Ru	,		Pontactine Don	(WRTA)		Апрыво	(AD) ele		UAM)	·- I	Other	Milneral Ty	lès (ons			
Chara Sample Number	Sample	186		1.22	Lab Sample Number	Sample	Ref Materia	Reference Material (b)	Ousi	AC-AF	AC-MF	P	VIII-VE VIII-V	F Qu	d ANA	F ANMF	Out	CHA	O+W	0.0	CR-AF	CRAF	Over	TRJE	TR-MF	S S	WRTA-AF	WRIAN	Ouel	CAAF	CANF	Out NA	AF NA	F	- O'		WF 04		ا۔	Commerce
S-01	(See			Not CA	042004837-000	Branden,		AC.	1 4			-		1 11		- (7)	ĪΨ.	170	+ 177	1 10		-177	- 11	- 121	170	-			+	(3)	1	 "		~ + 		40	1) Tree	C) Develop	AB 3/5/20	
3-00	Bol			NACA	DEC004937-000	Srown-Hon-I	Accrette	AC:	Ü			Ü		Ü		_	ŤŪ			Τů			υŤ	$\overline{}$		72			Ιŭ		-	<u> </u>	_	-		-	+	100	48362	
5-03	Bot	\mathbf{I}^{-}			047004537-000			_AG	Ü					Τū			Ū			Ūΰ			υ		T	7			Ü			ŭ l		_	+	\neg	$\overline{}$	No.	AB 36/2	
39-04	Bol			Not On	947504537-000	Brownskand	Astrony	#6	и.			v		Τū			V.			v			v			v			- U			Ü	┪-	_	-	_	_	No.	AB 35/20	
3-05	804	_			040004037-0000			AC	U			U		Ų			, u			ΙÜ			Ū I			ř			υ			ů.	\neg		, , , ,			Hap	A8 29725	
8-05	304	_		NATA	04200437-000	Brown Hon-	Actro	AG.	v		_	9		¥			T.v.		$\Gamma =$	Ιū			3			٦			Lu			Ū.				$\overline{}$		No	AB 3/5/20	
\$407	Bet	_	_	Not On	047004537-000	Brown Non-I	Actinoths	AC	v			13	_			_	ų.			ÿ			v			9			Lu			v.I.			$\overline{}$			No	AB 3/5/20	20
3-00	Bol	-	-	Not OA	0-700-907-909	Down Hon-	Actrodin	NG.	V			3		ע		-	V		_	7			2			2			U			U				\equiv	\perp	No	AB 3 V Z	
5-09	594	+-			040104637-000			AG	v			3		v		-	v		-	- X		_	2	_	_	7	_		v			Ų.	\perp			\bot		N	AB 3/3/20	
S-10	804	+			042004637-071			_AG	V.	_		5	_	u			1.1			Ų.		_		_		7	_		U	1		u .				_	_	No	0.352	
8-11	Got	+-			042004637-001			AC.	LU.			3		Д.У		+	Ų.			V.		\vdash	5		-	-	_		U	\vdash	_	Ū		L	Ц.	\perp	\rightarrow	No	OA 353	
5-12	804	+			047004537-001				v	_		2		v			750	۰.		Ę			3			2					_	٧.	_				_	No_		H - OA 3/6/7920
9-13	304	+			042004837-021			IR	у.	_		2		ļ		+	! !!			v		<u> </u>	ų.	_	_	2		_	-			٧	_				_	NO.	OA 34620	
9-14	504	-			01707-937-001			<u> </u>	v	_		2		ų.		+	_			44		_	y	_	$\overline{}$	ч.		-	U	\vdash		<u> </u>	-	_		_	_	No.	Q43/9/20	
S-15	1891—	+-			042004837-001				L.V.	-		2		- 4	+-	+	Ų.	\leftarrow	-	¥.			y.		_				U_	\vdash		٧.	-	_		—	-	No.	OA 3/6/25	
\$-16	504	+-			042004037401			IR.		_	\vdash	ų,	. —	+ 2		+	٧.	-	-	Ų		-	<u> </u>	_	-	<u>u</u>		-	V.	\vdash		U.	_	_		-	-	No.	OA 3/9/25	
S-17	Dod.	-			247024637-001				Ų.	-						+-	Ų		⊢	¥.			Ÿ	-	-	v		-	Ü.			v.		=				No.	OA 3/5/25	
0-10	Dod Dod	+-			047004537-001			TR	ų.	-		v.		- 12		+	23		⊢-	1 ::			2	-			_		v	-		<u> </u>					-	No	OA 3/0/70	
5-19	DOA	+	+-		047004837-0019			1 18	2			3		15		+-	1 3	-		1 5		-		-	\vdash	- 2	-					<u>u</u>		-1		→	+	No	ON MADE	
S-01	201	+	+		042004837-000			1 TR	1 5	-	-	8 1	-			-		-		T X		_	· Ľ	-	-	V.	-		U		-	y .	-+-			+	+	190		20 - How arrested OC
	504	-	+					AC.	1 8	_	_	- 2 -		- 2		+-	Ų.			18				_	_	у					\rightarrow	<u> </u>	-	_		-	-	Nq		20 - Intra-graphy CC
S-12	1004	+-	+-	~	042004837-001	A SECRETARIAN PROPERTY.	- ACTION	 ~	+ ~		\vdash	-	_	+*	-	+	trees	4	+	۳.		_	v		-	-			ų,	┅	\vdash	<u> </u>		_	4-	+-	-	No.	-0.75% C	H - AG 3/5/2020 - Promierowys.
				_					_	_							_			_			_						_				_		_		_			

R35754_EMSL04_042004637_03-05-20_soil_PLM.xism National Asbestos Data Entry Spreadsheet (NADES) for Bulk & Soil Analysis by PLM Point Count

Site or Project Name: State/Federal Site or Project Identifier:		Point Count Method:	'SPA KALD'	ABBREVIA (e) Valid Q	ATED NOTES: A Types:	(b) Valid M	heral Types:		
Site/Project Identifier Code:	R35754	Tour over monor.	the same as an a same to	Not QA	Not a QA sample	AC	actinosta	WRTA	winchite/richterite/tremolite/actinolite
Lab Name:	EMSL04			LD	Leb Duplicate	AM	amesite	OA	other emphibale
Lab Job No:	042004637	Data Entry by:	Non-responsive			AN	enthophylite	NAM	non-esbestos material
Date received by lab:	02/21/20	Data Entry Date:	3/9/2020			¢н	chrysotile	ОМ	other mineral type
Analyzed by:	Non-respo	QA by:	Non-respon			CR	crocidolite		(c)OM Description Standard Selections:
Analysis Date:	3/5/2020	QA Date:	3/10/2020			TR	tremolite		Teconit
									Eriorit

											Counte	for each min	eral type (b)						
Stent Sample Number	Sample Type	index Suffix ID	QA Type (a)	Lab Sample Number	Sample Appearance	Points Counted	AC	AM	AN	CH	CR	TR	· WRTA	OA	NAM	ОМ	OM Type (c)	Deviation?	Comments
SS-01	Soil		Not QA	042004837-0001	Brown-Non-Fibrous-Hornogeneou	400	0	. 0	0		0	_0_		. 0	0	0		No	AB 3/5/2020
58-02	Boll		Not QA	042004637-0002	Brown-Non-Fibrous-Homogeneou	400	0	0	0	0	0	. 0	_ 0	0	0	0		No	AB 3/5/2020
SS-03	Soil		Not QA.	042004637-0003	Brown-Non-Fibrous-Homogeneos	400.	0	0	0.	0	0	. 0	. 0	0	0	0		No	AB 3/5/2020
9-04	Soil		Not QA .	042004837-0004	Brown-Non-Fibrous-Homogeneou	400	0	0	0	0_	٥	0	0	0	0	0		No	AB 3/5/2020
8-05	Sol		Not QA	042004837-0005	Brown-Non-Fibrous-Homogeneou	400	0_	- 0	0	0	0	0	0		0	0	L	No	AB 3/6/2020
38-06	BoB		Not QA	042004837-0008	Brown-Non-Fibraus-Homogeneou	400	0	. 0.	_ 0 _	0	0	0	0		0	0		No	AB 3/5/2020
SS-07	Soil		Not QA	042004837-0007	Brown-Non-Fibrous-Homogeneou	400	0	_ D	0	0	00	.0	0	0	٥	. 0		No	AB 3/5/2020
S-08	Soli		Not QA	042004837-0008	Brown-Non-Fibrous-Homogeneos	400	. 0	0	0.	٥	0	0	0	0	0	0		No _	AB 3/5/2020
3-09	Soil		Not QA	042004637-0009	Brown-Non-Fibrous-Homogeneou	400	0	0	0	0	0	0	0 .	. 0	0	0		Nο	AB 3/5/2020
S-10	Boll		_		Brown-Non-Fibrous-Homogeneou	400	0	0		0	0	٥	0	0	0	0		No.	OA 3/5/2020
35-11	Soil		Not QA		Brown-Non-Fibrous-Hornogeneou	400	0	0	0 .	0	0	0 -	0	.0	0	0		No	OA 3/5/2020
SS-12	Soll		Not QA	042004637-0012	Brown-Non-Fibrous-Homogeneou	400	٥	-	0		0	0	0	0	0	.0		No	<0.25% CH - QA 3/5/2020
SS-13	Sol		Not QA		Brown-Non-Fibrous-Homogeneou	400	0	0	0	0	0	0	0	,	0	0		No	OA 3/5/2020
S-14	Soð				Brown-Non-Fibrous-Homogeneco	400	0	0	0	0	0	0	0	0	0	0		No	OA 3/5/2020
39-15	Sel		Not QA	042004837-0015	Brown-Non-Fibrous-Homogeneou	400	0		0	. 0	0	0	0	0	0	0		No	OA 3/5/2020
9-16	Boll	_			Brown-Non-Fibrous-Homogeneou	400	0	-	0	0	0	0	0	0.	0	0		No	OA 3/5/2020
9-17	80)				Brown-Non-Fibrous-Homogeneon	400	0	0	0	0	ó	0	0	0	0	0		No	OA 3/5/2020
S-18	Sol		Not QA		Brown-Non-Fibrous-Homogeneou	400	0	0		. 0	٥	0	0	0		0		No	OA 3/5/2020
S-19	Soil				Brown-Non-Fibrous-Homogeneou	400	0		0	0	0		0	0	0	0		No	OA 3/5/2020
3-01	Sol				Brown-Non-Fibrous-Homogeneou	400	0	0	0	0	0	0	0	0	٥	0		No	JP 3/5/2020 - Inter-englyst QC
3-07	Sol		LD .		Brown-Non-Fibrous-Homogeneou	400	0	0	0	•	0	0	•	0	0	0		No	AB 3/5/2020 - Intra-enelyst QC
8-12	Sol				Brown-Non-Fibrous-Homogenece	400	0	9		0	0	0		0	0	0			<0.25% CH - AG 3/5/2020 - Inter-enetys
	 																		

R35754_EMSL04_042004637_03-05-20_soil_PLM.xlsm

National Asbestos Data Entry Spreadsheet (NADES) for Bulk & Soil Analysis by PLM Point Count ANALYTICAL REPORT

FILE NAME: R35754_EMSL04_042004637_03-05-20_soil_PLM.xlsm

PROJECT INFOR	RMATION		ANALYSI	SINFORMATION		ABBREVIATED NOTES
Site/Project Name:	R35754	Method:	Analysis By:	Non-respons	(a) Valid QA Types;	(b) Valid Mineral Types:
State/Federal Site/Project Identifier:	R35754	600_PC	Analysis Date:	3/5/2020	Not QA - Not a QA sample	AC - actinolite AM - amosite AN - anthophyllite
Site/Project Identifier Code:	R35754	000_F0	Data Entry by:	Non-responsive by	LD - Lab Duplicate	CH - chrysotile CR - crocidalite TR - tremalite
Lab Name:	EMSL04	1	Data Entry Date:	3/9/2020	(c) OM Description Standard	WRTA - winchite/richterite/tremolite/actinolite
Lab Job Number:	042004637		QA by:	Non-responsit	Selections:	OA - other amphibole NAM - non-asbestis material
Date Received by lab:	02/21/20	<u> </u>	QA Date:	3/10/2020	Taconite Erionite	OM - other mineral type (specify in "other mineral description" field)

							Grav. Reduc	tion				Соп	centration	1 (%) for ea	ch minera	type (b)				
Client Semple ID	Sample Type	Index Suffix ID	QA Type (a)	_Lab Sample ID	Sample Appearance	Points Counted	Ash fraction	Acid Fraction	AC .	_ AM	AN	СН	CR	TR	WRTA	O.A	NAM	OM.	OM Type (b)	Total (%
SS-01	Soil		Not QA	042004837-0001	Brown-Non-Fib	400	1.000	1.000												0.0
SS-02	Soil		Not QA	042004637-0002	Brown-Non-Fib	400	1.000	1.000											1	0.0
SS-03	Soil		Not QA	042004837-0003	Brown-Non-Fib	400	1.000	1.000							$\overline{}$					0.0
SS-04	Soll		Not QA	042004637-0004	Brown-Non-Fib	400	1.000	1.000												0.0
SS-05	Soll		Not QA	042004837-0005	Brown-Non-Fib	400	1.000	1.000							$\overline{}$					0.0
SS-08	Soll		Not QA	042004637-0006	Brown-Non-Fib	400	1.000	1.000												0.0
SS-07	Soll		Not QA	042004637-0007	Brown-Non-Fib	400	1.000	1.000												0.0
SS-08	Soil		Not QA	042004837-0008	Brown-Non-Fib	400	1.000	1.000												0.0
SS-09	Soll		Not QA	042004637-0009	Brown-Non-Fib	400	1,000	1.000												0.0
SS-10	Soil		Not QA	042004837-0010	Brown-Non-Fib	400	1.000	1.000												0.0
SS-11	Soil		Not QA	042004837-0011	Brown-Non-Fib	400	1.000	1.000												0.0
SS-12	Soll		Not QA	042004637-0012	Brown-Non-Fib	400	1.000	1.000												0.0
SS-13	Soll		Not QA	042004637-0013	Brown-Non-Fib	400	1.000	1.000												0.0
SS-14	Soll		Not QA	042004837-0014	Brown-Non-Fib	400	1.000	1.000												0.0
SS-15	Soil		Not QA	042004837-0015	Brown-Non-Fib	400	1.000	1.000												0.0
SS-18	Soil		Not QA	042004837-0018	Brown-Non-Fib	400	1.000	1.000												0.0
SS-17	Soil		Not QA	042004837-0017	Brown-Non-Fib	400	1.000	1.000											I	0.0
SS-18	Soil		Not QA	042004637-0018	Brown-Non-Fib	400	1.000	1.000												0.0
SS-19	Soil		Not QA	042004637-0019	Brown-Non-Fib	400	1.000	1.000												0.0
SS-01	Soft		LD	042004837-0001A	Brown-Non-Fib	400	1.000	1,000												0.0
SS-07	Soil	$\overline{}$	ĹD	042004837-0007A	Brown-Non-Fib	400	1,000	1,000												0.0
SS-12	Soll		LD	042004837-0012A	Brown-Non-Fib	400	1,000	1.000											 	0.0
	+				1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1			1			$\overline{}$					_			 	 3.0 -



3. Worksheets/ Bench Sheets

ASB-TMP-200 PLM QC

Revision 9

Revision Date: January 29, 2020 Effective Date: February 28, 2020

Monthly PLM Bulk QC Summary

		Laboratory:	EMSL04		Report #	1		Mo	onth/Year	: Mar-20	
		Reference #		Origina	al Result	QC	Result	Varia	ince		Comment
	Date	XXXX	Sample #	Analyst	% Asb	Analyst	% Asb	Original	QC	Conclusion	or CAR#
		Variance (Var)	The difference of t	he 2 results o	livided by th	ne mean of t	he 2 results				
-			1=: - 		eptance Cr	iteria					1
		Inter-Analyst:	The QC Passes w The QC Passes w								
		Intra-Analyst: Qualitative Failure: Warning:	A Qualitative Failu Warnings Occur w	re occurs wh	en the Origi			•		ove),	
L			but the 2 results a	re on opposite	e sides of th	e >1% ACM	definition.				
1	3/5/20	042004637	-0001	AB	0	JP	0	0.00	0.00	Pass	
2	3/5/20	042004637	-0007	AB	0	AB	0	0.00	N/A	Pass	

tate/Federal Site/Project Identifier ab Name: ab Job Number: Client Sample Number S-01 S-02 S-03 S-04 S-05 S-06 S-06			R35754 EMSL04 042004637 Mineral Type	Morph	Fiber Color		Method: Analysis By: Analysis Date Media: OPTICAL PR	OPERTIES Angle	BUIL SDII	Ref. Index	Died
ab Name: ab Job Number: Client Sample Number S-01 S-02 S-03 S-04 S-05 S-06		Index Suffix	EMSL04 042004637 Mineral	Morph	Fiber Color	Sign Elong.	Analysis Date Media: OPTICAL PR	OPERTIES Angle	BUH SDII	Non-Mashina	Di-of
Client Sample Number S-01 S-02 S-03 S-04 S-05	Index Suffix Char.	Index Suffix	042004637 Mineral	Morph	Fiber Color	Sign Elong.	Media:	OPERTIES Angle	BUH SDII	Non-Mashina	Diest
Client Sample Number S-01 S-02 S-03 S-04 S-05	Index Suffix Char.	Index Suffix	Mineral	Morph	Fiber Color		OPTICAL PR	Angle		Non-Mashina	Direct.
Number S-01 S-02 S-03 S-04 S-05	Index Suffix Char.	Suffix		Morph	Fiber Color			Angle	Ref. Index	Ref. Index	Direct
Number S-01 S-02 S-03 S-04 S-05 S-06	Index Suffix Char.	Suffix		Morph	Fiber Color		Pleoch (Y/N)		Ref. Index	Ref. Index	Direct
S-02 S-03 S-04 S-05							ì	Extinct.	α	γ	Biref.
S-03 S-04 S-05 S-06					<u> </u>						
S-04 S-05 S-06					ļ						
S-05 S-06		1 1									
S-06					<u> </u>						
									<u> </u>		
S-07					·						
S-08											
\$-09					1						
S-10					· .						
S-11						,					
S-12			CH	wavy	clear	+	MS	Darulles	1.551	1.557	Low
S-13				7				,			
SS-14											
S-15											
SS-16											
SS-17		1		<u> </u>							
SS-18					1						
SS-19		1									
75-10	· · · · · · · · · · · · · · · · · · ·	1		1.							
				1	<u> </u>	1	1				
		1		1	1						
		1		1	1	1	1		1		
		1	 	1	-	1	1		1		
		+	 	1	1		1	1	1	-	
Comments			<u> </u>								

Page of	·	Natio	nal Asbest			<i>(NADES) for B</i> YSIS INFORMATI	ulk and Soil Analy	sis by PLM Visual	Estimation
Site/Project Name:			R35754	_			Date Received by Lab:	02/21/20	
State/Federal Site/F	Project Identifi	er:				-	Method:	EPA 600	
Site/Project Identifie	er Code:		R35754		•	•	Analysis By:	Non-responsive based on revised Non-responsive based on revised Non-responsive based on revised	
Lab Name:			EMSL04			•	Analysis Date:	3/5/2020	
Lab Job Number:			042004637			-	Media:	Soil	
Client Sample Number	Sample Type	Index Suffix Char.	Index Suffix No.	QA Type (Not QA or Lab Duplicate)	Lab Sample ID	Sample Appearance	Ref Material Description	Base Mineral Type of Reference Material	VALID MINERAL TYPES AC - actinolite AM - amosite
SS-01	Soil			Not QA	042004637-0001	ישישי ושתלישים	AC	AC	AN - anthophyllite CH - chrysotile
SS-02	Soil			Not QA	042004637-0002	Come AMENIAN	I AC	Ac	CR - crocidolite
SS-03	Soil			Not QA	042004637-0003	Marin Marinas		Ac	TR - tremolite
SS-04	Soil			Not QA	042004637-0004	named en a	AU	AC	WRTA - winchite/ richterite/tremolite/actinolite
SS-05	Soil			Not QA	042004637-0005	named street	AL	AC	OA - other amphibole
SS-06	Soil			Not QA	042004637-0006	אניים אות היים ו	AC	AC.	NAM - non-asbestos material OM - other mineral type
SS-07	Soit			Not QA	042004637-0007	Bam into	AC	AC	
SS-08	Soil			Not QA	042004637-0008	The month of the	AC	AC	COMMENTS:
SS-09	Soil			Not QA	042004637-0009	Bon Nothers	1 740	HC	
SS-10	Soil	↓		Not QA	042004637-0010	MUMBREMORY		AC	
SS-11	Soil			Not QA	042004637-0011	Brann, Anthrus	AC	AC	
SS-12	Soil			Not QA	042004637-0012	Mamageneeus	TR	TK	
SS-13	Soil	 		Not QA	042004637-0013	Memorineus	72	TH	
SS-14	Sail			Not QA	042004637-0014	B. a. Mentioned	TR	TR	
SS-15	Soil			Not QA	042004637-0015	Proving nother wil	S TA	Th	
SS-16	Soil			Not QA	042004637-0016	BUT COMELY	TR	TR	
SS-17	Soil	<u> </u>		Not QA	042004637-0017	Brown nathrac Brown nathrac him general	TR	TR	
SS-18	Soil			Not QA	042004637-0018	Erechin partier	Th	TR	
SS-19	Soil	1		Not QA	042004637-0019	183 Million January 1817	" TR	TR	
		+						,	
		1							
	+	-			 			ļ	

National Asbestos Data Entry Spreadsheet (NADES) for Bulk and Soil Analysis by PLM Visual Estimation

	-																	DAI	A							VALID	MINE	PAI T	VPES							
Site/Project Name:				R3575	4								Date (Receiv	ed by	Lab:	02/21/	20								AC - a		e	WR.		inchite/ tremoli		OM - 0	other minera	1 type	
State/Federal Site/F	Project Id	lentifier:											Metho	d:			EPA 6	00	based on	F						AN - a				inolite	amphi	ibole	OM D	escription St	andard Selections: Tac	onde
Site/Project Identifis	er Code;			R3575	4								Analy	sis By:			Non-re	ponsive	based on							CR - c	rocido	ite	NAM		-asbes				Eric	onite
Lab Name:				EMSL	04								Analy	sis Dat	e; .		3/	Tar	<u> </u>							11.	OT MOLIC	•		ito i ai						
Lab Job Number:				04200	4637								Media	a:			Soil	_			_		_													
Client Sample Number	Index Suffix Char.	Index Suffix 'No.	Qual	AC AF (%)	MF (%)	اهند)	AF (%)	MF (%)	Qual	AF (%)	MF (%)	Qual	AF (%)	MF (%)	Qual	AF (%)	MF (%)	Qual	AF (%)	MF (%)	Qual	AF (%)	MF (%)	Qual	AF (%)	MF (%)	Qual	AF (%)	MF (%)	Qual	AF (%)	MF (%)	ОМ Туре	Analysis Deviation	Comment	s
SS-01			3	\ <u>\``</u>	1.07	U	1	, , , ,	U	1		U	•		Ū			U			Ū			U,			U.			U,				ND		
			U	\neg		V			Ü			C			C			U.			D			U			U			V				1/0		
SS-02 SS-03			ŭ			v			Ŭ						U			Ú			Ū			U			U			U				NO		
			Ŭ			J			()			Ŭ			Ü			\subset			U			()			Ü			\supset				W		
SS-04 SS-05			()	_		Ü			Ŭ			\mathcal{C}						\supset			\bigcup			\bigcirc			\bigcirc			U				NO		
SS-06			5			1)			U			U			C		_	\mathcal{J}			\bigcup			O			U			\cup				NO		
SS-07			Ŭ	\neg		Ŭ	\Box		Ü			\bigcup			Ü			V			V			Ü			\supset			S				CM		
SS-08			U	_		U			V			U			\Box	,					U			7)				NO		·
			Ŏ			Ŭ			Ö			C			U			U			Ú			U.			()			0				No		
55-09			Ŭ			Ü			ΰ			V			Ū			Ū			U			V	\neg		U			V				NU		
SS-10			J			U			Ü			: /						U			U			: /			1/							NO		
SS-11	-		Ü			Ŭ			V	-		40.	25		v			Ŭ			Ŭ			I			W			וש				NO		
SS-12			7	-1		V			Ü			V			U			V			Ĭ.			U	\neg		17			V				NO		
SS-13	-		ולו	-		V			,			<-			()			1)			ŭ			11			VI			U				NU		
SS-14			ŏ	-	$\neg \neg$	17	-	_				V		-	Ŭ			V			U			V	\neg		\vec{O}			i)				M		
SS-15			Ď	-		U	-		×	-		:)	-		Ĭ)		-	Ŭ			11		_	ü	\neg		Ŭ			V	_			MO		
SS-16					\neg	<u> </u>			۲.			7			V			Ĭ			1			ũ		\neg	Ž		\neg	V	-			No		
SS-17			i,	\dashv		V			V			7		-	U			ŭ			Ŭ	\vdash	\dashv	u	-		V	-		Ť	-		-	M		
SS-18	-		V		-	\sim						Š		-	<i>V</i>			I			7		\neg	ü	-	_	V	1		Ĭ				N		
SS-19			4			V	\vdash		7			-			V	-	-	N		-		-		V	{		-	1	-	-			-	100		
			$\left - \right $				\vdash		\vdash						-					-1					\dashv		-	{								
						!			-			_		_			-			-				\vdash			-				-					
															$\vdash \vdash$			\vdash		-1				\vdash												
							\Box																	\vdash						-						
																							_				\sqcup									
										. }]													

Page	of				Nati	ional Asbes	tos Data Ent	ry Spreads	sheet (N	IADES) for Bu	ulk and	Soil A	nalysi	s by P	LM Po	int Cou	nt				
															VALID MI	VERAL TY	PES					
Site/Project Name			R35754			,	Date Received by La	ıb: ·	C2/7:/70						AC - actm		WRTA - win		ente il emolf	e/activolite		
State/Federal Site/Project	identifier:						Method		EPA 600	ve based on	revised sto				AM - amos AN - antho CH - chrys	phylite	DA - other NAM - non-a OM - other	esbestos m				
Sae/Project Identifier Code			R35754				Analysis By:		Non-responsi Non-responsi Non-responsi	ve based on ve based on ve based on	revised sto revised sto revised sto				CR - croci	dolte	OM PODIC			scription Stand	dard Selections E	Erionita
Lab Name:			EMSL04				Analysis Date:		3 Sh	ns					Taconife							
Leb Job Number;			042004637				Media:		Sor													-
Client Sample Number	Sample Type	Index Suffix Char,	Index Suffix Number	QA Type (Not QA or LD)	Lab Sample Number	Date Analyzed	Analysi Name	Sample Appearance	Points Counted	AC Count	AM Counts	AN Counts	CH Counts	CR Counts	TR Counts	LA Counts	OA Counts	NAM Counts	OM Counts	ОМ Туря	Develop 7	Commen
SS-01	Spil			Not QA	042004637-0001	3/5/2020	AS	B. Owner	400	0	U	(i)	0	0	3	0	0	2	0		NU	1
\$S-02	Soil			Not QA		3/5/20W	A3 A8	Brown	P 42	0	0	0	0	Ø	J	೨	0	0	C		S	
\$5-03	Soil			Not QA	042004637-0003	3/5/200	AB	game seat	400	O	0	U	0	ن	0	Ü	0	C	0		NO	
55-04	Soil			Not QA	042004637-0004	2/5/200	AB	1.14/10/2/4/4	400	U	0	U	Ü	Ü	0	0	0	9	2		NO	
SS-05	Soil			Not OA	042004637-0005	3/5/2020	As	Sing fig	1 40		0	0	0	0	0	O	0	Ò	0		No	
\$\$-06	Soil			Not QA	042004637-0006	3/5/280	AB	23. 141 45J.	400	S	3	0	Ü	0	U	C	U	0	0		W	
S5-07	Soil			Not QA	042004637-0007	3/5/2020	AB	Brown Martin	400	0	C	0	0	0	0	0	Ċ	U	0		NO	
SS-08	Soil			Not QA	042004637-0008	3/5/720	#3	LINE CO.	1 100	0	J	D.	0	0	2	0	(C	()		170	
\$5-09	Sort			Not QA	042004637-0009	3/5/200	A13_	B in the	460	Û	0	0	0	0	0	0	\tilde{c}	0	0		16	
SS-10	Soil			Not OA	042004637-0010	315/2026	DA	far number	400	LD.	0	Û	Ď.	U	LQ.	0	0	٥	0		ryo	
SS-11	Soil			Not QA	042004637-0011	315/2000	مرن	A roman	E40)	0	0	ب ب	3	0	Ċ	0	C	0	0		MU	L
SS-12	Soil		·	Not QA	042004637-0012	3/5/2020	CP	The Later	BULL.	1 i		õ	C.	Ç	٩	0	3	2	0		Ni	<u> </u>
55-13	Soil			Not QA	042004637-0013	3/5/2020	UP-	he will me	EYO	0	8)	Q_	υ	0	Ċ.	Ú	0	ί,			110	L
SS-14	Soil			Not QA	042004637-0014	3/5/2026	Qq	Thursday.	HO_	C	10	D_	0	0	C	0	Û	C	0		N)	
SS-15	Soil			Not QA	042004637-0015	25/260	1 1154	part of the	TLW 12	Ç,	10	0	D	0	0	0	$ \dot{c} $	Q	Û		1)0	
\$S-16	Soit			Not QA	042004637-0016	3/5/2020	OF?	DUNG CHO	400	0	0	0	0	0	0	0	()	\mathcal{L}	α		Wi	
SS-17	Soil			Not QA	042004637-0017	3/3/2010	CHA	The work you	5400	D	0	0	6	\circ	\ <u>0</u>	0	Q.	0	Ű		NO.	
SS-18	Soil			Nat QA	042004637-0018	3/5/20:0	ip.	Homozra	YX	0	Q	0	\mathcal{C}	0	0	O	0	9	C		M	
SS-19	Soil			Not QA	042004637-0019	:15/200	OF	The market	400	0	0	0	0	0	0	0	Ŏ	0	0		M	
		<u> </u>			<u> </u>					Ľ.	L											
										L												
	1																					
	—		†	†	· · · · · · · · · · · · · · · · · · ·		l										1					-

Comments



4. QC Data Reports/Logs

Page of	1	N: O	ational A PTICAL	Asbestos (PROPE	Data Entry RTIES DA	Spreadshe TA RECO	et (NADE RDING SI	S) for Bull IEET	k and Soil	Analysis b	y PLM
Site/Project Name	4		R35754				Date Recei	ved by Lab:	2/21/2020)	
State/Federal Site	/Project Identifier:					•	Method:		Non-responsive b	ased on revised so	pe
Site/Project Identif	ier Code:		R35754				Analysis By	:	Non-responsive by Non-responsive by	ased on revised soo ased on revised soo	pe
Lab Name:			EMSL04		· .		Analysis Da	te:		315/20	7i)
Lab Job Number:	-		042004637	QC QC		-	Media:		Soil		
		Index					OPTICAL P	ROPERTIES			
Client Sample Number	Index Suffix Char.	Suffix No.	Mineral Type	Morph	Fiber Color	Sign Elong. (+/-)	Pleoch (Y/N)	Angle Extinct.	Ref. Index α	Ref. Index	Biref.
55-01											
55-01 55-07				i -							
55-12			CH	Wary	clau	+	No	parale	[187]	1554	Low
		-		 	 				 		
<u> </u>		-		 					 		
				 	 	ļ ·			<u> </u>	 	
	 	-			 	 					
	 			 	 						
		-		 							
				 	 -	 			 		
					 				 	-	
					 				 		
	<u> </u>				 						
					1						
					1						
					1						
Comments											
AC AM AN CH	actinolite amosite anthophyllite chrysotile		CR TR WRTA OA	crocidolite tremolite	(ALID MINERA terite/tremolite/ bole			NAM OM	non-asbestos other minera OM Desc		rd Selections: Erionite

Page of		Natio	onal Asbest			(NADES) for B	ulk and Soil Analy	sis by PLM Visua	l Estimation
Site/Project Name:			R35754				Date Received by Lab:	02/21/20	
State/Federal Site/F	Project Identifi	er:				_	Method:	EPA 600	
Site/Project Identifie	er Code:		R35754			_	Analysis By:	Non-responsive based on revise Non-responsive based on revise	ed scope ed scope
Lab Name:			EMSL04			-	Analysis Date:	3/5/120	
Lab Job Number:			042004637 QC			-	Media:	Sail	
Client Sample Number	Sample Type	Index Suffix Char.	Index Suffix No.	QA Type (Not QA or Lab Duplicate)	Lab Sample ID	Sample Appearance	Ref Material Description	Base Mineral Type of Reference Material	VALID MINERAL TYPES AC - actinolite AM - amosite
55-01	SUIL	1	1	47/12	OCIA	10001-1761-17h	1 12	172	AN - anthophyllite CH - chrysotile
55-07	Soil			LDIRS	007 A	Dam-notibes	AC	AC	CR - crocidolite
95-12	SOIL			(D) (D)	OZ A	Day Man Tip	AC	AC	TR - tremolite WRTA - winchite/
	 				 	homogeneous	ļ		richterite/tremolite/actinolite OA - other amphibole
		 			 				NAM - non-asbestos material
					_		ļ		OM - other mineral type
		 				ļ			
		 			ļ	ļ	<u> </u>		COMMENTS:
	 		ļ			ļ		ļ	
	 	<u> </u>	ļ		ļ			,	
	ļ	<u> </u>	ļ	·	}				
			L		·				į į
	<u> </u>	L							
		L							
		<u> </u>							
									·
L									
								l	
				-					·
	1								
	†	1							
	 								
	· 								

Page of	ageof National Asbestos Data Entry Spreadsheet (NADES) for Bulk and Soil Analysis by PLM Visual Estimation DATA																																			
Site/Project Name	15			R3575	4					_			Date I	Receiv	ed by	Lab:	02/21	20								AC · a	ctinolit		WR		nchite/		ом - с	ther minera	i type	
State/Federal Site	/Project to	dentifier											Metho	od:			EPA 6	00								AM - a				nolite	remoli	e	OM De	scription St	andard Selections:	
Site/Project Identif	ier Code:			R3575	4								Analy	sis By:			Non-n	espons	ive bas	sed on sed on	revise revise	d scop d scop	e			CH - C	rocido	ite	NAN	l - non	amphi asbes				Taconite Erionite	
Lab Name:				EMSLO	04								Analy	sis Da	le:		<u> 3/5</u>	202	_ن							I K · Į	remolit	е	ma	tenal						
Lab Job Number:				04200	4637 C	C							Media	a:			Soil																			
Client Sample	index Suffix	Index Suffix		AC		<u> </u>	MA		_	AN	T		CH	1	<u> </u>	CR	T		TR			WRTA			OA	1		NAM				M		Anatysis	Comments	_
Number	Char.	No.	Qual	AF (%)	MF (%)	Qual	AF (%)	MF (%)	Qual	AF (%)	MF (%)	Qual	AF (%)	MF (%)	Qual	AF (%)	MF (%)	Qual	AF (%)	MF (%)	Qual	AF (%)	MF (%)	Qual	AF (%)	MF (%)	Qual	AF (%)	MF (%)	Qual	AF (%)	MF (%)	OM Type	Deviation	Conditions	_
55-07 55-07 55-12			\cup			V			Ü			U			Ū			\subset			C			U)						Vr_2		_
55-07		L_{-}	U			J			U		}	J			Ü			U			V			U			U			1				NO		
55-12	<u>L</u>		V			\mathbb{Z}			V			10	15			<i>!</i>		\cup			J			L	<u> </u>		2	/		U	\ \			NO		_
																									·											
																													_		L.,					
																																				_
															L		<u> </u>										_									_
									_		L	L															_		_							_
						\Box			<u> </u>	_		L.			<u> </u>						Ŀ					<u> </u>			<u> </u>	L						_
			L						L		$oxed{oxed}$	L		L	<u> </u>			Ш															L			_
	<u> </u>	<u> </u>						_	_	_		L			匚		_	Ш						_	_	_			<u> </u>							_
		└	L						<u> </u>	L	<u> </u>	_		L	_	L.	_				Ш			L			_									_
	ļ	_							L	_	_	L		<u> </u>	<u> </u>	L.	<u> </u>				Ш			L.	ļ	L	L		L_							_
	↓	_	L		<u>L</u> _			<u> </u>	L		_	L					L.								_		L.			_						_
·		_	<u> </u>						<u> </u>		<u> </u>	L	_	L	ᆫ	_	_	Ц						$ldsymbol{ldsymbol{ldsymbol{eta}}}$	_					L						_
	<u> </u>							_	L	_	ļ	L	_			_	_				_			L	<u></u>	L										_
									L	L.	<u> </u>	L			<u> </u>	<u> </u>	L			<u> </u>		<u></u>		L	L											
			$oxed{oxed}$						L			L		_		L	L							<u>_</u>	Ŀ		L			L						_
							L.,		L		L		_		L									L												_
			-																																	_
																																				Ī
												Г																								_
			Τ			\Box								Г							П			Ī												_
	1	1	t	$\overline{}$		- 		1	_		1	1			-	_																				-

National Asbestos Data Entry Spreadsheet (NADES) for Bulk and Soil Analysis by PLM Point Count Page _____ of __ VALID MINERAL TYPES Sate/Project Name: R35754 Date Received by Lab: AC - actnoble WRTA - weighter notitente/tremotte/actinosis AM - amoute OA - other emphibole AN - anthophylite NAM - non-asbestos material State/Federal Site/Project Identifier: Method CH - chrysotile CR - crocidofte OM Description Standard Selections Site/Project Identifier Code R35754 TR - tremotte EMSLO: Analysis Date: Lab Name Lab Job Number: 042004637 QC Index Suffix Sample Index Suffix QA Type (Not Lab Sample Date Analyzed Analyst Name OM Type Client Sample Number QA or LD) Number Appearance Counted Char. 500 hanc 400 001 0 0 NO 315/2020 \circ C 55-07 0 0 0 007 0 0 0 <u>ئ</u> 0 0 NO 400 O 0 0

Comments

Asbestos Analysis of Bulk Materials via EPA 600/R-93/116 Method using Polarized Light Microscopy

Client:				Log	ged:				TAT:		QC	
Address:	DAI	II V		Da	te/Time	e Due:						
Fax: Project:	FEREN		ES	S Special Instructions			ructions	Order Number			per	
			CC	MPON	NT TY	PES			r	MICRO	SCOPIC	
Macroscopic	Treatment	Asbestos	Ť	Fibre			Non-Fibr	ous	 		roperties	
COLOR (C) Brown 4 White 7 Bld Gray 5 Red 8 Sil Tan 6 Various 9 Blu 10 Yel TEXTURE (T) Shrous 2 Non-Pibrous 3	ver 3 Dispolved e 4 Aphed low 5 Heated 6 Malred	1 Chrysotile 2 Amosite 3 Anthophyllite 4 Tremolite 5 Actinolite 6 Crocidolite	10 11 11	CQ11016 Glass Min. Wo Synther Other Wollass Hair	201 11C	14 Quart 15 Mica 16 Gyps 17 Cal. 18 Matr 19 Perl 20 Othe	um Carbona !x :te	.0	dury Libragio Cratario Universit Editorio Lida Espezio Eveli Pland retion P1 120 130	phology (M) Replicy 1. 1986d Notable S. Eustin Sh 13 (Rine Bendengened (B) Lue 1. 8 610 about 8 41 4 4 45 light 4 554 Naga 4 au or Jeon	i i austri	Long mann 1.51 Frebataire 10-3 Frebataire 10-3 Superstantin Adapte 10-3 Frebataire 10-3
NOMOGENEITY (H) onogeneous 3 OTHER occrosomeous Lavers (Siere Asbes Est	Asbestos	% of		ther crous	Non-F	ibrous %	Non-Asb Char.				
Sample Macros	c. Treat asset on rev asset on rev asset on rev asset on rev		40	7	20		40	MY	1.55	L R.I.	1.550	
Non-responsive Non-responsive Non-responsive	ased on rev ased on rev ased on rev								2°	B	FC L	l E
2 20	ased on rev ased on rev ased on rev	5	1.43			20	882	7	1.609	.j. R.L	1.622	
Non-responsive Non-responsive Non-responsive	ased on rev ased on rev ased on rev								2	M B	(FC)	5 2-F
Non-responsive Non-responsive Non-responsive	ased on rev ased on rev ased on rev	ND				-	100		2"	2B		3 F
3/3/26	ased on rev ased on rev ased on rev	NU				20	100		 			s
2 Non-responsive Non-responsive Non-responsive	lased on rev lased on rev lased on rev	 				├──			1	В	(FC)	E
14/20	lased on rev lased on rev lased on rev	121	1.74	9	30	20	60.	UF	1.68	2- R.i.	1.70	4 (R.)
S / 4 DO Non-responsive	ased on rev ased on rev ased on rev								2	М		/ s
Non-responsive Non-responsive Non-responsive	ased on rev ased on rev ased on rev								2"		(FC)	.∫ E
15/20	ased on rev ased on rev ased on rev ased on rev	4	8.16			20	91.8	4	1.40	7 ± R.I	1.62	
Non-responsive Non-responsive Non-responsive	ased on rev ased on rev ased on rev					├	-	ļ	U		(FC) 6	1 3 E
Non-responsive	ased on rev						-	ļ	12"	1 R.I.	(i, 0	1 2 TRA
(C)					-	20	├		ļ	M		S
(H)	-	 -		-		 	┼─	 	P	В	(FC)	E
(C)						20	 	_	 	± R.),		[] R.i
(T)	-					1	 	t	1	М		· s
(H)	7 1			1		\top			P	В	(FC)	E
(C)						20				≟ R.i.		R.I.
(T)	<u> </u>									М		s
(H)					 	↓	↓		P	B	(FC)	E
(C)	-				_	20	├	<u> </u>	 	± R.i. M		y R.i
(T)	\dashv					+	┼		P	В В	(FC)	E
(C)				 	 	20	+	 	+	R.i.	 	ji R.i
(T)	-	 		1	 	1-20	1	 	†	M	1	s
(H)				\vdash	1	1	1		Р	Ð	(FC)	E

EMSL Analytical, Inc.

Room Temp (C): ~ 12.

Page 25 of 53

PLM7.9.2



EMSL Point Count Sheet Revision 3.0 November 1,2012

POINT COUNT WORKSHEET

Date: 3/5/20

Client: Reference Slide L	- Billing #: .	ELAP 414 Sample 4067

Sample:		,				
PREP #	Asbestos Type 1	Asbestos Type 2	Cellulose	Glass	Other Fib	Non Fib
1	l					7
2						[1]
3						14
4						13
5						
6						
7						
8					`	
9						
1.0						
Total	4					45

Sample:												
PREP#	Asbestos Type 1	Asbestos Type 2	Cellulose	Glass	Other Fib	Non Fib						
1												
2												
3												
4												
5												
6												
7												
8												
9												
10												
Total												

Results:	A Tremolite =	8.16	7
	3/5/20		

Results:

Sample:						
PREP#	Asbestos Type 1	Asbestos Type 2	Cellulose	Glass	Other Fib	Non Fib
1						
2						
3						
. 4						
5						
6						
7						
8						
9						
10						
Total						

Sample:			-			
PREP #	Asbestos Type 1	Asbestos Tyge 2	Cellulose	Glass	Other Fib	Non Fib
1						
2						
3						
4						
5						
6						
7						
. 8						
9						
10						
Total						

Results:	
Analyst	Non-responsive based on revise Non-responsive based on revise Non-responsive based on Non-res

Asbestos Analysis of Bulk Materials via EPA 600/R-93/116 Method using Polarized Light

	Microsco		~~		
Cilent:		Logge	ed:	TAT:	QC
Address:	DAILY	Date	e/Time Due:		
Fax:	REFERENCE SLIDES	,	Special Instructions		Order Number
Project:					

			C	OMPON	ENT TY	PES			1	MICRO	SCOPIC		
Macroscopic	Treatment	L —	os i	Fibr	ous		Non-Fibr	ous			Properties		
COLOR (C) 1 Brown 4 White 7 Black 2 Gray 5 Red 8 Silver 3 Tan 6 Various 9 Blue 10 Yellow TEXTURE (T)	1 Teased 2 Crushed 3 Dispolved 4 Ashed 5 Heated 6 Moited	1 Chrysotile 2 Amosite 3 Anthophyllit. 4 Tremolite 5 Actinolite 6 Crocidolite		7 Cellule 5 Glase 5 Min. W 10 Synther 11 Other 12 Wollas 11 Sair	oo)	14 Ouart 15 Mica 16 Gypsu 17 Cal. 18 Matr 19 Perl 20 Othor	ım Carbona: ix ite	te	is Marry 2. Strongile 3. Strongile 4. Rabborn Domini 4. Rabborn Siris 5. Empowed Josh Plancks owns (F) 1. Viv. 2. Siris	arphology (%) 5. Santol 7. Francis 8. Nancis 9. Grani (%) in 14 hans, for 10 hans are served 6. Lives, id 9101 2. Nancis (24) s. d. 950 3. Nancis (24) s. d. 950 4. Nancis (24) s. d. 950	Variable	Chroster (E) Chaster (E) Chaster (E) Chaster Chaster Chaster Chaster Chaster	
1 Pibrous 2 Non-Pibrous 3 Other HOMOGENEITY (H) 1 Homogeneous 3 OTHER 2 Hererogeneous 3 Lavers 18	Ster Asber Est	stos Asbestos	% of Asbestos	Fil	other brous %	Non-f	ibrous %	Non-Asb Char. Ex. E4			1 : iman 4 i : clortes	Las Est	
Sample Macrosc. Non-responsive based on revi	reat	5	4.6	1 .,,,,	<u> </u>	20	95.4	47	1.605	- L R.I	1,619		
Non-responsive based on revi	d d d sd d		// 6				,,,,		2		1		22.
3/2/1000		12	5.3	9	15	20	דור	m3	1680		1616	<u> </u>	
Non-responsive based on revi Non-responsive based on revi Non-responsive based on revi Non-responsive based on revi Non-responsive based on revi	d d d								2	M	1	S	22
3年プレン in responsive based on rev	d d		<u> </u>	↓	 	ļ	100		2	-	(FC)	1 E	1
Non-responsive based on revi Non-responsive based on revi Non-responsive based on revi Non-responsive based on revi	ed ed ed	5	11.1	1	-	20	38.9		1.60	6- M	1.619	∦R.I.	22
3/5/2020	d d d								2	Z B	(FC) 6	3 *	
Non-responsive based on revi Non-responsive based on revi Non-responsive based on revi Non-responsive based on revi Non-responsive based on revi	d d	NO		-		20	100	<u> </u>		⊥ R.I. M		(R.)	2
3/6/2020	d d - d			+	-	┼		ļ .	Р	H	(FC)	E	
(C)						20				⊥ RJ.		βR.I.	1
(T)										М		s]
(H)									P	В	(FC)	E	1
(C)						20	 	ļ	ļ	± R.I.	ļ	IJR I.	-
(T)			ļ		ļ	↓	ļ		P	— »і Т в	(FC)	S I E	-
(H)			↓	┼		 	-	 	 	L R.I.	(rc)	li R.i	-
(C) (T)				+	 	20			 	M	 	5	1
(H)			+	+	 	┼──	 		P	В	(FC)	E	1
(C)			 	+	 	20	1	 		± R.I.		IIR.I.	1
(T)	- 1		1	+	 	1				. м		s]
(H)									P	В	(FC)	E	
(C)						20				⊥ R.I.		R.I.	1
(T)						<u> </u>		L	P	M		S .	4
(H)			<u> </u>		↓_	 		 	<u> </u>	B.i.	(FC)	į R.i.	4
(C)			 			20	┼	 		T Kit		(j K.i.	-
(T) (H)				+	+	+	+		P		(FC)	E.	1
L	revised scope		٠					ــــــــــــــــــــــــــــــــــــــ	ــــــــــــــــــــــــــــــــــــــ			نضبسه	٠,

Room Temp (en	2/17:20	Page 27 of 53
Room Temp (C).	EMSL Analytical, Inc.	PLM7.9.2
Non-responsive based on revised scope Analyst:	3/2/2020 Computer: 27	Date:



POINT COUNT WORKSHEET

Billing #:

EMSL Point Count Sheet Revision 3.0 November 1,2012

Date: 3/5/2020 ELAP 414 Sample 4067

Client: Reference Slide L

Sample:						
PREP#	Asbestos Type 1	Asbestos Type 2	Cellulose	Glass	Other Fib	Non Fib
1						6
2	Į.					7
3	\overline{I}					is
4	.)					
5						
6						
7						
8						
9						
10						
Total	4					32
Results: 4/36-11.11% Ativalia						

Sample:						
PREP#	Asbestos Type 1	Asbestos Type 2	Cellulose	Glass	Other Fib	Non Fib
1						
2						
3						
4						
5						
6						
. 7						
8						
9						
10						
Total						

Sample: Asbestos Asbestos PREP # Cellulose Glass Other Fib Non Fib 1 2 3 4 5 6 8 9 10

Sample:]
PREP#	Asbestos Type 1	Asbestos Type 2	Cellulose	Glass	Other Fib	Non Fib
1						
2						
3						
4						
5						
6						
7						
8						
9						
10						
Total						

CIB	ATIONS.	D	/AD *	100\/TD

P = Percentage of Asbestos TP = Total number of non-empty Points

Analyst.

Results:

Results:

AP = number of Asbestos Points

Total

Results:

NOTE: IF AP = 0 after completion of analysis and no asbestos was observed. Report "ND"

NOTE. IF AP = 0 after completion of analysis but asbestos was observed. Report "< Analytical Sensitivity"

Asbestos Analysis of Bulk Materials via EPA 600/R-93/116 Method using Polarized Light

	Microsco	рру		~~ '
Client: •	•	Logged:	TAT:	\mathbf{QC}
Address:	DAILY	Date/Time Due:		
Fax: Project:	REFERENCE SLIDES	Special instruction		Order Number
	COI	MPONENT TYPES	<u> </u>	MICROSCOPIC

			`		COMPONE	NT TY	PES			Ι	MICRO	SCOPIC	
Macroscopic	Treatme	_	Asbesto	s	Flbre			Non-Fibr	ous			Properties	
COLOR (C) 1 Brown 4 White 7 Black 2 Gray 5 Red 8 Silver 3 Ten 6 Various 9 Blue 10 Yellow TEXTURE (T)	1 Teased 2 Crushed 3 Dispoly 4 Ashed 5 Reaced 6 Melted	ed 3 A 4 T 5 A	hrysotile mosite nthophyllice remolite ctinolite rocidolite	•	7 Collule 8 Class 9 Min. We 10 Synther 11 Other 12 Wellass 13 Hair	ool :ic	14 Quar 15 Mica 16 Gypsi 17 Cal. 18 Matr: 19 Perl 20 Othe	um Carbonat ix ite	e	1. Was s 2. Straight 3. Vas Form Dometo 4. Wildram Dometo 5. Espared Code 7. Sundanness (PI 7. Sundann	pendage (44) a Acabat b Innyal a Madalan d Francis (44) a Francis (44) and Francis (44) and (A constitution	The gallon (5) Fit Vination (8) Fatiguation (8) Perulial Symmetrical Symmetrical Shippin
Fibrous 2 Non-Pibrous 3 Other HOMOGENEITY (H) Homogeneous 3 OTHER Heterogeneous 4 Layers (8)	j Ast	ereo estos st. %	Asbestos Type	% of Asbesto	Fit	ther brous %		ibrous	Non-Asb Char.				
Sample Macrosc. Non-responsive based on revise	reat				У Туре	7/6	Type	% 	Ex. E4	1/00	Optical	Properties	Į R.i.
3 2 70 CHOP-responsive based on review			5_	1092	-		20	84.5		100	, м	14012	<u>s</u>
Non-responsive based on revise					_		 			7	2B	(FC)	3 E
Non-responsive based on revise Non-responsive based on revise Non-responsive based on revise Non-responsive based on revise	-	-	NO				20	(00			⊥, R.i.		R.i.
3/3/20 7		- 1									W		š .
Non-responsive based on revise Non-responsive based on revise Non-responsive based on revise Non-responsive based on revise						L		<u></u>			B-	(FC)	E
Non-responsive based on revise Non-responsive based on revise Non-responsive based on revise Non-responsive based on revise			2_	65	 	<u> </u>	20	93/5		MASO	R.I.	1.700	R.I.
314 1200 Unon-responsive based on revise Non-responsive based					+		┼─	 		1	Z ^B	(FC) (O	E
Non-responsive based on revise Non-responsive based on revise Non-responsive based on revise Non-responsive based on revise			5	6.7			20	933		1605	<u>.i</u> R₁l₂	162	JI R.I.
2 A 20 Lind responsive based on revise	l			B .4						1	M		ş
Non-responsive based on revise Non-responsive based on revise Non-responsive based on revise Non-responsive based on revise										5	7 B	(FC)	3 E
Non-responsive based on revise Non-responsive based on revise Non-responsive based on revise Non-responsive based on revise			ND				20	100		ļ	± R:I	ļ	IJ R,I
36000	1		<u> </u>			-	-			P	 B	(FC)	S E
(C)					+		20	 			± R.I.	-	Į R.i.
(T)					+		1 20	\vdash	 	 	M		s
(H)	- 1				1					Р	Ð	(FC)	E
(C)							20				⊥ R.I.		∦ R,t
(T)							<u> </u>				м	<u> </u>	s
(H)						↓	↓	1	ļ	P	<u>1</u> R.)	(FC)	[] E
(C)					_	├	20	 		 	M	├	S
(T)		•	<u> </u>			+	+	+		P	В	(FC)	E.
(c)			-	-	+	_	20	T		1	<u>.</u> R.I.		ijRı,
(T)	[М		s
(H)										Р	В	1,	E
(C)							20	ļ		-	_ R.i.		jį R.i.
(T)				<u> </u>		 	-	-			В	↓	, E
(H)				<u> </u>		1				<u> </u>		ľ',	<u> </u>

i i ii					 	
Non-responsive based on revised Non-responsive based on revised Non-responsive based on revised	scope scope scope					
Analyst: Non-responsive based on revised Non-responsive based on revised	scope Date:		Computer:		 Date:	PLM7.9.2
Room Tentp (C).	scope	E	MSL Analytical,	Inc.		PLIVI7.9.2
Noom remp (Ch.		_			Pa	ge 29 of 53



EMSL Point Count Sheet Revision 3.0 November 1,2012

POINT COUNT WORKSHEET

Date: 3 5 2020

Client: Reference Slide L

- Billing #:

ELAP 414 Sample 4067

Sample:						
PREP#	Asbestos Type 1	Asbestos Type 2	Cellulose	Glass	Other Fib	Non Fib
1						1
2	1					12
3						16
4						11
5						
6						
7						
8						
9						,
10						
Total	4					30

Sample:						
PREP#	Asbestos Type 1	Asbestos Type 2	Cellulose	Glass	Other Fib	Non Fib
1						
2						
3						
4						
5						,
6						
7						
8						
9						
· 10						
Total						

COV Results: 6.7% Actinolite

Results:

Sample:										
PREP#	Asbestos Type 1	Asbestos Tyne 2	Cellulose	Glass	Other Fib	Non Fib				
1										
2										
3										
4										
5										
6										
7										
8										
9										
10										
Total										

Sample:						
PREP#	Asbestos Type 1	Asbestos Type 2	Cellulose	Glass	Other Fib	Non Fib
1						
2						
3						
4						
5						
6						
. 7						
8						
9						
10						
Total						

esults:		Results:	
			Non-responsive based or

CALCULATIONS: P= (AP * 100)/TP

P = Percentage of Asbestos TP = Total number of non-empty Points

Analyst

Non-responsive based on revised scope Non-responsive based on revised scope

AP = number of Asbestos Points

NOTE: IF AP = 0 after completion of analysis and no asbestos was observed, Report "ND"


NOTE: IF AP = 0 after completion of analysis but asbestos was observed, Report "< Analytical Sensitivity"

Asbestos Analysis of Bulk Materials via EPA 600/R-93/116 Method using Polarized Light

		Micro	scopy			_	~	
Client:			Logged:		TAT:	· Q	C	
Address:	DAIL	_Y	Date/Time	Due:				
Fax: Project:	RENC	E SLIDES	3	Special Instructions		Order	Number	
	٢		COMPONENT TY	PES		MICROS	COPIC	
Macroscopic	Treatment	Asbestos	Fibrous	Non-Fibrous		Optical Pr	<u> </u>	
COLOR (C) 1 Brown 4 White 7 Black 2 Gray 5 Red 8 S:lver 3 Tan 6 Various 9 Blue	2 Crushed 3 Dissolved 4 Ashed	l Chrysotile 2 Amosite 3 Anthophyllite 4 Tremolite	7 Cellulose 8 Glass 9 Min. Wool 10 Synthetic	14 Quartz 15 Mica 16 Gypsum 17 Cal. Carbonate	j Wavy 2. Straight 3. Uzelovu Duni 4. Rabban-Laku 5. Yapuwal Sash	Attriphology (M) 6, Staled 7, Petrop ster F. Moth St 9, Easter Shaper 18, Other	3 ps of Dangeline 5.7 2. 3 Variable	(5)
10 Yellow TEXTURE (T) Fibrous 2 Non-Fibrous 3 Other		5 Actimolite 6 Crocidolite	11 Other 12 Wollastonice 13 Hair	18 Matrix 19 Perlite 20 Other	Pleochreise (P) 1. Yes 2. No	Birefringetone (I) 1 Low. ≤ 0.010 2 Mad 0.011 - 0.050 3 High >0.050 4 Man 0.00 or horropia	1 White 1. Pani 2 Brown 2. Sym 3 Beige 3. Obli 4 Blue 4. Und 5 Greco	appropriate l
HOMOGENEITY (H) Homogeneous 3 OTHER Heceroseneous 4 Layers (H)	Asbesto Est. %	os Asbestos % of	Other Fibrous	Non-Fibrous Non-Asb Char.		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	6 Calorina	
Sample Macrosc. Ti	Non-responsive Non-responsive Non-responsive Non-responsive	2 7.6	1300 70	7ype % Ex. E4	1:10			R.I.
12/10 m 3/2	Non-responsive Non-responsive Non-responsive	e based e based e based			<u></u>	- Z M	<u> </u>	s

\sim	1""/	Non-responsive bas Non-responsive bas	sed sed	Ì	11					<u> </u>		····Le	
215/20	(C) 01 3	Non-responsive bas Non-responsive bas Non-responsive bas	U	5.55			20	HUu	4	1.42	% R.L	403	I R.I.
31316		Non-responsive bas Non-responsive bas Non-responsive bas	26 26 24								2 M)	S
	(H)	Non-responsive bas Non-responsive bas Non-responsive bas	20 20 20							2	(B	(FC) 10	3 €
2/2/2	(C)	Non-responsive bas Non-responsive bas Non-responsive bas	112			$\neg \neg$	20	1, 18			⊥ R.I.		II R.I.
Philip	のタオ	Non-responsive bas Non-responsive bas Non-responsive bas	1012					1			М		s .
, ~ ((H)	Non-responsive bas Non-responsive bas Non-responsive bas	ed ed ed							P	В	(FC)	E
	(C)						20				⊥ R.I.		R.I.
	(T)							\Box			м		s
	(H)	1								P	В	(FC)	Е
	(C)			_	 		20		<u> </u>	1	⊥ R.I.		jį R.i.
	(T)	-		 						\top	М		s
	(H)									P	В	(FC)	E
	(C)				1		20				⊥ R.I.		∦ R.i.
	(Ť)			 						1	М		2
	(H)	1		1	1		_			Р	В	(FC)	E
	(C)		<u> </u>	 			20	†		1	⊥ R.I.		lj R.t.
	m		-		1						М		s
	(H)									Р	В	(FC)	E
	(C)		 	 			20	_			⊥ R.I.		jį R.i.
	T				1		_	1		1	М		s
	(H))			1		\vdash	1		P	В	(FC)	E
	(C)		 	1	_		20	T .	_	1	⊥ R.I.		R.I.
	(T)			 	1						М		5
	(H)	}	· ·		1		<u> </u>		T	Р	В	(FC)	E
	(C)				\top		20				⊥ R.I.		R.I.
	(T)			1							М		s
	(H)			1						P	В	(FC)	£
Analyst:	Non-responsive basel Non-responsive basel Non-responsive basel Non-responsive basel Non-responsive basel Non-responsive basel	Date:	315)	2010	Com	puter:				D	ate:		
Room Temp (C	<u> </u>				EMSL An		Inc.				P	age 31 o	PLM7.9.2 of 53

Analyst: Date:	31) 12010 Computer:	Date:
Room Temp (C <u>):</u>	EMSL Analytical, Inc.	PLM7.9. Page 31 of 53





POINT COUNT WORKSHEET

Date: 315/2020

Client: Reference Slide L Billin	ing #: ELAP 414 Sample 4067
----------------------------------	-----------------------------

Sample:						
PREP#	Asbestos Type 1	Asbestos Type 2	Cellulose	Glass	Other Fib	Non Fib
1	<u> </u>					is
2						20
3	***					13
4						15
. 5						
6						
7						
8				}		
9						
10						
Total						

Sample:						
PREP#	Asbestos	Asbestos Type 2	Cellulose	Glass	Other Fib	Non Fib
1						
2						
3						
4						
5						
6						
7						
8						
9						
10						
Total						

Results:	<u> 55S</u>	memour
----------	-------------	--------

	•	
Results:		
i icoulis.		
		_

Sample:						
PREP#	Asbestos Type 1	Asbestos Type 2	Cellulose	Glass	Other Fib	Non Fib
1						
2						
3						
4						
5						
6						
7						
8						
9						
10						
Total						

Sample:						
PREP#	Asbestos Type 1	Asbestos Type 2	Cellulose	Glass	Other Fib	Non Fib
1						
2						
3						
4						
5				,		
6						
7						
8						
9						
10						
Total						

Results:	Results:	
CALCULATIONS: P= (AP * 100)/TP P = Percentage of Asbestos	Analyst	Non-responsive based on reside

NOTE: IF AP = 0 after completion of analysis and no asbestos was observed, Report "ND"

NOTE: IF AP = 0 after completion of analysis but asbestos was observed, Report "< Analytical Sensitivity"



5. Client and EMSL Internal Chains of Custody

Page 1 of 2

USEPA CLP COC (LAB COPY)

DateShipped: 2/20/2020 CarrierName: FedEx AirbillNo: 777817941333 CHAIN OF CUSTODY RECORD
OUT (NOLL)
DAS #: R35754
Cooler #: K27

No: 3-022020-124148-0001

· Lab: EMSL Analytical, Inc.

Lab Contact: Non-responsive bas

Shipment for Case Complete? Y

Lab Phone: 856-303-2556

Sample Identifier	CLP Sample No.	Matrix/Sampler	Coll. Method	Analysis/Turnaround (Days)	Tag/Preservative/Bottles	Location	Collection Date/Time	For Lab Use Only
SS-01	R35754-01	Soil/ Non-responsive b Non-responsive b Non-responsive ba	Grab	Asbest(21)	3-1050 (None) (1)	P-01	02/19/2020 09:15	
SS-02	R35754-02	Soil/ Non-responsive to Non-responsive to Non-responsive to Non-responsive to the Non-re	Grab	Asbest(21)	3-1054 (None) (1)	P-02	02/19/2020 09:37	
SS-03	R35754-03	Soil/Non-responsive b Non-responsive b Non-responsive ba Non-responsive ba	Grab	Asbest(21)	3-1057 (None) (1)	P-03	02/19/2020 10:05	
SS-04	R35754-04	Soil/Non-responsive to Non-responsive to Non-responsive to Non-responsive to	Grab	Asbest(21)	3-1060 (None) (1)	P-03	02/19/2020 10:10	
SS-05	R35754-05	Soil/ Non-responsive to Non-re	Grab	_Asbest(21)	3-1063 (None) (1)	P-04	02/19/2020 10:20	
SS-06	R35754-06	Soil/ Non-responsive bas	Grab	Asbest(21)	3-1066 (None) (1)	P-05	02/19/2020 10:35	
SS-07	R35754-07	Soil/ Non-responsive	Grab	Asbest(21)	3-1069 (None) (1)	P-06	02/19/2020 10:50	
SS-08	R35754-08	Soil Non-responsive ba Non-responsive ba Non-responsive ba Non-responsive ba	Grab	Asbest(21)	3-1072 (None) (1)	P-07	02/19/2020 11:15	
SS-09	R35754-09	Soil/More exposite dance	Grab	Asbest(21)	3-1075 (None) (1)	P-08	02/19/2020 11:50	
SS-10	R35754-10	Soil/ Non-responsive M Non-responsive M Non-responsive ba Non-responsive ba	Grab	Asbest(21)	3-1078 (None) (1)	P-09	02/19/2020 11:55	2
SS-11	R35754-11	Soil/ Non-responsive base	Grab	Asbest(21)	3-1081 (None) (1)	P-10	02/19/2020 12:20	ZOZO FE
SS-12	R35754-12	Soil/Non-responsive base	Grab	Asbest(21)	3-1084 (None) (1)	P-11	02/19/2020 13:25	EE N

Special Instruction	ns: Please return cooler with FedEx return label	Semplers:	Non-responsive based on revised scope Non-responsive based on revised scope Non-responsive based on revised scope	mples Transferred From Chain of Custody				
Analysis Key: Asb	est=Asbestos		The interpolation of page 4 of the field a deep		Р ₂			
					o, c			
Items/Reason	Relinquished by (Signature and Organization)	Date/Time	Received by (Signature and Organization)	Date/Time	Sample Condition Upon Receipt			
	Teihlaw	1700	Non-responsive based on revised scope 111	Fx 2/21/20	Acceptable			
			K	1 /				
	·.							
		•			·			

Page 2 of 2

USEPA CLP COC (LAB COPY)

DateShipped: 2/20/2020 CarrierName: FedEx AirbillNo: 777817941333

042004687 DAS #: R35754

DAS #: R35754 Cooler #: K27 No: 3-022020-124148-0001

Lab: EMSL Analytical, Inc.

Lab Contact: Lab Phone: 856-303-2556

Sample Identifier	CLP Sample No.	Matrix/Sampler	Coll. Method	Analysis/Turnaround (Days)	Tag/Preservative/Bottles	Location	Collection Date/Time	For La	ab Use niy
SS-13	R35754-13	Soil/ Non-responsive b	Grab	Asbest(21)	3-1087 (None) (1)	P-12	02/19/2020 13:30		
SS-14	R35754-14	Soil/ Non-responsive b Non-responsive b Non-responsive ba	Grab	Asbest(21)	3-1090 (None) (1)	P-12	02/19/2020 13:40		
SS-15	R35754-15	Soil/Non-responsive base	Grab	Asbest(21)	3-1093 (None) (1)	P-13	02/19/2020 14:07		
SS-16	R35754-16	Soil/ Non-responsive ba	Grab	Asbest(21)	3-1096 (None) (1)	P-14	02/19/2020 14:23		
SS-17	R35754-17	Soil/ Non-responsive base	Grab	Asbest(21)	3-1099 (None) (1)	B-15	02/19/2020 14:45		
SS-18	R35754-18	Soil/Non-responsive to Non-responsive to Non-responsive to Non-responsive to	Grab	Asbest(21)	3-1102 (None) (1)	B-16	02/19/2020 15:10		
SS-19	R35754-19	Soil/ Non-responsive base	Grab	Asbest(21)	3-1105 (None) (1)	B-17	02/19/2020 15:35		
								2020	
	ļ							33	ž
								\odot	12
								2	SINNAMIS
									<i></i>
		1					 	<u> </u>	132
	<u> </u>				!				 -
						Shipment for Ca	se Complete? Y	- 22	
Special Instructions	: Please return	cooler with FedEx r	eturn labei	Non-respons Non-respons	sive based on revised scop sive based on revised scop sive based on revised scop	Samples Transf	erred From Chain of	Custody	<i>,</i> #

Items/Reason	Relinquished by (Signature and Organization)	Date/Time	Received by (Signature and Organization)	Date/Time	Sample Condition Upon Receipt
	Techlaw	2/20/20 1700	Non-responsive based on revised scope Non-responsive based on revised scope Non-responsive based on revised scope	2.21.20 10:40 am	acceptable
·	•				*-

INTERNAL CHAIN OF CUSTODY

Order ID: 042004637

Phone: (304) 230-1230

2/21/2020 12:12:26 PM

Attn:

TechLaw Inc. 139 Peninsula St.

Wheeling, WV 26003

Fax:

Project: DAS #R35754

Customer ID:

TCHL75

Customer PO:

Received:

02/21/20 10:40 AM

EMSL Order: EMSL Proj ID:

042004637

Cust COC ID

3-022020-124148-0001

Project Type:

Asb Special Project

REPORT TO INSTR	UCTIONS	B	ILL TO INSTRU	ICTIONS
Send Receipt Confirmation Emails No electronic signatures Billing Frequency With Report Create and send an invoice Accounting Terms: N30 Sales Rep and Comment: jsilverman Instructions	Project ID required Cust. COC ID required Miscellaneous account for each Order ID	☐ Exempt from prep☐ Exempt from off h☐ Exempt from layer Billing Frequency With Report Creat Use Billing Contact: Accounting Terms: Payment Directions:	our min charges /aliquot charges	Authorization to use credit card P.O. Required pe for each Order ID
Internal Comment Test: PLM 400 Point Count w Desc: Asbestos Analysis of Bu Lab Opening Exempt For Test	ik Building Materials via		Non- Non-	ty: 19 2/21/2020 2/21/2020
Comments PICQSC WE NADES bend Special Test Instructions	For Test Free Shippin Prep Anal LAD Scree Mail	ng Eligible pped: lyzed: Entry eened:	Sample Condition:	Acceptable Unacceptable Date 10.412C Date 35h3z3 Date 4644 Date Date
THE SHARE WATERING				

Lab Sample #	Cust. Sample #	Location	Due Date
042004637-0001	SS-01	P-01	3/6/2020 10:40:00 AM
042004637-0002	SS-02	P-02	3/6/2020 10:40:00 AM
042004637-0003	SS-03	P-03	3/6/2020 10:40:00 AM
042004637-0004	SS-04	P-03	3/6/2020 10:40:00 AM
042004637-0005	SS-05	P-04	3/6/2020 10:40:00 AM
042004637-0006	SS-06	P-05	3/6/2020 10:40:00 AM
042004637-0007	SS-07	P-06	3/6/2020 10:40:00 AM
042004637-0008	SS-08	P-07	3/6/2020 10:40:00 AM

EMSL Analytical, Inc., 200 Route 130 North, Cinnaminson, NJ 08077

Page 1 of 2

INTERNAL CHAIN OF CUSTODY

Order ID: 042004637

2/21/2020 12:12:26 PM

Attn:

TechLaw Inc. 139 Peninsula St.

Wheeling, WV 26003

Fax:

Project: DAS #R35754

Phone: (304) 230-1230

Customer ID: Customer PO:

TCHL75

Received:

02/21/20 10:40 AM

EMSL Order:

042004637

EMSL Proj ID:

Cust COC ID

3-022020-124148-0001

Project Type:

Asb Special Project

Lab Sample #	Cust. Sample #	Location	Due Date
042004637-0009	SS-09	P-08	3/6/2020 10:40:00 AM
42004637-0010	SS-10	P-09	3/6/2020 10:40:00 AM
42004637-0011	SS-11	P-10	3/6/2020 10:40:00 AM
42004637-0012	SS-12	P-11	3/6/2020 10:40:00 AM
42004637-0013	SS-13	P-12	3/6/2020 10:40:00 AM
42004637-0014	SS-14	P-12	3/6/2020 10:40:00 AM
42004637-0015	SS-15	P-13	3/6/2020 10:40:00 AM
42004637-0016	SS-16	P-14	3/6/2020 10:40:00 AM
42004637-0017	SS-17	B-15	3/6/2020 10:40:00 AM
42004637-0018	SS-18	B-16	3/6/2020 10:40:00 AM
42004637-0019	SS-19	B-17	3/6/2020 10:40:00 AM



6. Equipment Performance Checks





Lab ID: 04

PLM Scope #: PLM-04-0011

,			Mont	hly						
Date	Analyst	Illumination Aligned	Stage / Objective Centered	Condenser Focused / Centered	Analyzer / Polarizer 90 Degrees	Ocular Alignment with NIST Anthophyllite	Contamination Check(s)	Contamination Details	Reco Waveleng (Amosit	th (nm)
03/05/2020	Non-responsive bas Non-responsive bas Non-responsive bas	. 🗸	~	*	1	. 7	1			_

PLM Calibration & Contamination Records



Lab ID: 04

PLM Scope #: PLM-04-0019

					Month	ly				
Date	Analyst	Illumination Aligned	Stage / Objective Centered	Condenser Focused / Centered	Analyzer / Polarizer 90 Degrees	Ocular Alignment with NIST Anthophyllite	Contamination Check(s)	Contamination Details	Record Wavelength (Amosite	n (nm)
03/05/2020	Non-responsive bas Non-responsive bas Non-responsive bas	1	₹.	✓	*	·	2			





Lab ID: 04

PLM Scope #: PLM-04-0025

				Daily							
Date	Analyst	Illumination Aligned	Stage / Objective Centered	Condenser Focused / Centered	Analyzer / Polarizer 90 Degrees	Ocular Alignment with NIST Anthophyllite	Contamination Check(s)	Contamination Details	Record Wavelength (nm) (Amosite DS)		
03/05/2020	Non-responsive base Non-responsive base Non-responsive base	d on rev d on rev d on rev	*	·	·	/	3				

PLM Calibration & Contamination Records



Lab ID: 04

PLM Scope #: PLM-04-0027

					^ I	Daily		Monthi	-	
Date	Analyst	Illumination Aligned	Stage / Objective Centered	Condenser Focused / Centered	Analyzer / Polarizer 90 Degrees	Ocular Alignment with NIST Anthophyllite	Contamination Check(s)	Contamination Details	Record Wavelength (Amosite	n (nm)
03/05/2020	Non-responsive based Non-responsive based Non-responsive based	√	1	✓	✓	. 🗸	2			



7. NVLAP/AIHA Certifications

United States Department of Commerce National Institute of Standards and Technology



Certificate of Accreditation to ISO/IEC 17025:2017

NVLAP LAB CODE: 101048-0

EMSL Analytical, Inc.

Cinnaminson, NJ

is accredited by the National Voluntary Laboratory Accreditation Program for specific services, listed on the Scope of Accreditation, for:

Asbestos Fiber Analysis

This laboratory is accredited in accordance with the recognized International Standard ISO/IEC 17025:2017.

This accreditation demonstrates technical competence for a defined scope and the operation of a laboratory quality management system (refer to joint ISO-ILAC-IAF Communique dated January 2009).

2019-07-01 through 2020-06-30

Effective Dates



Non-responsive based on revised scope Non-responsive Non-responsive based on revised scope Non-responsive Non-responsive based on revised scope Non-responsive Non-responsiv



SCOPE OF ACCREDITATION TO ISO/IEC 17025:2017

EMSL Analytical, Inc.

200 Route 130 North Cinnaminson, NJ 08077

Phone: 800-220-3675 Fax: 856-786-5973

Email: @emsl.com http://www.emsl.com

ASBESTOS FIBER ANALYSIS

NVLAP LAB CODE 101048-0

Bulk Asbestos Analysis

Code

Description

18/A01

EPA - 40 CFR Appendix E to Subpart E of Part 763, Interim Method of the Determination of

Asbestos in Bulk Insulation Samples

18/A03

EPA 600/R-93/116: Method for the Determination of Asbestos in Bulk Building Materials

Airborne Asbestos Analysis

<u>Code</u>

Description

18/A02

U.S. EPA's "Interim Transmission Electron Microscopy Analytical Methods-Mandatory and Nonmandatory-and Mandatory Section to Determine Completion of Response Actions" as found in 40 CFR, Part 763, Subpart E, Appendix A.

Non-responsive based on revised scope Non-responsive based on revised scope Non-responsive based on revised scope Non-responsive based on revised scope

For the wattonar voluntary Laboratory Accreditation Program



AIHA Laboratory Accreditation Programs, LLC

acknowledges that

EMSL Analytical, Inc.

200 Route 130 North, Cinnaminson, NJ 08077

Laboratory ID: 100194

along with all premises from which key activities are performed, as listed above, has fulfilled the requirements of the AIHA Laboratory Accreditation Programs (AIHA-LAP), LLC accreditation to the ISO/IEC 17025:2005 international standard, General Requirements for the Competence of Testing and Calibration Laboratories in the following:

LABORATORY ACCREDITATION PROGRAMS

- ✓ INDUSTRIAL HYGIENE
- ✓ ENVIRONMENTAL LEAD
- ✓ ENVIRONMENTAL MICROBIOLOGY
- ☐ FOOD
- ☐ UNIQUE SCOPES

Accreditation Expires: November 01, 2020

Accreditation Expires: November 01, 2020

Accreditation Expires: November 01, 2020

Accreditation Expires: Accreditation Expires:

Specific Field(s) of Testing (FoT)/Method(s) within each Accreditation Program for which the above named laboratory maintains accreditation is outlined on the attached Scope of Accreditation. Continued accreditation is contingent upon successful on-going compliance with ISO/IEC 17025:2005 and AIHA-LAP, LLC requirements. This certificate is not valid without the attached Scope of Accreditation. Please review the AIHA-LAP, LLC website (www.aihaaccreditedlabs.org) for the most current Scope.

Non-responsive based on revised scop Non-responsive based on revised scop Non-responsive based on revised scop

Elizabeth Bair Chairperson, Analytical Accreditation Board Cheryl O. Morton

Managing Director, AIHA Laboratory Accreditation Programs, LLC

Revision 17 – 09/11/2018

Date Issued: 11/30/2018



AIHA Laboratory Accreditation Programs, LLC SCOPE OF ACCREDITATION

EMSL Analytical, Inc.

200 Route 130 North, Cinnaminson, NJ 08077

Laboratory ID: 100194
Issue Date: 11/30/2018

The laboratory is approved for those specific field(s) of testing/methods listed in the table below. Clients are urged to verify the laboratory's current accreditation status for the particular field(s) of testing/Methods, since these can change due to proficiency status, suspension and/or withdrawal of accreditation.

Industrial Hygiene Laboratory Accreditation Program (IHLAP)

Initial Accreditation Date: 02/01/1989

IHLAP Scope Category	Field of Testing (FoT) (FoTs cover all relevant IH matrices)	Technology sub-type/ Detector	Published Reference Method/Title of In- house Method	Method Description or Analyte (for internal methods only)
	Gas Chromatography	GC/FID	NIOSH 1003 Modified	
			NIOSH 1005 Modified	
			NIOSH 1400 Modified	
			NIOSH 1500 Modified	
			NIOSH 1501 Modified	
			NIOSH 1550 Modified	
			NIOSH 1603 Modified	
			NIOSH 2000 Modified	
		GC/ECD	NIOSH 5502 Modified	***
			NIOSH 5503 Modified	
Chromatography Core			NIOSH 5510 Modified	
			OSHA 1010 Modified	
	GC/MS		EPA TO-15	
	Gas Chromatography (Diffusive Samplers)		NIOSH 1501 Modified	
	Ion Chromatography (IC)		NIOSH 6004 Modified	
			NIOSH 6011	· · · · · · · · · · · · · · · · · · ·
			NIOSH 7903	
			OSHA ID-214	
			OSHA ID-215 Modified	
	Liquid Chromatography	HPLC/FL	NIOSH 2016 Modified	
		HPLC/UV	NIOSH 5506 Modified	
		LC/MS	NIOSH 9111 Modified	

Effective: 04/10/2015

100194_Scope_IHLAP_2018_11_30

Page 1 of 2



IHLAP Scope Category	Field of Testing (FoT) (FoTs cover all relevant IH matrices)	Technology sub-type/ Detector	Published Reference Method/Title of In- house Method	Method Description or Analyte (for internal methods only)
Spectrometry Core	Atomic Absorption	CVAA	NIOSH 6009 Modified	
			OSHA ID-140 Modified	
			OSHA ID-145	
		FAA	NIOSH 7082	
		GFAA	NIOSH 7105	
	Inductively-Coupled Plasma	ICP/MS	NIOSH 7300 Modified	
		ICP/AES	NIOSH 7300 Modified	
	X-ray Diffraction (XRD)		NIOSH 7500 Modified	
			OSHA ID-142 Modified	
	UV/VIS (Colorimetric)		NIOSH 6010 Modified	
Asbestos/Fiber Microscopy Core	Polarized Light Microscopy (PLM)		EPA 600/R-93/116	
	Phase Contrast Microscopy (PCM)		NIOSH 7400	
	Transmission Electron Microscopy (TEM)		EPA AHERA - 40 CFR Part 763	EPA AHERA Method (40 CFR 763, Subpart E, Appendix A, Mandatory Method
			NIOSH 7402	
	Gravimetric		NIOSH 0500	
Miscellaneous Core		1	NIOSH 0600	
		<u> </u>	NIOSH 5524	
	Thermo-optical Analysis (TOA)		NIOSH 5040	
Beryllium Testing	Inductively-Coupled Plasma	ICP/MS	NIOSH 7300	
			NIOSH 7303	

A complete listing of currently accredited Industrial Hygiene laboratories is available on the AIHA-LAP, LLC website at: http://www.aihaaccreditedlabs.org

Effective: 04/10/2015 100194_Scope_IHLAP_2018_11_30 Page 2 of 2



8. Customer Correspondence

Page 49 of 53

Exhibit A - SCOPE OF WORK Asbestos Analysis by PLM TechLaw-Wheeling Project No. R35754

- Laboratory will provide containers for the number of samples and matrices specified in the attached Exhibit B - RFQ Bid Sheet. The containers will be shipped to the TechLaw-Wheeling, WV office. The sampling is scheduled to be conducted on February 18-21, 2020. The sample containers must be shipped to arrive no later than February 17, 2020.
- 2. The laboratory must be NVLAP certified.
- 3. The samples will be analyzed for asbestos by polarized light microscopy (PLM) using EPA 600/5/93/116 (or equivalent). Sample preparation will include milling similar to procedures in CARB 435; however, milling should be discontinued as soon as the material being milled appears homogeneous, in order to reduce the potential for mechanically reducing fiber size. This should be documented in the lab narrative report. The lab will perform a 400-point counting procedure (maximum of eight slides with 50 counts each to minimum of two slides with 200 counts each) to achieve a reporting limit for asbestos in soil at 0.25%, if feasible. Analytical results are to be reported below the reporting limit (RL) down to the method detection limit. The Target Analyte List (TAL) of asbestos fibers/materials is presented in **Attachment 1**.
- 4. TAT: Request 10 business days TAT for all Level II reports and 15 business days TAT for the Level IV (CLP-like) reports and electronic data deliverables (EDDs) in the National Asbestos Data Entry Spreadsheet (NADES) format.
- 5. Data Deliverables: Level II report, Level IV (CLP-Like) data package, and EDD (in NADES format). The Level IV data package should include documentation required for independent, third party data validation in accordance with USEPA PLM VALIDATION PROCESS GUIDELINES For Asbestos Data Review, OLEM Directive 9200.2-179, October 2016. Attachment 2 provides the documentation that will be required in the Final/Level IV data package. The EDD will be in the NADES format.
- 6. Sampling schedule:

The sampling is scheduled for February 18-21, 2020.

7. Bid due date: Friday, February 7, 2020 at 1:00 p.m. EST. Bids should be submitted electronically to Gene Nance at: gene.nance@techlawinc.com.


NOTE: Bid price should include cost of analysis, shipping fee (to Wheeling, WV), data package, and any other associated costs (e.g., waste disposal, taxes, etc.).

Attachments



9. Shipping Documentation

Page 51 of 53



PRIORITY OVERNIGHT

XB WWDA

08077

PHL







TechLaw, Inc. START 5 Region III EP-S3-15-03


Weirton BOP Implosion Site Removal Assessment Trip Report Revision: Draft May 12, 2020

ATTACHMENT 5


PHOTOGRAPHIC DOCUMENTATION



2/19/2020
Photo No. IMG_6802; Taken on 02/19/20 at 9:06 hours by START Facing NW. MR collecting Soil sample from first sample point, BE collecting GPS data. CP06, SS-01



2/19/2020
Photo No. IMG_6805; Taken on 02/19/20 at 9:34 hours by START. Facing N. Facing North looking at a utilities building and fenced in area where sample was collected along the fence line. CP08, SS02




2/19/2020
Photo No. IMG_6804; Taken on 02/19/20 at 9:18 hours by START Facing Down. First soil sample location, looking at the area disturbed during sample collection, sample tools and sample jars. CP06, SS-01



2/19/2020
Photo No. IMG_6807; Taken on 02/19/20 at 9:52 hours by STAR Facing ESE. Facing in a southeasterly direction, observing the runoff pathways from the building roof down the slope of the hill. CP08, SS-02




Photo No. IMG_6811; Taken on 02/19/20 at 10:04 hours by START. Facing W. Facing West, MR collects soils from property R11, BE collects GPS coordinates. R11, SS-03



2/19/2020
Photo No. IMG_6819; Taken on 02/19/20 at 10:30 hours by START. Facing E. Looking up-slope from alley way that bounds the east side of the property, pin flag marks sample location. R10, SS-05



2/19/2020
Photo No. IMG_6814; Taken on 02/19/20 at 10:11 hours by START. Facing Down. Facing Down at the location where soils were collected from a 0-3" interval with a dedicated SS trowel. R11, SS-03



2/19/2020
Photo No. IMG_6820; Taken on 02/19/20 at 10:31 hours by START Facing S. Facing south on property R10, pin flag placed in slight depression where soil sample was collected. R10, SS-05



2/19/2020
Photo No. IMG_6821; Taken on 02/19/20 at 10:34 hours by START. Facing Down. BE collects soils from R12 property location, MR collects GPS coordinates. R12, SS-06




2/19/2020
Photo No. IMG_6825; Taken on 02/19/20 at 10:48 hours by START Facing E. Facing east, looking up-slope, drainage pathway from house. MR collects sample from parcel CP07, BE collects GPS coordinates. CP07, SS-07




2/19/2020
Photo No. IMG_6822; Taken on 02/19/20 at 10:35 hours by STAR1. Facing S. BE collects soils from R12 property location, MR collects GPS coordinates. R12, SS-06



2/19/2020
Photo No. IMG_6828; Taken on 02/19/20 at 10:51 hours by START Facing Down. Looking down at the sample collection location, just on the other side of the fence that rings the community basketball court. CP07-SS-07



2/19/2020
Photo No. IMG_6830; Taken on 02/19/20 at 11:16 hours by START Facing W. Facing down slope toawrds Weir Ave. MR collects soil sample from parcel R13, BE collects GPS coordinates. R13, SS-08




2/19/2020
Photo No. IMG_6834; Taken on 02/19/20 at 11:45 hours by START Facing N. BE collects soil sample from property R05. R05, SS-09



2/19/2020
Photo No. IMG_6833; Taken on 02/19/20 at 11:21 hours by START. Facing Down. Looking down at the sample collection location. R13, SS-08



2/19/2020
Photo No. IMG_6835; Taken on 02/19/20 at 11:46 hours by START.
Facing Down. Looking down, BE collects sample, utilizing dedicated SS trowel and aluminum pan for homogenization. R05, SS-09



2/19/2020

Photo No. IMG_6839; Taken on 02/19/20 at 12:05 hours by START Facing NE. Facing Northeast on property R01, pin flag marks the sample location along a possible wildlife trail through the underbrush. R01, SS-10



2/19/2020

Photo No. IMG_6842; Taken on 02/19/20 at 12:18 hours by START Facing N. Facing north, BE collects soils sample from property R06, MR collects GPS coordinates. Possible yard, due east from old foundation remains. R06, SS-11



19/2020

Photo No. IMG_6840; Taken on 02/19/20 at 12:06 hours by START. Facing W. Facing west on property R01, pin flag marks sample location, looking down towards Weir Ave. R01, SS-10.



2/19/2020

Photo No. IMG_6844; Taken on 02/19/20 at 12:19 hours by STAR1. Facing SW. Facing southwest, BE utilizes dedicated SS trowel and aluminum pan to collect sample. R06, SS-11



2/19/2020
Photo No. IMG_6847; Taken on 02/19/20 at 1:23 hours by START. Facing W. Looking down slope, towards Weir Ave. BE collects soil sample. Former BOP site is just beyond Weir Ave. part of foundation is visible in pic, R09, SS-12



2/19/2020
Photo No. IMG_6849; Taken on 02/19/20 at 1:24 hours by START Facing E. BE collects soils from R09 property location, MR collects GPS coordinates. R09, SS-12



2/19/2020
Photo No. IMG_6852; Taken on 02/19/20 at 1:35 hours by START Facing Down. MR collecting soils from vacant lot, utilizing SS trowel and aluminum pan for homogenization. R08, SS-13



Photo No. IMG_6853; Taken on 02/19/20 at 1:35 hours by START Facing N. MR collecting soils from vacant lot, utilizing SS trowel and aluminum pan for homogenization. R08, SS-13



2/19/2020
Photo No. IMG_6856; Taken on 02/19/20 at 2:06 hours by STARTE Facing WSW. BE collects soils from CP01, MR collects GPS coordinates. CP01, SS-15




2/19/2020
Photo No. IMG_6861; Taken on 02/19/20 at 2:22 hours by START. Facing Down. MR collects soils using a dedicated SS trowel and aluminum pan for soil homogenization.CP03, SS-16



2/19/2020
Photo No. IMG_6859; Taken on 02/19/20 at 2:07 hours by START Facing Down. BE collects soils using a dedicated SS trowel and aluminum pan for soil homogenization. CP01, SS-15




2/19/2020
Photo No. IMG_6862; Taken on 02/19/20 at 2:22 hours by START Facing E. MR collects soils from CP03, BE collects GPS coordinates. CP03, SS-16




2/19/2020
Photo No. IMG_6864; Taken on 02/19/20 at 2:46 hours by
START Facing E. BE collects soils from CP09, MR collects GPS
coordinates, background sample location. CP09, SS-17



2/19/2020
Photo No. IMG_6868; Taken on 02/19/20 at 3:08 hours by START. Facing WNW. MR collects soils from CP11 property, BE collects GPS coordinates. Background sample location. CP11, SS-18



2/19/2020
Photo No. IMG_6866; Taken on 02/19/20 at 2:47 hours by START. Facing Down. BE collects soils using a dedicated SS trowel and aluminum pan for homogenization. Background sample location. CP09, SS-17



2/19/2020
Photo No. IMG_6869; Taken on 02/19/20 at 3:08 hours by STARI Facing Down. MR utilizing a dedicated SS trowel and aluminum pan for soil homogenization.
Background sample location. CP11, SS-18



2/19/2020
Photo No. IMG_6872; Taken on 02/19/20 at 3:31 hours by STARTIE. Facing NW. BE collects soils just north of a community basketball court located at the north end of Orchard Lane, background sampling location. CP10, SS-19



2/19/2020
Photo No. IMG_6873; Taken on 02/19/20 at 3:31 hours by START. Facing S. BE collects soils from CP10 property, background sampling location. CP10, SS-19